

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Kerala	124,516	125,761	99.2	249.9	556	622	99.6	99.5	116,863	125,664	132,354	122,607
1	Alappuzha	5,617	7,485	99.4	115.7	26	28	99.5	99.6	5,617	7,485	6,594	8,006
2	Ernakulam	10,516	8,739	100.3	425.7	19	22	99.8	99.7	10,516	8,739	14,029	8,803
3	Idukki	4,039	3,665	100.0	208.5	12	26	99.7	99.3	4,036	3,619	5,053	3,616
4	KOZHIKKODE	13,778	14,531	98.7	206.1	110	131	99.2	99.1	13,567	14,530	13,534	13,890
5	Kannur	11,017	10,513	99.5	329.5	68	52	99.4	99.5	9,335	10,513	8,875	11,506
6	Kasaragod	7,586	4,716	101.2	680.5	14	42	99.8	99.1	5,251	4,589	4,927	3,312
7	Kollam	8,099	10,694	97.0	307.2	11	33	99.9	99.7	8,099	10,694	8,128	10,786
8	Kottayam	5,313	6,335	98.3	190.2	24	31	99.6	99.5	3,919	6,335	6,438	6,335
9	Malappuram	20,225	21,729	96.9	453.5	115	75	99.4	99.7	18,925	21,815	22,283	18,691
10	Palakkad	10,005	9,313	99.9	407.9	28	23	99.7	99.8	10,005	9,304	11,381	9,450
11	Pathanamthitta	4,280	3,953	102.1	184.2	5	11	99.9	99.7	3,881	3,953	4,553	3,826
12	Thiruvananthapuram	11,672	8,898	100.2	142.7	77	74	99.3	99.2	11,353	8,898	10,919	9,868
13	Thrissur	8,287	11,931	100.0	239.9	4	56	100.0	99.5	8,287	11,931	12,106	12,013
14	Wayanad	4,082	3,259	100.1	174.5	43	18	99.0	99.5	4,072	3,259	3,534	2,505

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Kerala	141,950	125,938	106.3	97.5	114.0	100.1	141,218	125,573	134,872	118,177	133,705	116,020
1	Alappuzha	6,568	8,006	117.4	107.0	116.9	107.0	7,173	6,924	6,714	6,541	6,840	6,616
2	Ernakulam	14,492	8,803	133.4	100.7	137.8	100.7	12,691	10,602	12,513	10,513	13,521	10,691
3	Idukki	5,079	3,606	125.1	98.7	125.7	98.4	5,104	3,770	5,314	3,873	5,287	3,932
4	KOZHIKKODE	16,285	14,095	98.2	95.6	118.2	97.0	14,278	12,912	13,585	11,197	12,973	10,271
5	Kannur	9,616	11,507	80.6	109.4	87.3	109.5	9,712	10,024	9,255	9,400	9,942	9,598
6	Kasaragod	7,325	4,732	64.9	70.2	96.6	100.3	6,145	5,316	5,850	5,062	5,779	4,941
7	Kollam	8,158	10,786	100.4	100.9	100.7	100.9	8,960	10,123	8,844	9,829	9,400	10,514
8	Kottayam	6,282	6,335	121.2	100.0	118.2	100.0	6,781	6,387	6,602	6,453	6,405	6,600
9	Malappuram	23,300	20,282	110.2	86.0	115.2	93.3	21,989	18,765	19,898	16,878	19,470	14,161
10	Palakkad	11,342	9,225	113.8	101.5	113.4	99.1	13,331	11,504	12,473	10,947	12,310	10,290
11	Pathanamthitta	4,755	3,724	106.4	96.8	111.1	94.2	5,040	3,612	4,591	3,565	1,986	3,672
12	Thiruvananthapuram	12,281	9,868	93.5	110.9	105.2	110.9	14,037	12,785	13,489	11,951	13,414	12,336
13	Thrissur	12,114	12,013	146.1	100.7	146.2	100.7	11,578	10,545	11,464	10,113	12,061	10,752
14	Wayanad	4,353	2,956	86.6	76.9	106.6	90.7	4,399	2,304	4,280	1,855	4,317	1,646

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Kerala							129,668	117,183	104.1	93.2	125,976	113,697
1	Alappuzha							6,854	6,083	122.0	81.3	6,772	6,083
2	Ernakulam							13,197	10,646	125.5	121.8	12,877	10,646
3	Idukki							4,563	3,817	113.0	104.1	4,447	3,801
4	KOZHIKKODE							11,759	10,581	85.3	72.8	14,009	10,753
5	Kannur							9,646	9,397	87.6	89.4	10,053	9,371
6	Kasaragod							5,418	8,317	71.4	176.4	5,281	5,022
7	Kollam							9,421	9,906	116.3	92.6	9,409	9,906
8	Kottayam							6,608	6,299	124.4	99.4	6,150	6,299
9	Malappuram							16,586	14,041	82.0	64.6	14,031	13,423
10	Palakkad							11,259	9,925	112.5	106.6	10,906	10,654
11	Pathanamthitta							4,283	3,649	100.1	92.3	4,061	3,649
12	Thiruvananthapuram							14,927	11,581	127.9	130.2	14,286	11,581
13	Thrissur							11,496	10,574	138.7	88.6	10,474	10,574
14	Wayanad							3,651	2,367	89.4	72.6	3,220	1,935

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Kerala	8.7	7.0	88,948	39,530	71.4	31.4	45.8	3.1	305		96.4	
1	Alappuzha	-4.4	24.0	5,200	4,528	92.6	60.5	53.8	0.0	17		99.8	
2	Ernakulam	8.9	-20.9	10,028	3,119	95.4	35.7	62.4	2.2	141		100.0	
3	Idukki	10.2	-5.9	2,438	3,689	60.4	100.7	51.9	1.5	8		99.7	
4	KOZHIKKODE	27.8	24.9	9,461	1,786	68.7	12.3	17.6	0.0	8		99.3	
5	Kannur	-0.3	18.3	7,580	1,003	68.8	9.5	38.3	0.0	5		100.0	
6	Kasaragod	26.0	-75.8	5,270	313	69.5	6.6	35.9	0.0	46		99.9	
7	Kollam	-15.5	8.2	6,826	3,536	84.3	33.1	66.9	0.0			99.8	
8	Kottayam	-5.2	0.6	5,706	3,721	107.4	58.7	41.4	4.9	16		98.7	
9	Malappuram	28.8	30.8	8,411	1,987	41.6	9.1	16.7	2.4	15		98.8	
10	Palakkad	0.7	-7.6	4,606	7,100	46.0	76.2	38.1	4.4	11		99.9	
11	Pathanamthitta	9.9	2.0	3,542	2,789	82.8	70.6	76.5	0.1	1		24.3	
12	Thiruvananthapuram	-21.5	-17.4	8,048	1,863	69.0	20.9	62.1	4.6	2		99.8	
13	Thrissur	5.1	12.0	8,868	3,366	107.0	28.2	43.6	12.0			98.5	
14	Wayanad	16.1	19.9	2,964	730	72.6	22.4	77.9	11.1	35		100.7	

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	68.1		0.0		0.1		0.0		0.0		0.0	
1	Alappuzha	98.3		0.0		0.0		0.0		0.0		0.0	
2	Ernakulam	61.8		0.0		0.0		0.0		0.0		0.0	
3	Idukki	74.0		0.0		0.0		0.0		0.0		0.0	
4	KOZHIKKODE	74.0		0.0		0.3		0.0		0.0		0.0	
5	Kannur	18.1		0.0		0.0		0.0		0.0		0.0	
6	Kasaragod	26.6		0.0		0.0		0.0		0.0		0.0	
7	Kollam	85.2		0.0		0.0		0.0		0.0		0.0	
8	Kottayam	79.2		0.0		0.0		0.0		0.0		0.0	
9	Malappuram	57.6		0.0		0.0		0.0		0.0		0.0	
10	Palakkad	78.8		0.0		0.0		0.0		0.0		0.0	
11	Pathanamthitta	12.7		0.0		0.0		0.0		0.0		0.0	
12	Thiruvananthapuram	84.2		0.0		0.3		0.0		0.0		0.0	
13	Thrissur	56.1		0.0		0.0		0.0		0.0		0.0	
14	Wayanad	90.4		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2009-10
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	1.7		97.6		0.6		75	982	0.0	0.0	0.0	0.0
1	Alappuzha	0.4		99.4		0.2		12	30		0.0		0.0
2	Ernakulam	2.7		96.3		0.9		6	54	0.0	0.0	0.0	0.0
3	Idukki	0.1		99.9		0.1			23		0.0		0.0
4	KOZHIKKODE	1.6		97.5		0.6			209		0.0		0.0
5	Kannur	1.9		95.2		2.9		10	51		0.0		0.0
6	Kasaragod	2.7		96.0		1.3		1	58		0.0		0.0
7	Kollam	0.5		99.5		0.0		2	53		0.0		0.0
8	Kottayam	2.5		96.5		1.1			21		0.0		0.0
9	Malappuram	1.9		97.5		0.5		12	171		0.0		0.0
10	Palakkad	0.9		99.1		0.0		7	79		0.0		0.0
11	Pathanamthitta	4.6		95.4		0.0			12		0.0		0.0
12	Thiruvananthapuram	3.1		95.9		0.7		21	142		0.0		0.0
13	Thrissur	1.3		98.4		0.4		1	54		0.0		0.0
14	Wayanad	3.0		96.8		0.2		3	25		0.0		0.0

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Kerala	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
1	Alappuzha		0.0		0.0		0.0		0.0		0.0		100.0
2	Ernakulam	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
3	Idukki		0.0		0.0		0.0		0.0		0.0		100.0
4	KOZHIKKODE		0.0		0.0		0.0		0.0		0.0		100.0
5	Kannur		0.0		0.0		0.0		0.0		0.0		100.0
6	Kasaragod		0.0		0.0		0.0		0.0		0.0		100.0
7	Kollam		0.0		0.0		0.0		0.0		0.0		100.0
8	Kottayam		0.0		0.0		0.0		0.0		0.0		100.0
9	Malappuram		0.0		0.0		0.0		0.0		0.0		100.0
10	Palakkad		0.0		0.0		0.0		0.0		0.0		100.0
11	Pathanamthitta		0.0		0.0		0.0		0.0		0.0		100.0
12	Thiruvananthapuram		0.0		0.0		0.0		0.0		0.0		100.0
13	Thrissur		0.0		0.0		0.0		0.0		0.0		100.0
14	Wayanad		0.0		0.0		0.0		0.0		0.0		100.0