Performance of Key HMIS Indicators for Kerala ( Across Districts) Financial Year: 2011-12 Provisional Figures for the Period April to June

		1			2			4		5		6	
	Indicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		f Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala	128,191	127,520	99.5	100.3	589	615	99.5	99.5	127,391	124,334	123,654	120,997
1	Alappuzha	5,439	5,462	100.3	100.8	6	9	99.9	99.8	5,439	5,462	5,024	6,001
2	Ernakulam	10,483	9,831	100.0	98.5	32	23	99.7	99.8	10,477	9,834	10,296	10,544
3	Idukki	3,402	3,491	99.8	100.2	23	16	99.3	99.5	3,402	3,489	3,837	3,753
4	KOZHIKKODE	13,991	13,265	93.8	99.6	137	130	99.0	99.0	14,602	12,129	13,737	12,337
5	Kannur	9,452	11,132	99.6	102.9	78	58	99.2	99.5	9,452	10,880	11,798	10,969
6	Kasaragod	5,490	5,521	100.2	100.5	13	4	99.8	99.9	5,489	5,521	4,868	4,048
7	Kollam	9,544	8,906	100.3	100.3	12	23	99.9	99.7	9,544	8,906	9,680	9,044
8	Kottayam	6,590	6,553	99.7	100.2	38	31	99.4	99.5	6,575	6,503	6,965	7,680
9	Malappuram	22,734	21,667	100.0	100.0	79	112	99.7	99.5	21,415	20,616	17,840	16,108
10	Palakkad	10,415	9,846	100.2	100.3	17	29	99.8	99.7	10,414	9,846	10,210	8,677
11	Pathanamthitta	2,965	4,013	92.6	101.1	14	15	99.5	99.6	2,965	3,938	3,153	4,525
12	Thiruvananthapuram	10,925	11,427	100.4	100.0	108	99	99.0	99.1	10,925	11,313	10,979	11,601
13	Thrissur	12,927	12,616	103.3	100.4	13	30	99.9	99.8	12,877	12,163	11,651	12,041
14	Wayanad	3,834	3,790	99.4	99.8	19	36	99.5	99.1	3,815	3,734	3,616	3,669

		,						1	•	11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala	132,414	130,995	96.5	94.9	103.3	102.7	133,398	136,824	124,053	128,239	119,571	124,758
1	Alappuzha	5,208	6,030	92.4	109.9	95.8	110.4	6,411	7,118	6,770	6,363	5,926	6,138
2	Ernakulam	10,542	10,872	98.2	107.3	100.6	110.6	11,040	10,874	10,348	10,726	10,123	10,734
3	Idukki	3,862	3,738	112.8	107.5	113.5	107.1	5,243	4,924	5,032	4,736	4,597	4,437
4	KOZHIKKODE	14,127	12,703	98.2	93.0	101.0	95.8	14,315	13,892	12,558	12,772	12,136	12,374
5	Kannur	12,121	11,147	124.8	98.5	128.2	100.1	11,053	10,310	10,150	9,718	10,314	10,087
6	Kasaragod	5,773	5,582	88.7	73.3	105.2	101.1	6,015	5,725	5,515	5,441	5,505	5,244
7	Kollam	9,680	9,044	101.4	101.5	101.4	101.5	9,792	9,493	9,165	9,065	8,781	8,619
8	Kottayam	6,953	7,679	105.7	117.2	105.5	117.2	7,593	7,965	7,067	7,306	6,888	7,052
9	Malappuram	21,983	21,366	78.5	74.3	96.7	98.6	19,987	21,607	18,272	18,733	17,313	17,801
10	Palakkad	10,629	9,550	98.0	88.1	102.1	97.0	11,149	11,082	10,391	10,413	9,767	9,824
11	Pathanamthitta	3,156	4,505	106.3	112.8	106.4	112.3	3,357	5,232	3,123	4,995	3,172	4,848
12	Thiruvananthapuram	11,008	11,613	100.5	101.5	100.8	101.6	11,478	12,686	10,751	12,385	10,602	12,193
13	Thrissur	13,377	13,115	90.1	95.4	103.5	104.0	11,889	11,883	11,161	11,685	11,031	11,878
14	Wayanad	3,995	4,051	94.3	96.8	104.2	106.9	4,076	4,033	3,750	3,901	3,416	3,529

Performance of Key HMIS Indicators for Kerala ( Across Districts) Financial Year: 2011-12 Provisional Figures for the Period April to June

		1	3	1	14		15		16		7	18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala							119,214	122,899	93.0	96.4	112,397	114,692
1	Alappuzha							6,153	6,436	113.1	117.8	6,205	6,178
2	Ernakulam							10,525	10,850	100.4	110.4	9,225	9,657
3	Idukki							3,613	3,446	106.2	98.7	3,058	3,198
4	KOZHIKKODE							11,486	12,595	82.1	94.9	10,782	11,802
5	Kannur							10,433	9,799	110.4	88.0	9,713	9,567
6	Kasaragod							5,733	5,192	104.4	94.0	5,651	5,192
7	Kollam							9,362	9,383	98.1	105.4	9,362	9,241
8	Kottayam							6,741	7,824	102.3	119.4	6,517	6,295
9	Malappuram							15,769	16,668	69.4	76.9	14,002	14,358
10	Palakkad							11,043	9,826	106.0	99.8	10,847	9,631
11	Pathanamthitta							3,417	4,332	115.2	107.9	3,174	3,795
12	Thiruvananthapuram							10,950	12,058	100.2	105.5	10,575	12,061
13	Thrissur							10,778	11,295	83.4	89.5	10,296	11,115
14	Wayanad							3,211	3,195	83.8	84.3	2,990	2,602

			20										
		1	9	2	20		21		22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala	10.0	6.2	102,999	107,974	80.3	84.7	82.6	78.4	179	386	98.9	99.1
1	Alappuzha	-18.1	-6.7	5,951	5,781	109.4	105.8	98.0	79.6	22	9	100.0	100.0
2	Ernakulam	0.2	0.2	8,575	9,228	81.8	93.9	110.9	92.3	24	72	97.8	99.6
3	Idukki	6.4	7.8	3,102	2,900	91.2	83.1	90.9	98.0			99.8	98.9
4	KOZHIKKODE	18.7	0.9	10,808	11,187	77.2	84.3	42.9	39.4	8	28	99.0	97.0
5	Kannur	13.9	12.1	9,227	9,435	97.6	84.8	99.9	66.8	56	94	98.6	99.1
6	Kasaragod	0.7	7.0	5,229	5,040	95.2	91.3	87.7	58.0	9	35	99.7	99.9
7	Kollam	3.3	-3.7	7,232	8,670	75.8	97.4	147.0	130.3		4	99.7	97.8
8	Kottayam	3.0	-1.9	5,128	5,205	77.8	79.4	73.6	63.0	4	8	99.5	98.8
9	Malappuram	28.3	22.0	15,455	16,863	68.0	77.8	28.8	49.2	10	15	99.9	100.3
10	Palakkad	-3.9	-2.9	8,568	8,512	82.3	86.5	81.5	86.1	12	28	98.3	99.7
11	Pathanamthitta	-8.3	3.8	3,048	3,670	102.8	91.5	112.5	88.3	7		97.9	99.9
12	Thiruvananthapuram	0.5	-3.8	9,091	9,601	83.2	84.0	96.7	102.4	11	7	99.3	97.8
13	Thrissur	19.4	13.9	8,539	8,779	66.1	69.6	99.3	112.9	6	17	98.5	99.4
14	Wayanad	19.6	21.1	3,046	3,103	79.4	81.9	65.3	60.9	10	69	93.6	99.7

		2	5	2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala	78.5	77.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
1	Alappuzha	92.2	90.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Ernakulam	61.8	62.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Idukki	67.0	67.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	KOZHIKKODE	72.4	67.5	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
5	Kannur	83.0	66.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kasaragod	76.1	75.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Kollam	91.9	86.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Kottayam	68.3	72.8	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
9	Malappuram	74.6	77.3	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0
10	Palakkad	81.4	80.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Pathanamthitta	80.8	76.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Thiruvananthapuram	89.3	90.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
13	Thrissur	75.7	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	Wayanad	79.9	89.0	0.0	0.0	2.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	1	3.	2	3	3	3	4	3	5	3	6
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala	3.2	3.1	93.9	96.4	2.8	0.3	326	221	4.9	2.6	21.8	10.3
1	Alappuzha	6.6	0.3	91.2	99.7	2.2	0.0	14	47	12.5	8.6	37.5	8.6
2	Ernakulam	4.4	3.6	94.5	94.4	1.1	2.0	11	27	0.0	0.0	12.5	0.0
3	Idukki	0.3	0.3	98.6	99.7	1.1	0.0		1		0.0		0.0
4	KOZHIKKODE	0.5	2.1	99.1	97.6	0.4	0.2	248	55	3.5		19.1	
5	Kannur	0.4	1.4	97.8	97.9	1.8	0.7	2	6	0.0	0.0	0.0	0.0
6	Kasaragod	0.8	3.1	97.2	96.9	2.0	0.0		20		0.0		0.0
7	Kollam	3.4	14.7	61.0	83.6	35.6	1.7	8	5	0.0	0.0	66.7	25.0
8	Kottayam	1.1	2.0	98.4	97.3	0.5	0.5	7		0.0		25.0	
9	Malappuram	6.8	5.8	91.4	93.7	1.6	0.0	5	11	0.0	0.0	75.0	30.0
10	Palakkad	2.9	0.7	97.1	99.3	0.0	0.0	21	16	30.8	0.0	7.7	18.2
11	Pathanamthitta	2.5	1.7	92.9	98.3	4.7	0.0	6		0.0		50.0	
12	Thiruvananthapuram	4.6	1.9	94.9	97.7	0.6	0.2		13				
13	Thrissur	0.4	1.2	98.4	98.5	1.3	0.3	3	3	0.0		33.3	
14	Wayanad	3.4	16.3	93.3	81.6	1.1	0.0	1	17	0.0	0.0	0.0	25.0

Performance of Key HMIS Indicators for Kerala ( Across Districts) Financial Year: 2011-12 Provisional Figures for the Period April to June

		3	7	3	8	3	9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Kerala	28.9	12.0	0.9	0.9	0.0	1.7	0.0	0.0	0.0	0.0	43.6	72.6
1	Alappuzha	0.0	11.4	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	50.0	68.6
2	Ernakulam	0.0	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.5	91.7
3	Idukki		100.0		0.0		0.0		0.0		0.0		0.0
4	KOZHIKKODE	32.9		1.2		0.0		0.0		0.0		43.4	
5	Kannur	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
6	Kasaragod		0.0		6.3		0.0		0.0		0.0		93.8
7	Kollam	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	75.0
8	Kottayam	75.0		0.0		0.0		0.0		0.0		0.0	
9	Malappuram	25.0	10.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	50.0
10	Palakkad	15.4	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46.2	63.6
11	Pathanamthitta	25.0		0.0		0.0		0.0		0.0		25.0	
12	Thiruvananthapuram												
13	Thrissur	0.0		0.0		0.0		0.0		0.0		66.7	
14	Wayanad	0.0	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	41.7