| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|---|---------------|--|--|--|--|---|--|---|--|--|---|---|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers) | TT Booster given to Pregnant women (numbers | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 19,639 | 14,055 | 71.5 | 10,854 | 11,721 | 5,685 | 55.2 | 88.6 | 17,334 | 88.2 | 26,367 | 943 |
| 1 | Bodeli | 2,824 | 2,040 | 72.2 | 2,408 | 1,981 | 343 | 85.3 | 82.3 | 2,586 | 91.6 | 9,882 | 464 |
| 2 | Chhotaudepur | 5,443 | 4,130 | 75.9 | 2,676 | 2,651 | 1,730 | 49.2 | 80.5 | 5,032 | 92.4 | 6,320 | 201 |
| 3 | Kawant | 3,759 | 2,444 | 65.0 | 1,926 | 1,781 | 1,689 | 51.2 | 92.3 | 3,155 | 83.9 | 3,494 | 84 |
| 4 | Naswadi | 2,539 | 1,808 | 71.2 | 1,100 | 1,556 | 922 | 43.3 | 97.6 | 1,904 | 75.0 | 2,871 | 178 |
| 5 | Pavi Jetpur | 2,939 | 2,052 | 69.8 | 1,301 | 1,897 | 938 | 44.3 | 96.5 | 2,920 | 99.4 | 2,181 | 8 |
| 6 | Sankheda | 2,135 | 1,581 | 74.1 | 1,443 | 1,855 | 63 | 67.6 | 89.8 | 1,737 | 81.4 | 1,619 | 8 |

| | | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
|---|---------------|--|--|---------------------------------|--|--|--|--|--|--|---|---|---|
| | Indicators | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 43.7 | 1.6 | 1,527 | 421 | 1,106 | 27.5 | 9,485 | 4,109 | 43.3 | 66 | 66 | 100.0 |
| 1 | Bodeli | 92.8 | 2.3 | 105 | 102 | 3 | 97.1 | 3,711 | 2,092 | 56.4 | 0 | 0 | |
| 2 | Chhotaudepur | 24.1 | 2.2 | 83 | 14 | 69 | 16.9 | 1,849 | 719 | 38.9 | | | |
| 3 | Kawant | 26.2 | 1.8 | 629 | 64 | 565 | 10.2 | 1,864 | 1,118 | 60.0 | 66 | 66 | 100.0 |
| 4 | Naswadi | 58.0 | 1.0 | 504 | 65 | 439 | 12.9 | 1,238 | 23 | 1.9 | | | |
| 5 | Pavi Jetpur | 9.0 | 0.6 | 11 | 5 | 6 | 45.5 | 257 | 97 | 37.7 | | | |
| 6 | Sankheda | 7.5 | 1.3 | 195 | 171 | 24 | 87.7 | 566 | 60 | 10.6 | | | |

| | | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
|---|---------------|---|---|---------------------------------|--|---|---|---|--|--|---|---|--|
| | Indicators | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 9,551 | 48.6 | 11,078 | 86.2 | 90.0 | 13.8 | 468 | 0 | 4.9 | 4.9 | 0.0 | 99.3 |
| 1 | Bodeli | 3,711 | 131.4 | 3,816 | 97.2 | 99.9 | 2.8 | 309 | 0 | 8.3 | 8.3 | | 100.0 |
| 2 | Chhotaudepur | 1,849 | 34.0 | 1,932 | 95.7 | 96.4 | 4.3 | 51 | | 2.8 | 2.8 | | 100.0 |
| 3 | Kawant | 1,930 | 51.3 | 2,559 | 75.4 | 77.9 | 24.6 | 0 | 0 | 0.0 | 0.0 | 0.0 | 96.6 |
| 4 | Naswadi | 1,238 | 48.8 | 1,742 | 71.1 | 74.8 | 28.9 | 0 | | 0.0 | 0.0 | | 100.0 |
| 5 | Pavi Jetpur | 257 | 8.7 | 268 | 95.9 | 97.8 | 4.1 | 104 | | 40.5 | 40.5 | | 100.0 |
| 6 | Sankheda | 566 | 26.5 | 761 | 74.4 | 96.8 | 25.6 | 4 | | 0.7 | 0.7 | | 100.0 |

| | | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
|---|---------------|---|--|--|---|---|---|---|--|--|---|--|---|
| | Indicators | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 0.7 | 3,419 | 6,346 | 223.9 | 57.3 | 13,812 | 124.7 | 227 | 98.4 | 12,447 | 90.1 | 2,927 |
| 1 | Bodeli | 0.0 | 998 | 3,248 | 950.5 | 85.1 | 4,859 | 127.3 | 52 | 98.9 | 4,368 | 89.9 | 1,371 |
| 2 | Chhotaudepur | 0.0 | 246 | 1,566 | 296.4 | 81.1 | 2,116 | 109.5 | 25 | 98.8 | 1,988 | 94.0 | 511 |
| 3 | Kawant | 3.4 | 699 | 608 | 111.1 | 23.8 | 3,326 | 130.0 | 86 | 97.5 | 3,002 | 90.3 | 502 |
| 4 | Naswadi | 0.0 | 904 | 558 | 179.4 | 32.0 | 1,724 | 99.0 | 26 | 98.5 | 1,535 | 89.0 | 171 |
| 5 | Pavi Jetpur | 0.0 | 104 | 103 | 945.5 | 38.4 | 932 | 347.8 | 16 | 98.3 | 718 | 77.0 | 159 |
| 6 | Sankheda | 0.0 | 468 | 263 | 240.0 | 34.6 | 855 | 112.4 | 22 | 97.5 | 836 | 97.8 | 213 |

| | | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
|---|---------------|--|--|--|--|---|---|--|---|--|---|---|---|
| | Indicators | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 23.5 | 11,789 | 85.3 | 855 | 2.9 | 63.7 | 15,171 | 77.2 | 13,382 | 68.1 | 648 | 3.3 |
| 1 | Bodeli | 31.4 | 3,848 | 79.2 | 841 | 3.5 | 46.6 | 2,135 | 75.6 | 2,206 | 78.1 | 430 | 15.2 |
| 2 | Chhotaudepur | 25.7 | 1,947 | 92.0 | 858 | 8.8 | 84.1 | 4,477 | 82.3 | 3,769 | 69.2 | 0 | 0.0 |
| 3 | Kawant | 16.7 | 2,917 | 87.7 | 848 | 0.7 | 31.6 | 2,771 | 73.7 | 2,620 | 69.7 | 51 | 1.4 |
| 4 | Naswadi | 11.1 | 1,483 | 86.0 | 901 | 0.0 | | 1,644 | 64.7 | 1,459 | 57.5 | 0 | 0.0 |
| 5 | Pavi Jetpur | 22.1 | 750 | 80.5 | 864 | 2.2 | 0.0 | 2,540 | 86.4 | 1,829 | 62.2 | 4 | 0.1 |
| 6 | Sankheda | 25.5 | 844 | 98.7 | 867 | 0.4 | 0.0 | 1,604 | 75.1 | 1,499 | 70.2 | 163 | 7.6 |

| | | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 |
|---|---------------|--|---|--|---|---|--|--|---------------------------------|---|---|---|------------------------------------|
| | Indicators | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 17 | 0.1 | 1,265 | 58 | 6.4 | 0.2 | | 24 | 3 | 343 | 1 | 0.3 |
| 1 | Bodeli | 0 | 0.0 | 840 | 0 | 29.7 | 0.0 | | 7 | 3 | 76 | 0 | 0.0 |
| 2 | Chhotaudepur | 0 | 0.0 | 11 | 0 | 0.2 | 0.0 | | 0 | 0 | 68 | 0 | 0.0 |
| 3 | Kawant | 0 | 0.0 | 19 | 17 | 0.5 | 0.0 | | 4 | 0 | 90 | 0 | 0.0 |
| 4 | Naswadi | 0 | 0.0 | 374 | 0 | 14.7 | 0.0 | | 6 | 0 | 39 | 1 | 2.5 |
| 5 | Pavi Jetpur | 0 | 0.0 | 14 | 0 | 0.5 | 0.0 | | 2 | 0 | 26 | 0 | 0.0 |
| 6 | Sankheda | 17 | 0.8 | 7 | 41 | 0.3 | 28.6 | | 5 | 0 | 44 | 0 | 0.0 |

| | | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 |
|---|---------------|---|---|---|--|---|--|--|---|---|--|---|---|
| | Indicators | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0 | 1,527 | 1,527 | 0.0 | 100.0 | | |
| 1 | Bodeli | | | | | 0.0 | 0 | 187 | 187 | 0.0 | 100.0 | | |
| 2 | Chhotaudepur | | | | | 0.0 | 0 | 490 | 490 | 0.0 | 100.0 | | |
| 3 | Kawant | | | | | 0.0 | 0 | 147 | 147 | 0.0 | 100.0 | | |
| 4 | Naswadi | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | 0 | 358 | 358 | 0.0 | 100.0 | | |
| 5 | Pavi Jetpur | | | | | 0.0 | 0 | 153 | 153 | 0.0 | 100.0 | | |
| 6 | Sankheda | | | | | 0.0 | 0 | 192 | 192 | 0.0 | 100.0 | | |

| | | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 |
|---|---------------|---|--|--|---|---|--|--|--|--|--|---|---|
| | Indicators | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | | | 0 | 1,527 | 0.0 | 100.0 | 85.1 | 10.1 | 4.3 | 0.5 | 100.0 | 100.0 |
| 1 | Bodeli | | | 0 | 187 | 0.0 | 100.0 | 62.6 | 0.5 | 33.2 | 3.7 | 100.0 | 100.0 |
| 2 | Chhotaudepur | | | | 490 | 0.0 | 100.0 | 99.2 | 0.0 | 0.8 | 0.0 | 100.0 | |
| 3 | Kawant | | | 0 | 147 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 4 | Naswadi | | | | 358 | 0.0 | 100.0 | 100.0 | 0.0 | 0.0 | 0.0 | 100.0 | |
| 5 | Pavi Jetpur | | | | 153 | 0.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | | 100.0 |
| 6 | Sankheda | | | | 192 | 0.0 | 100.0 | 99.5 | 0.0 | 0.0 | 0.5 | 100.0 | |

| | | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 |
|---|---------------|--|--|---|--|--|---|---|--|--|--|--|---|
| | Indicators | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 42 | 106 | 4,010 | 0 | 6.8 |
| 1 | Bodeli | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 10 | 12 | 426 | 0 | 5.6 |
| 2 | Chhotaudepur | 100.0 | | 0 | 0 | 0 | 0 | 0 | 3 | 40 | 1,204 | | 16.9 |
| 3 | Kawant | | | 0 | 0 | 0 | 0 | 0 | 0 | 15 | 796 | 0 | 2.9 |
| 4 | Naswadi | | | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 609 | | 1.1 |
| 5 | Pavi Jetpur | | | 0 | 0 | 0 | 0 | 0 | 20 | 27 | 601 | | 1.5 |
| 6 | Sankheda | | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 374 | | 2.7 |

| | | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
|---|---------------|---|---|---|--|---------------------------------------|---|--|-------------------------------------|--|--|--|--|
| | Indicators | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 2.9 | 72.4 | 3,690 | 276 | 44 | 18,968 | 331 | 138,809 | 1,301 | 46 | 45 | 12 |
| 1 | Bodeli | 0.6 | 69.5 | 392 | 24 | 10 | 1,703 | 47 | 5,071 | 234 | 0 | 0 | 8 |
| 2 | Chhotaudepur | 11.0 | 71.1 | 983 | 203 | 18 | 7,189 | 44 | 79,498 | 454 | 0 | 0 | 0 |
| 3 | Kawant | 1.2 | 84.4 | 770 | 23 | 3 | 3,010 | 33 | 13,030 | 182 | 46 | 45 | 3 |
| 4 | Naswadi | 0.6 | 63.0 | 602 | 7 | 0 | 1,967 | 43 | 5,139 | 176 | 0 | 0 | 0 |
| 5 | Pavi Jetpur | 3.5 | 79.7 | 582 | 9 | 10 | 3,557 | 108 | 28,581 | 228 | 0 | 0 | 0 |
| 6 | Sankheda | 1.8 | 66.1 | 361 | 10 | 3 | 1,542 | 56 | 7,490 | 27 | 0 | 0 | 1 |

| | | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 |
|---|---------------|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|---------------------------------------|--|
| | Indicators | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 243 | 12,496 | 12,159 | 17,642 | 7,679 | 88.0 | 127.7 | 55.6 | 244 | 123 | 296 | 15,139 |
| 1 | Bodeli | 41 | 4,884 | 4,084 | 4,514 | 3,360 | 84.1 | 92.9 | 69.2 | 96 | 67 | 113 | 2,213 |
| 2 | Chhotaudepur | 30 | 1,666 | 3,208 | 3,893 | 1,594 | 151.6 | 184.0 | 75.3 | 14 | 7 | 44 | 3,873 |
| 3 | Kawant | 52 | 1,981 | 1,242 | 3,370 | 423 | 37.3 | 101.3 | 12.7 | 25 | 13 | 31 | 3,115 |
| 4 | Naswadi | 20 | 1,170 | 948 | 1,877 | 671 | 55.0 | 108.9 | 38.9 | 11 | 12 | 28 | 2,069 |
| 5 | Pavi Jetpur | 70 | 1,396 | 1,178 | 2,446 | 833 | 126.4 | 262.4 | 89.4 | 63 | 15 | 25 | 2,351 |
| 6 | Sankheda | 30 | 1,399 | 1,499 | 1,542 | 798 | 175.3 | 180.4 | 93.3 | 35 | 9 | 55 | 1,518 |

| | | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 |
|---|---------------|--|--|--|----------------------------------|---|---|---|---|--|--|---|---|
| | Indicators | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) | Adverse Events Following Imunisati on (Others) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 14,487 | 14,048 | 12,785 | 116 | 93.4 | 12,208 | 27.5 | 93.1 | 73.6 | 45 | 1 | 1 |
| 1 | Bodeli | 2,025 | 2,071 | 1,562 | 19 | 32.5 | 1,443 | 65.4 | 39.1 | 97.0 | 1 | 0 | 0 |
| 2 | Chhotaudepur | 3,753 | 3,685 | 3,365 | 2 | 159.1 | 3,260 | 13.6 | 149.0 | 82.4 | 15 | 0 | 0 |
| 3 | Kawant | 3,103 | 2,950 | 2,767 | 13 | 83.6 | 2,663 | 17.9 | 79.3 | 70.9 | 29 | 1 | 1 |
| 4 | Naswadi | 1,977 | 1,890 | 1,779 | 0 | 103.2 | 1,668 | 5.2 | 90.9 | 52.9 | 0 | 0 | 0 |
| 5 | Pavi Jetpur | 2,247 | 2,170 | 1,919 | 82 | 214.7 | 1,851 | 21.5 | 242.9 | 50.1 | 0 | 0 | 0 |
| 6 | Sankheda | 1,382 | 1,282 | 1,393 | 0 | 162.9 | 1,323 | 9.7 | 157.3 | 88.8 | 0 | 0 | 0 |

| Indicators | | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|---------------|---|---|---|--|--|--|--|---|---|---|--|---|
| | | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 99.6 | 93.1 | 2,792 | 14 | 48 | 0 | 0 | 0 | 36 | 36 | 13 | 2,792 |
| 1 | Bodeli | 99.6 | 93.3 | 765 | 0 | 24 | 0 | 0 | 0 | 0 | 0 | 1 | 765 |
| 2 | Chhotaudepur | 99.3 | 94.6 | 16 | 0 | 4 | 0 | 0 | 0 | 7 | 7 | 11 | 16 |
| 3 | Kawant | 99.8 | 95.1 | 1,308 | 5 | 12 | 0 | 0 | 0 | 15 | 15 | 0 | 1,308 |
| 4 | Naswadi | 99.1 | 89.5 | 3 | 3 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| 5 | Pavi Jetpur | 100.5 | 95.9 | 696 | 0 | 0 | 0 | 0 | 0 | 12 | 12 | 0 | 696 |
| 6 | Sankheda | 99.8 | 87.1 | 4 | 6 | 0 | 0 | 0 | 0 | 2 | 2 | 1 | 4 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 |
|------------|---------------|--|--|---|---|---|---|--|--|---|---|---|---|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 514 | 151 | 116 | 97 | 20 | 20 | 10,719 | 162 | 74.2 | 27.6 | 67.7 | 0.4 |
| 1 | Bodeli | 58 | 14 | 19 | 9 | 4 | 4 | 1,220 | 51 | 93.9 | 40.7 | 50.0 | 0.1 |
| 2 | Chhotaudepur | 80 | 2 | 2 | 0 | 0 | 0 | 2,773 | 39 | 63.5 | 22.7 | 72.4 | 1.1 |
| 3 | Kawant | 207 | 59 | 13 | 6 | 5 | 5 | 2,327 | 25 | 70.2 | 17.5 | 52.9 | 0.2 |
| 4 | Naswadi | 44 | 2 | 0 | 2 | 0 | 0 | 1,523 | 0 | 76.8 | 24.2 | | 0.0 |
| 5 | Pavi Jetpur | 56 | 0 | 82 | 64 | 11 | 11 | 1,597 | 43 | 56.9 | 23.3 | | 0.0 |
| 6 | Sankheda | 69 | 74 | 0 | 16 | 0 | 0 | 1,279 | 4 | 70.4 | 16.0 | 100.0 | 0.0 |

| Indicators | | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 |
|------------|---------------|-----------------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|
| | | IPD (Number) | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 44,359 | 280,830 | 14,127 | 294,957 | 15.0 | 630 | 3,336 | 15.9 | 139 | 22.0 | 4.7 | 2,817 |
| 1 | Bodeli | 15,099 | 44,668 | 5,542 | 50,210 | 30.1 | 358 | 1,155 | 23.7 | 109 | 30.4 | 11.0 | 775 |
| 2 | Chhotaudepur | 11,441 | 100,839 | 1,827 | 102,666 | 11.1 | 61 | 118 | 34.1 | 20 | 32.8 | 1.8 | 992 |
| 3 | Kawant | 7,147 | 45,074 | 1,779 | 46,853 | 15.3 | 211 | 1,119 | 15.9 | 10 | 4.7 | 3.8 | 222 |
| 4 | Naswadi | 2,965 | 40,661 | 70 | 40,731 | 7.3 | 0 | 314 | 0.0 | 0 | | 0.2 | 127 |
| 5 | Pavi Jetpur | 4,139 | 41,951 | 3,621 | 45,572 | 9.1 | 0 | 475 | 0.0 | 0 | | 7.9 | 57 |
| 6 | Sankheda | 3,568 | 7,637 | 1,288 | 8,925 | 40.0 | 0 | 155 | 0.0 | 0 | | 14.4 | 644 |

| Indicators | | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 |
|------------|---------------|---------------------------------------|--|--|--|---|---|--|--|--|--|--|--|
| | | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Chhotaudepur | 1.0 | 4.6 | 2.1 | 28.4 | 2.1 | 2.1 | 1.4 | 0.1 | 313 | 7.0 | 7.0 | 10.9 |
| 1 | Bodeli | 1.5 | 3.0 | 1.9 | 17.7 | 1.2 | 1.6 | 5.0 | 0.0 | 41 | 17.1 | 9.8 | 4.9 |
| 2 | Chhotaudepur | 1.0 | 5.4 | 0.5 | 32.6 | 1.6 | 1.1 | 0.7 | 0.1 | 35 | 8.6 | 11.4 | 11.4 |
| 3 | Kawant | 0.5 | 9.5 | 1.9 | 13.8 | 7.7 | 4.4 | 0.8 | 0.0 | 109 | 6.4 | 6.4 | 11.0 |
| 4 | Naswadi | 0.3 | 3.1 | 1.2 | 23.3 | 4.4 | 2.6 | 0.1 | 0.0 | 74 | 1.4 | 0.0 | 16.2 |
| 5 | Pavi Jetpur | 0.1 | 6.7 | 3.4 | 52.7 | 0.7 | 2.0 | 0.7 | 0.2 | 20 | 5.0 | 5.0 | 10.0 |
| 6 | Sankheda | 7.2 | 4.2 | 5.0 | 30.6 | 0.8 | 2.7 | 0.4 | 0.0 | 34 | 8.8 | 17.6 | 5.9 |

| | | 193 | 194 | 195 | 196 | 197 | 198 | |
|------------|---------------|---|---|---|--|--|---|--|
| Indicators | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | |
| | | 2017-18 | 2017-18 2017-18 | | 2017-18 | 2017-18 | 2017-18 | |
| | _Chhotaudepur | 8.3 | 1.6 | 0.3 | 137 | | | |
| 1 | Bodeli | 0.0 | 2.4 | 0.0 | 0 | | | |
| 2 | Chhotaudepur | 2.9 | 0.0 | 0.0 | 137 | | | |
| 3 | Kawant | 22.0 | 2.8 | 0.9 | · | | · | |
| 4 | Naswadi | 0.0 | 0.0 | 0.0 | | | | |
| 5 | Pavi Jetpur | 0.0 | 5.0 | 0.0 | 0 | | | |
| 6 | Sankheda | 2.9 | 0.0 | 0.0 | | | | |