

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|------------------------|---|---------|--|---------|--------------------------------------|---------|---|---------|--|---------|---|---------|
| | | Total number of pregnant women Registered for ANC | | Number of Pregnant women registered within first trimester | | Number of Women registered under JSY | | % 1st Trimester registration to Total ANC Registrations | | % JSY registration to Total ANC Registration | | Number of pregnant women received 3 ANC check ups | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | Meghalaya | 81,992 | 76,800 | 21,594 | 20,510 | 22,963 | 18,519 | 26.3 | 26.7 | 28.0 | 24.1 | 34,857 | 32,104 |
| 1 | East Garo Hills | 6,878 | 5,291 | 2,570 | 1,613 | 1,858 | 1,198 | 37.4 | 30.5 | 27.0 | 22.6 | 2,833 | 1,833 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 30,908 | 30,116 | 5,630 | 7,137 | 5,970 | 5,659 | 18.2 | 23.7 | 19.3 | 18.8 | 12,509 | 13,360 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 6,108 | 6,298 | 1,893 | 2,039 | 1,654 | 1,544 | 31.0 | 32.4 | 27.1 | 24.5 | 3,289 | 2,969 |
| 6 | South Garo Hills | 2,832 | 1,841 | 888 | 438 | 843 | 157 | 31.4 | 23.8 | 29.8 | 8.5 | 1,130 | 450 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 14,671 | 13,895 | 5,636 | 5,208 | 7,234 | 6,251 | 38.4 | 37.5 | 49.3 | 45.0 | 7,963 | 7,180 |
| 10 | West Jaintia Hills | 12,542 | 11,917 | 2,755 | 2,370 | 3,372 | 2,224 | 22.0 | 19.9 | 26.9 | 18.7 | 4,065 | 3,406 |
| 11 | West Khasi Hills | 8,053 | 7,442 | 2,222 | 1,705 | 2,032 | 1,486 | 27.6 | 22.9 | 25.2 | 20.0 | 3,068 | 2,906 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|-----------|------------------------|--|---------|--|---------|--|---------|--|---------|--|---------|--|---------|
| | | TT2 or Booster given to Pregnant women (numbers) | | % Pregnant Woman received 3 ANC check ups to Total ANC Registrations | | % Pregnant women received TT2 or Booster to Total ANC Registration | | Number of Pregnant women given 100 IFA tablets | | % Pregnant women given 100 IFA to Total ANC Registration | | Number having Hb level<11 (tested cases) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 43,097 | 40,631 | 42.5 | 41.8 | 52.6 | 52.9 | 40,799 | 29,389 | 49.8 | 38.3 | 15,010 | 7,934 |
| 1 | East Garo Hills | 4,450 | 3,251 | 41.2 | 34.6 | 64.7 | 61.4 | 4,631 | 1,535 | 67.3 | 29.0 | 708 | 540 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 8,942 | 10,142 | 40.5 | 44.4 | 28.9 | 33.7 | 11,651 | 12,662 | 37.7 | 42.0 | 3,540 | 1,931 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4,104 | 3,817 | 53.8 | 47.1 | 67.2 | 60.6 | 3,808 | 1,945 | 62.3 | 30.9 | 1,118 | 676 |
| 6 | South Garo Hills | 1,951 | 1,306 | 39.9 | 24.4 | 68.9 | 70.9 | 1,949 | 860 | 68.8 | 46.7 | 213 | 4 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 11,328 | 10,960 | 54.3 | 51.7 | 77.2 | 78.9 | 10,552 | 8,428 | 71.9 | 60.7 | 5,682 | 2,627 |
| 10 | West Jaintia Hills | 6,913 | 6,418 | 32.4 | 28.6 | 55.1 | 53.9 | 5,413 | 2,374 | 43.2 | 19.9 | 3,343 | 2,017 |
| 11 | West Khasi Hills | 5,409 | 4,737 | 38.1 | 39.0 | 67.2 | 63.7 | 2,795 | 1,585 | 34.7 | 21.3 | 406 | 139 |

| Indicator | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|-----------|------------------------|--|---------|--|---------|---|---------|---------------------------|---------|--|---------|--|---------|
| | | Number having severe anaemia (Hb<7) treated at institution | | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11 | | % New cases detected at institution for hypertension to Total ANC Registrations | | Number of Home deliveries | | Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM) | | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 1,729 | 1,218 | 11.5 | 15.4 | 2.8 | 2.2 | 28,290 | 26,747 | 2,523 | 3,133 | 25,767 | 23,614 |
| 1 | East Garo Hills | 80 | 56 | 11.3 | 10.4 | 1.8 | 0.6 | 2,234 | 1,478 | 191 | 532 | 2,043 | 946 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 344 | 585 | 9.7 | 30.3 | 3.8 | 2.8 | 4,877 | 4,769 | 248 | 359 | 4,629 | 4,410 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 178 | 79 | 15.9 | 11.7 | 1.5 | 1.5 | 3,130 | 3,589 | 362 | 379 | 2,768 | 3,210 |
| 6 | South Garo Hills | 28 | | 13.1 | 0.0 | 1.8 | 0.3 | 1,150 | 891 | 240 | 134 | 910 | 757 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 503 | 320 | 8.9 | 12.2 | 2.1 | 1.9 | 7,102 | 7,315 | 419 | 355 | 6,683 | 6,960 |
| 10 | West Jaintia Hills | 587 | 162 | 17.6 | 8.0 | 3.2 | 3.1 | 5,210 | 4,833 | 539 | 660 | 4,671 | 4,173 |
| 11 | West Khasi Hills | 9 | 16 | 2.2 | 11.5 | 2.0 | 1.2 | 4,587 | 3,872 | 524 | 714 | 4,063 | 3,158 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|-----------|------------------------|--|---------|--|---------|--|---------|---|---------|--|---------|--|---------|
| | | % SBA attended home deliveries to Total Reported Home Deliveries | | Mothers paid JSY incentive for home deliveries | | % Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries | | Deliveries Conducted at Public Institutions | | Number of Women Discharged under 48 hours of delivery in public facilities | | % Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 8.9 | 11.7 | 3,170 | 3,603 | 11.2 | 13.5 | 17,482 | 16,017 | 7,892 | 8,842 | 45.1 | 55.2 |
| 1 | East Garo Hills | 8.5 | 36.0 | 9 | 1 | 0.4 | 0.1 | 1,039 | 822 | 636 | 470 | 61.2 | 57.2 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 5.1 | 7.5 | 685 | 670 | 14.0 | 14.0 | 7,757 | 8,635 | 1,066 | 3,432 | 13.7 | 39.7 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 11.6 | 10.6 | 445 | 438 | 14.2 | 12.2 | 745 | 631 | 535 | 599 | 71.8 | 94.9 |
| 6 | South Garo Hills | 20.9 | 15.0 | 168 | 4 | 14.6 | 0.4 | 341 | 248 | 337 | 138 | 98.8 | 55.6 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 5.9 | 4.9 | 485 | 1,504 | 6.8 | 20.6 | 3,823 | 2,978 | 2,215 | 2,128 | 57.9 | 71.5 |
| 10 | West Jaintia Hills | 10.3 | 13.7 | 671 | 552 | 12.9 | 11.4 | 2,289 | 1,672 | 1,960 | 1,337 | 85.6 | 80.0 |
| 11 | West Khasi Hills | 11.4 | 18.4 | 707 | 434 | 15.4 | 11.2 | 1,488 | 1,031 | 1,143 | 738 | 76.8 | 71.6 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|-----------|------------------------|--|---------|--|---------|------------------------------|---------|---|---------|---|---------|--|---------|
| | | Institutional deliveries (Public Insts.+Pvt. Insts.) | | % Institutional Deliveries to total ANC registration | | Total reported deliveries | | % Institutional deliveries to Total Reported Deliveries | | % Safe deliveries to Total Reported Deliveries | | % Home deliveries to Total Reported Deliveries | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 23,378 | 21,524 | 28.5 | 28.0 | 51,668 | 48,271 | 45.2 | 44.6 | 50.1 | 51.1 | 54.8 | 55.4 |
| 1 | East Garo Hills | 1,039 | 822 | 15.1 | 15.5 | 3,273 | 2,300 | 31.7 | 35.7 | 37.6 | 58.9 | 68.3 | 64.3 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 11,641 | 11,922 | 37.7 | 39.6 | 16,518 | 16,691 | 70.5 | 71.4 | 72.0 | 73.6 | 29.5 | 28.6 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 745 | 631 | 12.2 | 10.0 | 3,875 | 4,220 | 19.2 | 15.0 | 28.6 | 23.9 | 80.8 | 85.0 |
| 6 | South Garo Hills | 341 | 248 | 12.0 | 13.5 | 1,491 | 1,139 | 22.9 | 21.8 | 39.0 | 33.5 | 77.1 | 78.2 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 4,620 | 3,714 | 31.5 | 26.7 | 11,722 | 11,029 | 39.4 | 33.7 | 43.0 | 36.9 | 60.6 | 66.3 |
| 10 | West Jaintia Hills | 3,346 | 2,942 | 26.7 | 24.7 | 8,556 | 7,775 | 39.1 | 37.8 | 45.4 | 46.3 | 60.9 | 62.2 |
| 11 | West Khasi Hills | 1,646 | 1,245 | 20.4 | 16.7 | 6,233 | 5,117 | 26.4 | 24.3 | 34.8 | 38.3 | 73.6 | 75.7 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|-----------|------------------------|---|---------|--|---------|---|---------|--|---------|--|---------|---|---------|
| | | Number of C-section deliveries conducted at public facilities | | Number of C-section deliveries conducted at private facilities | | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | | % C-sections conducted at public facilities to Deliveries conducted at public facilities | | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 1,339 | 1,481 | 1,593 | 1,646 | 12.5 | 14.5 | 7.7 | 9.2 | 27.0 | 29.9 | 74.8 | 74.4 |
| 1 | East Garo Hills | 1 | 1 | | | 0.1 | 0.1 | 0.1 | 0.1 | | | 100.0 | 100.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 1,173 | 1,354 | 1,094 | 1,242 | 19.5 | 21.8 | 15.1 | 15.7 | 28.2 | 37.8 | 66.6 | 72.4 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | South Garo Hills | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 111 | 103 | 256 | 181 | 7.9 | 7.6 | 2.9 | 3.5 | 32.1 | 24.6 | 82.7 | 80.2 |
| 10 | West Jaintia Hills | 51 | 20 | 243 | 219 | 8.8 | 8.1 | 2.2 | 1.2 | 23.0 | 17.2 | 68.4 | 56.8 |
| 11 | West Khasi Hills | 3 | 3 | | 4 | 0.2 | 0.6 | 0.2 | 0.3 | 0.0 | 1.9 | 90.4 | 82.8 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|-----------|------------------------|--|---------|---|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries | | % of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries | | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | | Women received post partum check-up within 48 hours of delivery | | Post - Natal Care / Women got a post partum check up between 48 hours and 14 days | | % Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 44.9 | 41.7 | 14.2 | 14.9 | 25.2 | 25.6 | 23,619 | 17,672 | 18,136 | 16,495 | 45.7 | 36.6 |
| 1 | East Garo Hills | 21.2 | 14.8 | 19.1 | 19.1 | 0.0 | 0.0 | 976 | 598 | 1,180 | 775 | 29.8 | 26.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 40.8 | 39.9 | 1.8 | 2.4 | 33.4 | 27.6 | 8,486 | 7,172 | 5,045 | 5,306 | 51.4 | 43.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 68.2 | 49.9 | 29.8 | 17.1 | 0.0 | 0.0 | 1,249 | 1,245 | 1,557 | 1,558 | 32.2 | 29.5 |
| 6 | South Garo Hills | 105.3 | 42.7 | 45.2 | 15.7 | 0.0 | 0.0 | 489 | 147 | 563 | 249 | 32.8 | 12.9 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 51.7 | 50.8 | 37.0 | 51.6 | 17.3 | 19.8 | 6,146 | 5,180 | 5,584 | 5,288 | 52.4 | 47.0 |
| 10 | West Jaintia Hills | 49.4 | 46.5 | 5.6 | 4.7 | 31.6 | 43.2 | 4,463 | 2,109 | 2,884 | 2,491 | 52.2 | 27.1 |
| 11 | West Khasi Hills | 32.5 | 38.8 | 14.5 | 24.6 | 9.6 | 17.2 | 1,810 | 1,221 | 1,323 | 828 | 29.0 | 23.9 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to December

| Indicator | | 43 | | 44 | | 45 | | 46 | | 47 | | 48 | |
|-----------|------------------------|--|---------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|
| | | % Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 35.1 | 34.2 | 50,603 | 48,402 | 97.9 | 100.3 | 1,151 | 1,068 | 97.8 | 97.8 | 35,372 | 32,838 |
| 1 | East Garo Hills | 36.1 | 33.7 | 3,273 | 2,465 | 100.0 | 107.2 | 33 | 37 | 99.0 | 98.5 | 1,642 | 1,015 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 30.5 | 31.8 | 15,971 | 17,110 | 96.7 | 102.5 | 498 | 451 | 97.0 | 97.4 | 12,168 | 12,569 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 40.2 | 36.9 | 3,841 | 4,203 | 99.1 | 99.6 | 43 | 36 | 98.9 | 99.2 | 1,434 | 1,687 |
| 6 | South Garo Hills | 37.8 | 21.9 | 1,491 | 1,134 | 100.0 | 99.6 | 14 | 4 | 99.1 | 99.6 | 712 | 300 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 47.6 | 47.9 | 11,514 | 10,811 | 98.2 | 98.0 | 223 | 240 | 98.1 | 97.8 | 10,820 | 10,086 |
| 10 | West Jaintia Hills | 33.7 | 32.0 | 8,373 | 7,642 | 97.9 | 98.3 | 234 | 217 | 97.3 | 97.2 | 5,307 | 4,129 |
| 11 | West Khasi Hills | 21.2 | 16.2 | 6,140 | 5,037 | 98.5 | 98.4 | 106 | 83 | 98.3 | 98.4 | 3,289 | 3,052 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 49 | | 50 | | 51 | | 52 | | 53 | | 54 | |
|-----------|------------------------|---|---------|---|---------|--|---------|--|---------|---|---------|--|---------|
| | | % Newborns weighed at birth to live birth | | Number of Newborns having weight less than 2.5 kg | | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | | Number of New Borns Breast Fed within 1 hour | | % Newborns breast fed within 1 hour of birth to Total live birth | | Number of New Borns visited within 24 hrs of Home Delivery | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 69.9 | 67.8 | 4,228 | 4,132 | 12.0 | 12.6 | 37,427 | 33,517 | 74.0 | 69.2 | 6,876 | 5,945 |
| 1 | East Garo Hills | 50.2 | 41.2 | 150 | 139 | 9.1 | 13.7 | 1,996 | 1,275 | 61.0 | 51.7 | 242 | 252 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 76.2 | 73.5 | 2,397 | 2,317 | 19.7 | 18.4 | 11,456 | 12,569 | 71.7 | 73.5 | 1,231 | 1,144 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 37.3 | 40.1 | 122 | 105 | 8.5 | 6.2 | 2,937 | 3,293 | 76.5 | 78.3 | 562 | 531 |
| 6 | South Garo Hills | 47.8 | 26.5 | 66 | 51 | 9.3 | 17.0 | 1,072 | 594 | 71.9 | 52.4 | 163 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 94.0 | 93.3 | 680 | 719 | 6.3 | 7.1 | 10,295 | 9,444 | 89.4 | 87.4 | 2,075 | 2,226 |
| 10 | West Jaintia Hills | 63.4 | 54.0 | 680 | 693 | 12.8 | 16.8 | 7,049 | 4,341 | 84.2 | 56.8 | 1,752 | 1,179 |
| 11 | West Khasi Hills | 53.6 | 60.6 | 133 | 108 | 4.0 | 3.5 | 2,622 | 2,001 | 42.7 | 39.7 | 851 | 613 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 55 | | 56 | | 57 | | 58 | | 59 | | 60 | |
|-----------|------------------------|--|---------|---|---------|--|---------|---|---------|--|---------|---|---------|
| | | % newborns visited within 24hrs of home delivery to total reported home deliveries | | Sex Ratio at birth (Female Live Births/ Male Births *1000) | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended | | % Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension | | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 24.3 | 22.2 | 939 | 961 | 8.8 | 8.4 | 14.8 | 14.8 | 13.1 | 15.6 | 13.1 | 8.7 |
| 1 | East Garo Hills | 10.8 | 17.1 | 886 | 959 | 3.1 | 5.7 | 9.4 | 87.2 | 2.4 | 136.7 | 0.0 | 0.0 |
| 2 | East Jaintia Hills | | | 0 | 0 | | | | | | | | |
| 3 | East Khasi Hills | 25.2 | 24.0 | 918 | 934 | 6.5 | 8.0 | 26.4 | 18.7 | 16.9 | 21.1 | 8.0 | 9.0 |
| 4 | North Garo Hills | | | 0 | 0 | | | | | | | | |
| 5 | Ri Bhoi | 18.0 | 14.8 | 972 | 957 | 10.5 | 19.7 | 30.8 | 0.0 | 26.7 | 0.0 | 0.0 | 0.0 |
| 6 | South Garo Hills | 14.2 | 0.0 | 999 | 1,029 | 0.0 | 0.0 | | | 0.0 | 0.0 | | |
| 7 | South West Garo Hills | | | 0 | 0 | | | | | | | | |
| 8 | South West Khasi Hills | | | 0 | 0 | | | | | | | | |
| 9 | West Garo Hills | 29.2 | 30.4 | 940 | 948 | 21.5 | 14.3 | 4.4 | 6.4 | 14.0 | 13.1 | 17.0 | 11.7 |
| 10 | West Jaintia Hills | 33.6 | 24.4 | 935 | 1,035 | 2.6 | 2.4 | 38.4 | 14.1 | 8.2 | 2.7 | 46.5 | 12.7 |
| 11 | West Khasi Hills | 18.6 | 15.8 | 998 | 965 | 7.2 | 5.6 | 1.7 | 2.9 | 1.3 | 2.2 | 0.0 | 0.0 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 61 | | 62 | | 63 | | 64 | | 65 | | 66 | |
|-----------|------------------------|---|---------|---|---------|--|---------|---------------------------------|---------|---|---------|---|---------|
| | | % Post - Natal Care / PNC maternal complications attended to Total Deliveries | | Total Number of Abortions (Spontaneous/ Induced) Reported | | Total Number of MTPs (Public) reported | | % MTPs (Public) to Abortions | | % MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions | | % MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 1.7 | 3.4 | 1,792 | 1,646 | 407 | 298 | 22.7 | 18.1 | 95.1 | 90.3 | 4.9 | 9.7 |
| 1 | East Garo Hills | 0.1 | 0.5 | 31 | 27 | 4 | 11 | 12.9 | 40.7 | 100.0 | 72.7 | 0.0 | 27.3 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 4.6 | 9.2 | 916 | 1,043 | 286 | 169 | 31.2 | 16.2 | 100.0 | 90.5 | 0.0 | 9.5 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.1 | 0.3 | 40 | 28 | 6 | | 15.0 | 0.0 | 100.0 | | 0.0 | |
| 6 | South Garo Hills | 1.5 | 0.2 | 10 | 2 | | | 0.0 | 0.0 | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.2 | 0.3 | 169 | 75 | 70 | 52 | 41.4 | 69.3 | 88.6 | 100.0 | 11.4 | 0.0 |
| 10 | West Jaintia Hills | 0.6 | 0.3 | 507 | 361 | 41 | 60 | 8.1 | 16.6 | 70.7 | 91.7 | 29.3 | 8.3 |
| 11 | West Khasi Hills | 0.1 | 0.4 | 119 | 110 | | 6 | 0.0 | 5.5 | | 16.7 | | 83.3 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 67 | | 68 | | 69 | | 70 | | 71 | | 72 | |
|-----------|------------------------|---|---------|--|---------|---|---------|--|---------|---|---------|---|---------|
| | | % MTPs Conducted at Public Institutions to Total MTPs | | % MTPs Conducted at Private Institutions to Total MTPs | | % Total MTPs (Public) Conducted to Total ANC Registration | | % Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated | | Number of Vasectomies Conducted (Public + Pvt.) | | Number of Tubectomies Conducted (Public + Pvt.) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 100.0 | 97.7 | 0.0 | 2.3 | 0.5 | 0.4 | 3.4 | 0.3 | 9 | 3 | 1,458 | 1,358 |
| 1 | East Garo Hills | 100.0 | 100.0 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | | 3 | 52 | 26 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 100.0 | 100.0 | 0.0 | 0.0 | 0.9 | 0.6 | 0.8 | 0.0 | 3 | | 867 | 881 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 100.0 | | 0.0 | | 0.1 | 0.0 | 0.0 | 0.0 | | | 27 | 23 |
| 6 | South Garo Hills | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 100.0 | 100.0 | 0.0 | 0.0 | 0.5 | 0.4 | 0.0 | 3.4 | | | 291 | 256 |
| 10 | West Jaintia Hills | 100.0 | 89.6 | 0.0 | 10.4 | 0.3 | 0.5 | 13.6 | 0.0 | 6 | | 221 | 170 |
| 11 | West Khasi Hills | | 100.0 | | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | | | | 2 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 73 | | 74 | | 75 | | 76 | | 77 | | 78 | |
|-----------|------------------------|-------------------------------|---------|---|---------|--------------------------------------|---------|--|---------|--|---------|---|---------|
| | | Total Sterilisation Conducted | | % Male Sterilisation (Vasectomies) to Total sterilisation | | % Tubectomies to Total sterilisation | | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 1,467 | 1,361 | 0.6 | 0.2 | 99.4 | 99.8 | 6 | | | 18 | 1,166 | 978 |
| 1 | East Garo Hills | 52 | 29 | 0.0 | 10.3 | 100.0 | 89.7 | | | | 7 | 52 | 16 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 870 | 881 | 0.3 | 0.0 | 99.7 | 100.0 | | | | | 696 | 633 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 27 | 23 | 0.0 | 0.0 | 100.0 | 100.0 | | | | 11 | 27 | 12 |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 291 | 256 | 0.0 | 0.0 | 100.0 | 100.0 | | | | | 259 | 215 |
| 10 | West Jaintia Hills | 227 | 170 | 2.6 | 0.0 | 97.4 | 100.0 | 6 | | | | 132 | 102 |
| 11 | West Khasi Hills | | 2 | | 0.0 | | 100.0 | | | | | | |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 79 | | 80 | | 81 | | 82 | | 83 | | 84 | |
|-----------|------------------------|--|---------|---|---------|---|---------|---|---------|--|---------|--|---------|
| | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions | | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH to Total Sterilisation | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Other public Institutions to Total Sterilisation | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 23 | 136 | | | 0.4 | 0.0 | 0.0 | 1.3 | 79.5 | 71.9 | 1.6 | 10.0 |
| 1 | East Garo Hills | | 6 | | | 0.0 | 0.0 | 0.0 | 24.1 | 100.0 | 55.2 | 0.0 | 20.7 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 23 | 128 | | | 0.0 | 0.0 | 0.0 | 0.0 | 80.0 | 71.9 | 2.6 | 14.5 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 0.0 | 0.0 | 0.0 | 47.8 | 100.0 | 52.2 | 0.0 | 0.0 |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | | | | | 0.0 | 0.0 | 0.0 | 0.0 | 89.0 | 84.0 | 0.0 | 0.0 |
| 10 | West Jaintia Hills | | | | | 2.6 | 0.0 | 0.0 | 0.0 | 58.1 | 60.0 | 0.0 | 0.0 |
| 11 | West Khasi Hills | | 2 | | | | 0.0 | | 0.0 | | 0.0 | | 100.0 |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to December

| Indicator | | 85 | | 86 | | 87 | | 88 | | 89 | | 90 | |
|-----------|------------------------|--|---------|--|---------|--|---------|---|---------|---|---------|---|---------|
| | | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | | % Laparoscopic sterilisations to Total Female Sterilisations | | % Mini Lap Sterilisations to Total Female Sterilisations | | % Post Partum Sterilisations to Total Female Sterilisations | | % Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations | | % Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 18.5 | 16.8 | 0.3 | 2.4 | 20.0 | 15.2 | 79.8 | 82.3 | 100.0 | 33.3 | 48.1 | 51.7 |
| 1 | East Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 98.1 | 92.3 | 1.9 | 7.7 | | | 100.0 | 100.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 17.4 | 13.6 | 0.5 | 3.1 | 17.4 | 17.3 | 82.1 | 79.7 | 100.0 | 18.5 | 0.0 | 39.5 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | 0.0 | 0.0 | 26.1 | 0.0 | 0.0 | 100.0 | 73.9 | | 100.0 | | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 11.0 | 16.0 | 0.0 | 0.0 | 21.3 | 9.0 | 78.7 | 91.0 | | | 100.0 | 100.0 |
| 10 | West Jaintia Hills | 39.2 | 40.0 | 0.0 | 0.0 | 12.2 | 4.7 | 87.8 | 95.3 | | | 100.0 | 0.0 |
| 11 | West Khasi Hills | | 0.0 | | 0.0 | | 0.0 | | 100.0 | | | | |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 91 | | 92 | | 93 | | 94 | | 95 | | 96 | |
|-----------|------------------------|--|---------|--|---------|--|---------|--|---------|--|---------|---|---------|
| | | % Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation | | Total cases of deaths following Sterilisation (Male + Female) | | IUCD Insertions done (public facilities) | | IUCD insertions done (pvt. facilities) | | Total IUCD Insertions done(public+private) | | PP IUCD Insertions done (public facilities) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 89.6 | 90.4 | 24 | 1 | 2,704 | 1,871 | 47 | 36 | 2,751 | 1,907 | | |
| 1 | East Garo Hills | 100.0 | 100.0 | | | 184 | 95 | 6 | | 190 | 95 | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 100.0 | 99.1 | 24 | | 570 | 497 | 7 | 8 | 577 | 505 | | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 100.0 | 100.0 | | | 90 | 63 | | | 90 | 63 | | |
| 6 | South Garo Hills | | | | | 41 | 79 | | | 41 | 79 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 86.0 | 82.4 | | 1 | 1,481 | 1,035 | 10 | 1 | 1,491 | 1,036 | | |
| 10 | West Jaintia Hills | 54.1 | 63.0 | | | 317 | 100 | 24 | 27 | 341 | 127 | | |
| 11 | West Khasi Hills | | 100.0 | | | 21 | 2 | | | 21 | 2 | | |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 97 | | 98 | | 99 | | 100 | | 101 | | 102 | |
|-----------|------------------------|---|---------|--|---------|---|---------|------------------------|---------|---------------------------|---------|-------------------------------|---------|
| | | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | | % IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent) | | Oral Pills distributed | | Condom pieces distributed | | Centchroman Pills distributed | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 0.0 | 0.0 | 0.0 | 0.0 | 65.2 | 58.4 | 53,553 | 46,427 | 207,295 | 199,265 | 1 | 6 |
| 1 | East Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 78.5 | 76.6 | 5,763 | 2,740 | 13,993 | 5,385 | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | 0.0 | 0.0 | 0.0 | 39.9 | 36.4 | 8,520 | 8,273 | 58,479 | 69,603 | 1 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | 0.0 | 0.0 | 0.0 | 76.9 | 73.3 | 4,473 | 8,238 | 18,894 | 17,963 | | |
| 6 | South Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 100.0 | 1,779 | 601 | 4,803 | 5,725 | | 6 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 83.7 | 80.2 | 23,902 | 21,297 | 90,540 | 75,774 | | |
| 10 | West Jaintia Hills | 0.0 | 0.0 | 0.0 | 0.0 | 60.0 | 42.8 | 7,300 | 4,932 | 15,776 | 14,735 | | |
| 11 | West Khasi Hills | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 50.0 | 1,816 | 346 | 4,810 | 10,080 | | |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 103 | | 104 | | 105 | | 106 | | 107 | | 108 | |
|-----------|------------------------|--|---------|-----------------------------|---------|---|---------|---|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given OPV 0 (Birth Dose) | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 21,993 | 18,964 | 59,206 | 56,665 | 43.5 | 39.2 | 117.0 | 117.1 | 58,275 | 54,634 | 54,204 | 50,656 |
| 1 | East Garo Hills | 2,020 | 1,156 | 6,805 | 4,007 | 61.7 | 46.9 | 207.9 | 162.6 | 7,057 | 4,131 | 6,728 | 3,499 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 9,888 | 10,132 | 14,715 | 16,072 | 61.9 | 59.2 | 92.1 | 93.9 | 12,214 | 13,097 | 11,121 | 11,985 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 1,222 | 1,145 | 4,925 | 4,769 | 31.8 | 27.2 | 128.2 | 113.5 | 5,344 | 5,252 | 4,943 | 4,661 |
| 6 | South Garo Hills | 955 | 213 | 2,766 | 2,740 | 64.1 | 18.8 | 185.5 | 241.6 | 2,921 | 2,488 | 2,644 | 2,382 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 3,495 | 3,192 | 12,497 | 12,386 | 30.4 | 29.5 | 108.5 | 114.6 | 12,577 | 12,516 | 12,348 | 12,411 |
| 10 | West Jaintia Hills | 2,837 | 1,919 | 9,634 | 9,170 | 33.9 | 25.1 | 115.1 | 120.0 | 9,448 | 9,353 | 8,567 | 8,560 |
| 11 | West Khasi Hills | 1,576 | 1,207 | 7,864 | 7,521 | 25.7 | 24.0 | 128.1 | 149.3 | 8,714 | 7,797 | 7,853 | 7,158 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 109 | | 110 | | 111 | | 112 | | 113 | | 114 | |
|-----------|------------------------|------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|---|---------|
| | | Number of Infants given DPT3 | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 49,601 | 46,573 | | | | | | | 46,422 | 40,668 | 91.7 | 84.0 |
| 1 | East Garo Hills | 5,888 | 3,218 | | | | | | | 5,245 | 2,790 | 160.3 | 113.2 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 10,086 | 10,724 | | | | | | | 8,632 | 9,642 | 54.0 | 56.4 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4,756 | 4,266 | | | | | | | 4,146 | 3,726 | 107.9 | 88.7 |
| 6 | South Garo Hills | 2,301 | 2,100 | | | | | | | 2,175 | 1,510 | 145.9 | 133.2 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 11,418 | 11,978 | | | | | | | 11,065 | 10,864 | 96.1 | 100.5 |
| 10 | West Jaintia Hills | 7,768 | 7,845 | | | | | | | 7,933 | 6,691 | 94.7 | 87.6 |
| 11 | West Khasi Hills | 7,384 | 6,442 | | | | | | | 7,226 | 5,445 | 117.7 | 108.1 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 115 | | 116 | | 117 | | 118 | | 119 | | 120 | |
|-----------|------------------------|--|---------|----------------------------------|---------|--------------------|---------|---|---------|---|---------|--|---------|
| | | Number of fully immunized children (9-11 months) | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 42,352 | 38,922 | 21.6 | 28.2 | 53,824 | 27,252 | 106.4 | 56.3 | 29.3 | 15.7 | 12 | 1 |
| 1 | East Garo Hills | 4,006 | 2,815 | 22.9 | 30.4 | 3,617 | 1,640 | 110.5 | 66.5 | 84.2 | 30.0 | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 8,369 | 8,735 | 41.3 | 40.0 | 12,113 | 10,148 | 75.8 | 59.3 | 9.2 | 4.7 | 12 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 3,842 | 3,556 | 15.8 | 21.9 | 4,922 | 2,505 | 128.1 | 59.6 | 6.2 | 8.6 | | |
| 6 | South Garo Hills | 1,682 | 1,837 | 21.4 | 44.9 | 2,172 | 1,044 | 145.7 | 92.1 | 35.7 | 25.2 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 10,187 | 10,488 | 11.5 | 12.3 | 11,526 | 5,875 | 100.1 | 54.3 | 49.2 | 28.0 | | |
| 10 | West Jaintia Hills | 7,381 | 6,381 | 17.7 | 27.0 | 11,606 | 3,237 | 138.6 | 42.4 | 32.4 | 28.6 | | 1 |
| 11 | West Khasi Hills | 6,885 | 5,110 | 8.1 | 27.6 | 7,868 | 2,803 | 128.1 | 55.6 | 14.2 | 9.5 | | |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 121 | | 122 | | 123 | | 124 | | 125 | | 126 | |
|-----------|------------------------|---|---------|---|---------|---|---------|--|---------|--|---------|--|---------|
| | | % immunisation Sessions Held to Immunisation Sessions Planned | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 81.9 | 78.5 | 62.8 | 60.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | East Garo Hills | 83.8 | 75.3 | 72.5 | 63.3 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 93.8 | 89.1 | 64.7 | 63.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 86.8 | 87.6 | 61.2 | 57.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | South Garo Hills | 68.4 | 81.4 | 58.5 | 75.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 80.9 | 83.4 | 78.6 | 79.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | West Jaintia Hills | 89.0 | 87.2 | 48.8 | 45.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | West Khasi Hills | 62.2 | 49.8 | 44.8 | 36.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 127 | | 128 | | 129 | | 130 | | 131 | | 132 | |
|-----------|------------------------|---|---------|--|---------|---|---------|---|---------|---|---------|---|---------|
| | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Adult Female Inpatients to Total Adult Inpatient | | % Children Inpatient to Total Inpatient | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 0.0 | 0.0 | 1.0 | 2.2 | 89.1 | 76.9 | 9.9 | 20.9 | 66.6 | 63.5 | 34.4 | 35.2 |
| 1 | East Garo Hills | 0.0 | 0.0 | 1.5 | 2.8 | 56.3 | 32.7 | 42.1 | 64.4 | 58.5 | 54.2 | 36.6 | 33.1 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | 0.0 | 0.6 | 2.7 | 98.6 | 92.4 | 0.8 | 4.8 | 72.1 | 69.5 | 34.6 | 31.8 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | 0.0 | 1.7 | 1.2 | 92.8 | 91.7 | 5.5 | 7.1 | 55.8 | 55.3 | 45.2 | 47.9 |
| 6 | South Garo Hills | 0.0 | 0.0 | 1.8 | 0.1 | 57.8 | 42.5 | 40.4 | 57.4 | 53.2 | 48.9 | 27.1 | 49.7 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.0 | 0.0 | 2.6 | 1.7 | 70.3 | 52.6 | 27.2 | 45.8 | 67.0 | 58.1 | 23.6 | 28.9 |
| 10 | West Jaintia Hills | 0.0 | 0.0 | 0.3 | 3.0 | 99.1 | 96.1 | 0.5 | 0.8 | 64.1 | 59.3 | 29.6 | 36.4 |
| 11 | West Khasi Hills | 0.0 | 0.0 | 0.2 | 1.5 | 96.0 | 89.7 | 3.8 | 8.8 | 64.0 | 59.9 | 44.9 | 47.1 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 133 | | 134 | | 135 | | 136 | | 137 | | 138 | |
|-----------|------------------------|---|---------|---------------------------------|---------|--------------|---------|--------------|-----------|--------------|---------|----------------------------|---------|
| | | % Female Inpatient Deaths to Total Inpatient Deaths | | % Inpatient Deaths to Total IPD | | IPD (Number) | | OPD (Number) | | % IPD to OPD | | Number of Major Operations | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 43.3 | 46.0 | 1.7 | 2.1 | 119,911 | 113,507 | 2,145,528 | 1,951,206 | 5.6 | 5.8 | 6,063 | 17,406 |
| 1 | East Garo Hills | 40.0 | 45.9 | 1.0 | 2.1 | 8,217 | 8,645 | 146,541 | 91,874 | 5.6 | 9.4 | | 11,236 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 43.5 | 46.2 | 2.3 | 2.3 | 50,963 | 54,724 | 750,701 | 770,387 | 6.8 | 7.1 | 5,042 | 5,633 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 36.7 | 68.8 | 0.4 | 0.5 | 13,062 | 12,461 | 204,592 | 185,821 | 6.4 | 6.7 | 19 | 12 |
| 6 | South Garo Hills | 47.2 | 48.4 | 7.4 | 3.9 | 2,188 | 1,623 | 58,837 | 21,908 | 3.7 | 7.4 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 44.4 | 46.8 | 1.6 | 2.1 | 18,410 | 16,495 | 360,648 | 361,002 | 5.1 | 4.6 | 812 | 472 |
| 10 | West Jaintia Hills | 39.4 | 41.4 | 1.1 | 3.3 | 15,310 | 9,785 | 360,792 | 292,399 | 4.2 | 3.3 | 190 | 53 |
| 11 | West Khasi Hills | 43.2 | 43.2 | 1.3 | 1.7 | 11,761 | 9,774 | 263,417 | 227,815 | 4.5 | 4.3 | | |

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
 Financial Year: 2010-11
 Provisional Figures for the Period April to December

| Indicator | | 139 | | 140 | | 141 | | 142 | | 143 | | 144 | |
|-----------|------------------------|----------------------------|---------|---------------------------------------|---------|----------------------------------|---------|--|---------|--------------------|---------|--------------------------|---------|
| | | Number of Minor Operations | | % Major Operations to Total Operation | | Number of Hysterectomy Surgeries | | % Hysterectomy Surgeries to Total Major Operations | | Ayush OPD (Number) | | % AYUSH OPD to Total OPD | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 4,975 | 2,936 | 54.9 | 85.6 | | | 0.0 | 0.0 | 93,678 | 71,021 | 4.4 | 3.6 |
| 1 | East Garo Hills | 544 | 192 | 0.0 | 98.3 | | | | 0.0 | 3,056 | 789 | 2.1 | 0.9 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 2,518 | 1,736 | 66.7 | 76.4 | | | 0.0 | 0.0 | 18,433 | 10,179 | 2.5 | 1.3 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 118 | 83 | 13.9 | 12.6 | | | 0.0 | 0.0 | 6,552 | 10,524 | 3.2 | 5.7 |
| 6 | South Garo Hills | 75 | 5 | 0.0 | 0.0 | | | | | 2,816 | 655 | 4.8 | 3.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 762 | 530 | 51.6 | 47.1 | | | 0.0 | 0.0 | 18,684 | 13,850 | 5.2 | 3.8 |
| 10 | West Jaintia Hills | 958 | 384 | 16.6 | 12.1 | | | 0.0 | 0.0 | 15,163 | 9,484 | 4.2 | 3.2 |
| 11 | West Khasi Hills | | 6 | | 0.0 | | | | | 28,974 | 25,540 | 11.0 | 11.2 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|-----------|------------------------|---------------------|---------|---------------------------|---------|--------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 22,979 | 20,707 | 1.1 | 1.1 | 8,387 | 2,220 | 6.3 | 6.6 | 1.6 | 1.1 | 0.4 | 0.5 |
| 1 | East Garo Hills | 1,300 | 1,449 | 0.9 | 1.6 | 208 | 59 | 12.9 | 23.1 | 0.0 | 5.9 | 0.0 | 0.6 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 4,434 | 3,098 | 0.6 | 0.4 | 7,059 | 74 | 6.0 | 5.4 | 1.5 | 0.0 | 0.5 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 3,682 | 3,403 | 1.8 | 1.8 | 279 | 103 | 7.5 | 14.9 | 0.0 | 120.0 | 0.0 | 103.3 |
| 6 | South Garo Hills | 423 | | 0.7 | 0.0 | 4 | | 10.4 | 7.2 | 0.0 | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 5,930 | 7,487 | 1.6 | 2.1 | 524 | 1,844 | 5.4 | 6.8 | 1.4 | 0.7 | 0.3 | 0.0 |
| 10 | West Jaintia Hills | 2,201 | 580 | 0.6 | 0.2 | 220 | 55 | 8.1 | 13.9 | 2.0 | 0.0 | 1.1 | 0.0 |
| 11 | West Khasi Hills | 5,009 | 4,690 | 1.9 | 2.1 | 93 | 85 | 4.6 | 18.0 | 3.4 | 0.0 | 0.0 | 0.0 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|-----------|------------------------|---|---------|---|---------|--|---------|--|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 0.6 | 0.6 | 0.8 | 1.8 | 6.0 | 13.5 | 1,655 | 1,283 | 5.6 | 4.0 | 8.7 | 7.6 |
| 1 | East Garo Hills | 0.0 | 1.1 | 2.7 | 1.8 | 13.9 | 23.9 | 30 | 49 | 28.6 | 10.2 | 14.3 | 10.2 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.6 | 0.0 | 0.7 | 1.2 | 2.7 | 4.6 | 785 | 552 | 5.0 | 3.6 | 9.2 | 8.4 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | 107.5 | 1.4 | 0.9 | 3.7 | 4.0 | 48 | 48 | 2.3 | 2.1 | 4.7 | 19.1 |
| 6 | South Garo Hills | 0.0 | | 0.0 | 4.6 | 14.7 | 19.6 | 40 | 27 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.5 | 0.2 | 0.1 | 1.0 | 5.1 | 17.0 | 334 | 404 | 3.3 | 3.2 | 7.9 | 4.3 |
| 10 | West Jaintia Hills | 1.3 | 0.0 | 0.9 | 4.7 | 1.4 | 0.8 | 229 | 153 | 12.7 | 4.8 | 14.2 | 9.0 |
| 11 | West Khasi Hills | 0.4 | 0.0 | 3.5 | 4.7 | 7.6 | 12.5 | 189 | 50 | 0.0 | 8.7 | 2.3 | 13.0 |

Performance of Key HMISIndicators for Meghalaya (Across Districts)
Financial Year: 2010-11
Provisional Figures for the Period April to December

| Indicator | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|-----------|------------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 | 2010-11 | 2009-10 |
| | _Meghalaya | 5.8 | 6.0 | 13.1 | 8.1 | 3.0 | 2.2 | 12.3 | 16.2 | 0.2 | 1.2 | 51.3 | 54.7 |
| 1 | East Garo Hills | 0.0 | 2.0 | 0.0 | 2.0 | 3.6 | 2.0 | 21.4 | 14.3 | 0.0 | 8.2 | 32.1 | 51.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 3.5 | 3.4 | 11.4 | 6.8 | 1.8 | 0.5 | 4.2 | 6.6 | 0.2 | 0.7 | 64.8 | 70.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4.7 | 2.1 | 9.3 | 6.4 | 7.0 | 8.5 | 23.3 | 19.1 | 0.0 | 0.0 | 48.8 | 42.6 |
| 6 | South Garo Hills | 6.3 | 0.0 | 9.4 | 0.0 | 0.0 | 15.4 | 15.6 | 76.9 | 0.0 | 0.0 | 68.8 | 7.7 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 10.5 | 7.7 | 21.7 | 12.0 | 1.6 | 0.8 | 27.6 | 25.3 | 0.0 | 0.5 | 27.3 | 46.3 |
| 10 | West Jaintia Hills | 9.4 | 15.2 | 10.4 | 6.9 | 5.2 | 3.4 | 3.3 | 12.4 | 0.5 | 2.8 | 44.3 | 45.5 |
| 11 | West Khasi Hills | 0.0 | 0.0 | 9.2 | 4.3 | 6.9 | 13.0 | 18.5 | 10.9 | 0.0 | 0.0 | 63.1 | 50.0 |