		1	l	2			3	4	1		5	6	
I	ndicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% o Reported rth	Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	28,687	34,890	105.9	132.1	497	664	98.3	98.1	24,232	26,535	25,369	34,101
1	Central	4,875	34,890	99.1	132.1	89	664	98.2	98.1	3,937	26,535	3,879	34,101
2	East	3,103		145.7		40		98.7		2,829		2,754	
3	New Delhi	3,190		98.9		80		97.6		3,190		361	
4	North	1,486		100.2		7		99.5		1,312		1,343	
5	North East	3,801		109.3		58		98.5		3,786		4,302	
6	North West	1,967		170.3		18		99.1		1,213		1,974	
7	Shahdara												
8	South	986		90.5		16		98.4		882		1,776	_
9	South East												
10	South West	6,606		97.6		164		97.6		4,821		6,557	
11	West	2,673		94.5		25		99.1		2,262		2,423	

		7	7		8		9	10		11		12	
I	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	47,190	65,030	88.4	97.7	164.5	186.4	53,650	62,783	52,613	60,477	52,607	60,848
1	Central	3,739	65,030	79.6	97.7	76.7	186.4	3,063	62,783	2,685	60,477	2,605	60,848
2	East	4,724		88.8		152.2		6,154		5,764		5,939	
3	New Delhi	592		11.3		18.6		680		669		677	
4	North	2,671		90.4		179.7		2,960		3,145		3,246	
5	North East	6,852		113.2		180.3		7,219		5,889		5,402	
6	North West	5,970		100.4		303.5		9,144		9,455		9,447	
7	Shahdara												
8	South	6,594		180.1		668.8		8,725		8,763		8,968	
9	South East												
10	South West	9,680		99.3		146.5		7,550		7,604		7,582	
11	West	6,368		90.6		238.2		8,155		8,639		8,741	

		1	3	1	4	1	.5	1	6	1	7	1	8
1	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		of Infants Aeasles	% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi							47,900	55,528	167.0	159.2	59,154	59,308
1	Central							2,393	55,528	49.1	159.2	2,393	59,308
2	East							5,397		173.9		5,383	
3	New Delhi							635		19.9		635	
4	North							2,848		191.7		4,553	
5	North East							5,603		147.4		4,535	
6	North West							8,109		412.3		11,457	
7	Shahdara												
8	South							8,260		837.7		13,899	
9	South East												
10	South West							6,876		104.1		8,212	
11	West							7,779		291.0		8,087	

		1	19		0	2	1	2	2	2	3	24	
1	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		ven Vitamin o Children A dose1	Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	-1.5	14.6	32,013	50,059	111.6	143.5	27.3	0.0	25	64	93.2	
1	Central	36.0	14.6	2,044	50,059	41.9	143.5	63.2	0.0		64	85.3	
2	East	-14.2		3,714		119.7		11.6				93.4	
3	New Delhi	-7.3		175		5.5		9.7				86.2	
4	North	-6.6		1,412		95.0		29.5				99.1	
5	North East	18.2		2,748		72.3		55.5				90.7	
6	North West	-35.8		5,904		300.2		22.6		6		95.9	
7	Shahdara												
8	South	-25.3		6,554		664.7		34.1				95.2	
9	South East												
10	South West	29.0		5,436		82.3		11.5		18		92.1	
11	West	-22.2		4,026	_	150.6		21.4		1	_	93.0	

		2	5	2	6	2	7	2	8	2	9	3	0
I	ndicator	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis in 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	17.2		0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	0.9		0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
2	East	12.5		0.0		0.0		0.0		0.0		0.0	
3	New Delhi	14.1		0.0		0.0		0.0		0.0		0.0	
4	North	8.8		0.0		0.0		0.0		0.0		0.0	
5	North East	32.6		0.0		0.0		0.0		0.0		0.0	
6	North West	28.1		0.0		0.0		0.0		0.0		0.0	
7	Shahdara												
8	South	19.1		0.0		0.0		0.0		0.0		0.0	
9	South East												
10	South West	19.1		0.0		0.0		0.0		0.1		0.1	
11	West	17.3		0.0		0.0		0.0		0.0		0.0	

												24	
		3	31		32		3	34		35		36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	0.4	0.8	99.1	98.6	0.5	0.4	258		30.3		12.4	
1	Central	0.0	0.8	100.0	98.6	0.0	0.4	72		19.4		20.8	
2	East	0.6		99.2		0.2		140		41.4		6.8	
3	New Delhi	0.1		99.6		0.3							
4	North	0.2		99.7		0.1		2		0.0		0.0	
5	North East	0.1		99.9		0.0							
6	North West	0.0		99.6		0.4		7		42.9		0.0	
7	Shahdara												
8	South	0.1		99.2		0.7		1		0.0		100.0	
9	South East												
10	South West	1.2		97.3		1.2		19		10.5		21.1	
11	West	0.2		99.7		0.1		17		11.8		11.8	

		3	7	3	8	3	9	4	.0	4	1	4	2
1	ndicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	16.7		8.4		2.0		2.0		0.0		28.3	
1	Central	52.8		2.8		2.8		0.0		0.0		1.4	
2	East	3.0		13.5		0.0		1.5		0.0		33.8	
3	New Delhi												
4	North	0.0		50.0		50.0		0.0		0.0		0.0	
5	North East												
6	North West	0.0		0.0		14.3		0.0		0.0		42.9	
7	Shahdara												
8	South	0.0		0.0		0.0		0.0		0.0		0.0	
9	South East												
10	South West	0.0		0.0		5.3		10.5		0.0		52.6	
11	West	0.0		0.0		0.0		5.9		0.0		70.6	