| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|----|-----------|--|--|--|--|--|---|---|--|--|---|---|--|--|
| In | dicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 35,225 | 15,671 | 44.4 | 24,356 | 26,956 | 6,096 | 69.1 | 93.8 | 34,164 | 96.9 | 21,282 | 495 | 25.4 |
| 1 | Bar | 4,956 | 2,122 | 42.8 | 3,399 | 3,597 | 943 | 68.6 | 91.6 | 4,795 | 96.8 | 3,505 | 14 | 4.2 |
| 2 | Birdha | 5,141 | 1,861 | 36.2 | 3,054 | 4,546 | 827 | 59.4 | 104.5 | 5,027 | 97.8 | 1,760 | 21 | 16.8 |
| 3 | Jakhaura | 5,553 | 1,730 | 31.2 | 4,538 | 3,376 | 1,881 | 81.7 | 94.7 | 5,451 | 98.2 | 3,868 | 18 | 7.2 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 3,698 | 2,226 | 60.2 | 2,474 | 3,072 | 166 | 66.9 | 87.6 | 3,641 | 98.5 | 1,997 | 11 | 19.6 |
| 6 | Mahroni | 4,523 | 2,168 | 47.9 | 2,845 | 3,423 | 1,237 | 62.9 | 103.0 | 4,106 | 90.8 | 2,440 | 49 | 29.3 |
| 7 | Talbehat | 5,295 | 2,111 | 39.9 | 3,311 | 3,735 | 954 | 62.5 | 88.6 | 5,257 | 99.3 | 3,352 | 24 | 7.3 |
| 8 | dhq | 6,059 | 3,453 | 57.0 | 4,735 | 5,207 | 88 | 78.1 | 87.4 | 5,887 | 97.2 | 4,360 | 358 | 52.1 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|-----|-----------|---|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| Ind | icators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 2.5 | 979 | 111 | 868 | 11.3 | 26,864 | 4,698 | 17.4 | 685 | 229 | 33.4 | 27,549 | 78.2 |
| 1 | Bar | 1.7 | 77 | 0 | 77 | 0.0 | 3,615 | 543 | 15.0 | | | | 3,615 | 72.9 |
| 2 | Birdha | 1.7 | 224 | 39 | 185 | 17.4 | 2,885 | 988 | 34.2 | | | | 2,885 | 56.1 |
| 3 | Jakhaura | 2.1 | 389 | 3 | 386 | 0.8 | 1,705 | 234 | 13.7 | | | | 1,705 | 30.7 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 3.5 | 11 | 1 | 10 | 9.1 | 3,642 | 1,580 | 43.4 | | | | 3,642 | 98.5 |
| 6 | Mahroni | 1.4 | 91 | 65 | 26 | 71.4 | 2,943 | 888 | 30.2 | | | | 2,943 | 65.1 |
| 7 | Talbehat | 3.8 | 187 | 3 | 184 | 1.6 | 3,938 | 317 | 8.0 | | | | 3,938 | 74.4 |
| 8 | dhq | 3.1 | 0 | 0 | 0 | | 8,136 | 148 | 1.8 | 685 | 229 | 33.4 | 8,821 | 145.6 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|-----|-----------|---------------------------------|--|---|---|---|--|--|---|---|--|---|--|--|
| Inc | dicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 28,528 | 96.6 | 97.0 | 3.4 | 995 | 376 | 4.9 | 3.7 | 54.9 | 97.5 | 2.5 | 2,289 | 28,240 |
| 1 | Bar | 3,692 | 97.9 | 97.9 | 2.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 332 | 3,672 |
| 2 | Birdha | 3,109 | 92.8 | 94.0 | 7.2 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 321 | 2,945 |
| 3 | Jakhaura | 2,094 | 81.4 | 81.6 | 18.6 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 521 | 2,080 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 3,653 | 99.7 | 99.7 | 0.3 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 604 | 3,659 |
| 6 | Mahroni | 3,034 | 97.0 | 99.1 | 3.0 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 114 | 2,962 |
| 7 | Talbehat | 4,125 | 95.5 | 95.5 | 4.5 | 21 | | 0.5 | 0.5 | | 100.0 | 0.0 | 343 | 4,119 |
| 8 | dhq | 8,821 | 100.0 | 100.0 | 0.0 | 974 | 376 | 15.3 | 12.0 | 54.9 | 92.2 | 7.8 | 54 | 8,803 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|----|-----------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| In | dicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 233.8 | 99.0 | 28,102 | 98.5 | 440 | 98.5 | 27,914 | 99.3 | 3,810 | 13.6 | 26,620 | 94.7 | 916 |
| 1 | Bar | 431.2 | 99.5 | 3,650 | 98.9 | 42 | 98.9 | 3,650 | 100.0 | 395 | 10.8 | 3,432 | 94.0 | 972 |
| 2 | Birdha | 143.3 | 94.7 | 3,060 | 98.4 | 51 | 98.4 | 3,002 | 98.1 | 451 | 15.0 | 2,915 | 95.3 | 916 |
| 3 | Jakhaura | 133.9 | 99.3 | 2,065 | 98.6 | 32 | 98.5 | 2,067 | 100.1 | 236 | 11.4 | 1,876 | 90.8 | 896 |
| 4 | LALITPUR | | | | | | | | | | | | | 0 |
| 5 | Madawara | 5490.9 | 100.2 | 3,640 | 99.6 | 14 | 99.6 | 3,640 | 100.0 | 523 | 14.4 | 3,547 | 97.4 | 894 |
| 6 | Mahroni | 125.3 | 97.6 | 3,003 | 99.0 | 32 | 98.9 | 2,993 | 99.7 | 299 | 10.0 | 2,815 | 93.7 | 902 |
| 7 | Talbehat | 183.4 | 99.9 | 4,069 | 98.6 | 57 | 98.6 | 4,067 | 100.0 | 245 | 6.0 | 3,937 | 96.8 | 906 |
| 8 | dhq | | 99.8 | 8,615 | 97.7 | 212 | 97.6 | 8,495 | 98.6 | 1,661 | 19.6 | 8,098 | 94.0 | 917 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|----|-----------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| In | dicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 2.0 | 172.7 | 12,080 | 34.3 | 2,605 | 7.4 | 38 | 0.1 | 0 | 0.0 | 1,845 | 9 | 5.2 |
| 1 | Bar | 0.0 | | 3,063 | 61.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 2 | Birdha | 1.3 | 0.0 | 1,869 | 36.4 | 399 | 7.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 3 | Jakhaura | 0.0 | | 311 | 5.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0 | 0.0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 0.0 | | 3,299 | 89.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 7 | 0.0 |
| 6 | Mahroni | 0.0 | | 1,601 | 35.4 | 954 | 21.1 | 0 | 0.0 | 0 | 0.0 | 21 | 0 | 0.5 |
| 7 | Talbehat | 0.0 | | 0 | 0.0 | 6 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 8 | dhq | 6.1 | 185.2 | 1,937 | 32.0 | 1,246 | 20.6 | 38 | 0.6 | 0 | 0.0 | 1,822 | 2 | 30.1 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|----|-----------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| ln | dicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 0.1 | | 62 | 1 | 196 | 242 | 55.3 | 100.0 | 0.0 | 100.0 | 0.0 | 0.7 | 19 |
| 1 | Bar | | | 9 | 0 | 10 | 0 | 0.0 | | | | | 0.0 | 1 |
| 2 | Birdha | | | 15 | | 17 | 0 | 0.0 | | | | | 0.0 | 1 |
| 3 | Jakhaura | 0.0 | | 17 | | 52 | 0 | 0.0 | | | | | 0.0 | 5 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | | | 2 | 0 | 2 | 0 | 0.0 | | | | | 0.0 | 1 |
| 6 | Mahroni | 0.0 | | 14 | 1 | 20 | 0 | 0.0 | | | | | 0.0 | 1 |
| 7 | Talbehat | | | 2 | 0 | 31 | 0 | 0.0 | | | | | 0.0 | 3 |
| 8 | dhq | 0.1 | | 3 | 0 | 64 | 242 | 79.1 | 100.0 | 0.0 | 100.0 | 0.0 | 4.0 | 7 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|----|-----------|--|---|---|--|---|---|---|--|--|---|---|--|--|
| In | dicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 7,033 | 7,052 | 0.2 | 99.7 | | | | | 0 | 7,052 | 0.0 | 100.0 | 0.0 |
| 1 | Bar | 639 | 640 | 0.2 | 99.8 | | | | | | 640 | 0.0 | 100.0 | 0.0 |
| 2 | Birdha | 385 | 386 | 0.3 | 99.7 | | | | | | 386 | 0.0 | 100.0 | 0.0 |
| 3 | Jakhaura | 501 | 506 | 1.0 | 99.0 | | | | | | 506 | 0.0 | 100.0 | 0.0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 770 | 771 | 0.1 | 99.9 | | | | | | 771 | 0.0 | 100.0 | 0.0 |
| 6 | Mahroni | 1,175 | 1,176 | 0.1 | 99.9 | | | | | | 1,176 | 0.0 | 100.0 | 0.0 |
| 7 | Talbehat | 1,192 | 1,195 | 0.3 | 99.7 | | | | | | 1,195 | 0.0 | 100.0 | 0.0 |
| 8 | dhq | 2,371 | 2,378 | 0.3 | 99.7 | | | | | 0 | 2,378 | 0.0 | 100.0 | 0.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|-----|-----------|--|--|--|---|---|--|--|---|--|--|---|---|--|
| lne | dicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 98.0 | 1.6 | 0.2 | | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Bar | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Birdha | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Jakhaura | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Mahroni | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Talbehat | 100.0 | 0.0 | 0.0 | | 100.0 | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 8 | dhq | 94.1 | 5.0 | 0.9 | | 100.0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|-----|-----------|--|--|--|---|---|---|---|--|---------------------------------------|---|--|-------------------------------------|---|
| lno | dicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 0 | 11,556 | 0 | 54.3 | 23.3 | 62.1 | 5,217 | 6,275 | 64 | 20,872 | 8,468 | 281,231 | 45 |
| 1 | Bar | 0 | 1,198 | | 10.0 | 3.3 | 65.2 | 1,078 | 120 | 0 | 4,396 | 976 | 57,296 | 0 |
| 2 | Birdha | 0 | 791 | | 45.1 | 12.4 | 67.2 | 434 | 357 | 0 | 2,536 | 1,373 | 36,842 | 0 |
| 3 | Jakhaura | 0 | 770 | | 37.5 | 17.0 | 60.3 | 481 | 289 | 0 | 1,691 | 1,022 | 35,682 | 0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 0 | 2,173 | | 31.2 | 18.6 | 73.8 | 1,495 | 678 | 0 | 2,607 | 1,297 | 54,233 | 0 |
| 6 | Mahroni | 0 | 2,421 | | 44.6 | 36.7 | 67.3 | 1,341 | 1,080 | 0 | 2,286 | 1,201 | 36,585 | 0 |
| 7 | Talbehat | 0 | 1,382 | | 87.8 | 30.8 | 53.6 | 169 | 1,213 | 0 | 3,034 | 1,698 | 37,824 | 0 |
| 8 | dhq | 0 | 2,821 | 0 | 90.0 | 31.2 | 54.3 | 219 | 2,538 | 64 | 4,322 | 901 | 22,769 | 45 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|-----|-----------|--|--|--|---|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| Inc | dicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPVO at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 59 | 0 | 0 | 0 | 19,932 | 25,124 | 30,740 | 19,193 | 89.4 | 109.4 | 68.3 | 0 | 0 |
| 1 | Bar | 0 | 0 | 0 | 0 | 1,471 | 3,509 | 3,823 | 1,634 | 96.1 | 104.7 | 44.8 | 0 | 0 |
| 2 | Birdha | 0 | 0 | 0 | 0 | 1,661 | 2,328 | 3,554 | 1,673 | 76.1 | 116.1 | 54.7 | 0 | 0 |
| 3 | Jakhaura | 0 | 0 | 0 | 0 | 1,612 | 1,841 | 2,458 | 1,390 | 89.2 | 119.0 | 67.3 | 0 | 0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 0 | 0 | 0 | 0 | 2,334 | 3,166 | 3,899 | 1,889 | 87.0 | 107.1 | 51.9 | 0 | 0 |
| 6 | Mahroni | 0 | 0 | 0 | 0 | 1,998 | 2,733 | 3,300 | 2,101 | 91.0 | 109.9 | 70.0 | 0 | 0 |
| 7 | Talbehat | 0 | 0 | 0 | 0 | 4,190 | 3,609 | 4,225 | 3,203 | 88.7 | 103.8 | 78.7 | 0 | 0 |
| 8 | dhq | 59 | 0 | 0 | 0 | 6,666 | 7,938 | 9,481 | 7,303 | 92.1 | 110.1 | 84.8 | 0 | 0 |

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|----|-----------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|---|--|--|---|
| In | dicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 0 | 31,823 | 31,414 | 32,231 | 30,733 | 0 | 109.3 | 30,733 | 0.0 | 109.4 | 145.4 | 2 | 0 |
| 1 | Bar | 0 | 4,477 | 4,374 | 4,404 | 4,267 | 0 | 116.9 | 4,267 | -11.6 | 118.4 | 468.6 | 0 | 0 |
| 2 | Birdha | 0 | 4,838 | 4,679 | 4,758 | 4,551 | 0 | 148.7 | 4,551 | -28.1 | 149.1 | 45.1 | 0 | 0 |
| 3 | Jakhaura | 0 | 5,157 | 5,189 | 5,374 | 5,054 | 0 | 244.7 | 5,054 | -105.6 | 244.7 | 1.5 | 0 | 0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 0 | 3,672 | 3,726 | 3,907 | 3,740 | 0 | 102.7 | 3,740 | 4.1 | 102.8 | 0.0 | 0 | 0 |
| 6 | Mahroni | 0 | 4,220 | 4,252 | 4,279 | 3,884 | 0 | 129.3 | 3,884 | -17.7 | 128.9 | 110.8 | 2 | 0 |
| 7 | Talbehat | 0 | 4,646 | 4,620 | 4,692 | 4,299 | 0 | 105.7 | 4,299 | -1.8 | 105.1 | 216.7 | 0 | 0 |
| 8 | dhq | 0 | 4,813 | 4,574 | 4,817 | 4,938 | 0 | 57.3 | 4,938 | 47.9 | 57.2 | 177.9 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|----|-----------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| In | dicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 0 | 100.4 | 87.4 | 1,590 | 0 | 166 | 11 | 0 | 0 | 3 | 3 | 184 | 1,590 |
| 1 | Bar | 0 | 99.9 | 99.2 | 79 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 79 |
| 2 | Birdha | 0 | 97.0 | 84.4 | 10 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 10 |
| 3 | Jakhaura | 0 | 101.2 | 90.9 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 44 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 0 | 99.8 | 99.8 | 120 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 43 | 120 |
| 6 | Mahroni | 0 | 104.1 | 82.9 | 163 | 0 | 5 | 11 | 0 | 0 | 0 | 0 | 17 | 163 |
| 7 | Talbehat | 0 | 100.5 | 78.9 | 147 | 0 | 2 | 0 | 0 | 0 | 1 | 1 | 19 | 147 |
| 8 | dhq | 0 | 98.6 | 51.4 | 1,027 | 0 | 159 | 0 | 0 | 0 | 0 | 0 | 89 | 1,027 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|-----------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 2,639 | 801 | 0 | 0 | 0 | 0 | 30,205 | 0 | 78.4 | 25.9 | 41.9 | 0.2 | 83,784 |
| 1 | Bar | 1,043 | 63 | 0 | 0 | 0 | 0 | 4,377 | 0 | 72.2 | 19.6 | | 0.0 | 9,091 |
| 2 | Birdha | 75 | 0 | 0 | 0 | 0 | 0 | 4,472 | 0 | 80.6 | 27.1 | | 0.0 | 5,777 |
| 3 | Jakhaura | 336 | 12 | 0 | 0 | 0 | 0 | 5,161 | 0 | 64.5 | 41.5 | | 0.0 | 5,663 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 127 | 91 | 0 | 0 | 0 | 0 | 4,111 | 0 | 81.4 | 22.6 | | 0.0 | 5,483 |
| 6 | Mahroni | 174 | 87 | 0 | 0 | 0 | 0 | 3,695 | 0 | 84.8 | 22.8 | | 0.0 | 5,556 |
| 7 | Talbehat | 161 | 110 | 0 | 0 | 0 | 0 | 4,317 | 0 | 89.4 | 8.3 | 42.9 | 0.6 | 6,299 |
| 8 | dhq | 723 | 438 | 0 | 0 | 0 | 0 | 4,072 | 0 | 77.7 | 28.3 | 41.7 | 0.3 | 45,915 |

| | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|-----------|-------------------------|--------------------------|-------------------------------|--------------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| Indicators | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 1,333,093 | 88,792 | 1,421,885 | 5.9 | 9,569 | 8,646 | 52.5 | 69 | 0.7 | 6.2 | 7,935 | 0.6 | 2.6 |
| 1 | Bar | 165,039 | 5,363 | 170,402 | 5.3 | 657 | 1,271 | 34.1 | 0 | 0.0 | 3.1 | 0 | 0.0 | 2.2 |
| 2 | Birdha | 94,877 | 5,379 | 100,256 | 5.8 | 386 | 0 | 100.0 | 0 | 0.0 | 5.4 | 0 | 0.0 | 0.5 |
| 3 | Jakhaura | 73,821 | 12,812 | 86,633 | 6.5 | 415 | 0 | 100.0 | 0 | 0.0 | 14.8 | 0 | 0.0 | 0.2 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 89,567 | 13,033 | 102,600 | 5.3 | 771 | 0 | 100.0 | 0 | 0.0 | 12.7 | 0 | 0.0 | 0.3 |
| 6 | Mahroni | 136,304 | 9,985 | 146,289 | 3.8 | 1,166 | 0 | 100.0 | 0 | 0.0 | 6.8 | 0 | 0.0 | 1.3 |
| 7 | Talbehat | 170,878 | 10,418 | 181,296 | 3.5 | 914 | 0 | 100.0 | 0 | 0.0 | 5.7 | 1,355 | 0.7 | 3.0 |
| 8 | dhq | 602,607 | 31,802 | 634,409 | 7.2 | 5,260 | 7,375 | 41.6 | 69 | 1.3 | 5.0 | 6,580 | 1.0 | 4.9 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|-----------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 0.5 | 9.0 | 0.2 | 0.3 | 0.3 | 0.0 | 255 | 15.3 | 8.2 | 0.8 | 0.0 | 0.0 | 0.0 |
| 1 | Bar | | 0.0 | | | 0.1 | 0.0 | 1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Birdha | | 11.5 | 0.0 | 0.0 | 0.2 | 0.0 | 0 | | | | | | |
| 3 | Jakhaura | | 0.0 | | | 0.1 | 0.0 | 22 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | LALITPUR | | | | | | | | | | | | | |
| 5 | Madawara | 0.0 | 7.1 | 0.4 | 0.2 | 0.8 | 0.0 | 0 | | | | | | |
| 6 | Mahroni | | 0.0 | | | 0.3 | 0.0 | 4 | 0.0 | 0.0 | 50.0 | 0.0 | 0.0 | 0.0 |
| 7 | Talbehat | 0.7 | 15.9 | 0.1 | 0.2 | 0.2 | 0.0 | 15 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | dhq | 0.5 | 24.1 | 0.3 | 0.4 | 0.2 | 0.0 | 213 | 16.9 | 9.9 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 196 | 197 | 198 |
|-----|-----------|--|--|---|
| lno | licators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Lalitpur | 655 | | |
| 1 | Bar | | | |
| 2 | Birdha | | | |
| 3 | Jakhaura | | | |
| 4 | LALITPUR | | | |
| 5 | Madawara | | | |
| 6 | Mahroni | | | |
| 7 | Talbehat | | | |
| 8 | dhq | 655 | | |