| | | 1 | l | 2 | 2 | 3 | 3 | 4 | Į | 5 | | 6 | |
|----|---------|---------|----------------------------------|--------------------------------------|---------|------------------------|-----------------------|-----------------------------------|-----------------------|------------------------|---------|----------------------------------|------------|
| In | dicator | pregnan | umber of t women I for ANC | Number of women r within first | | Number (registered | of Women under JSY | 1st Tri registratio ANC Reg | mester on to Total | JSY regis Total ANC | ~ | Number of women rece check | ived 3 ANC |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 3,461 | | 1,205 | | 200 | | 34.8 | | 5.8 | | 1,876 | |
| 1 | East | 1,589 | | 720 | | | | 45.3 | | 0.0 | | 988 | |
| 2 | North | 201 | | 72 | | | | 35.8 | | 0.0 | | 120 | |
| 3 | South | 992 | | 211 | | 200 | | 21.3 | | 20.2 | | 206 | |
| 4 | West | 679 | | 202 | | | | 29.7 | | 0.0 | | 562 | |

| | | 7 | 7 | 8 | 3 | Ģ |) | 1 | 0 | 1 | 1 | 1: | 2 |
|----|---------|-------------------------------|---------|---------|--------------------------------|----------|----------------------------------|-----------|----------------------------------|--|-------------------------|--------------------------|--------------------------|
| In | dicator | TT2 or Boo Pregnan (num | t women | | Woman ANC check otal ANC | received | t women l TT2 or Total ANC | women giv | f Pregnant en 100 IFA lets | 9/ Pregnant w 100 IFA to Regist | omen given Total ANC | Number l level<11 (te | naving Hb sted cases) |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 2,089 | 2,337 | 54.2 | | 60.4 | | 680 | 1,293 | 19.6 | | | |
| 1 | East | 1,159 | 2,337 | 62.2 | | 72.9 | | 201 | 1,293 | 12.6 | | | |
| 2 | North | 136 | | 59.7 | | 67.7 | | 112 | | 55.7 | | | |
| 3 | South | 183 | | 20.8 | | 18.4 | | 54 | | 5.4 | | | |
| 4 | West | 611 | | 82.8 | | 90.0 | | 313 | | 46.1 | | | |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|----|---------|--|--------------|-------------------------------------|--|------------------------|-------------|-----------------|------------------|--------------|---|---------|----------|
| In | dicator | Number ha anae (Hi treated at | emia o<7) | having seve (Hb treated at in | t women re anaemia ><7) astitution to aving hb | institut hypertensi | detected at | Number deliv | of Home eries | deliveries a | of home attended by rained urse/ANM) | | 0.000000 |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | 0.0 | | 541 | | 298 | | 243 | |
| 1 | East | | | | | 0.0 | | 271 | | 140 | | 131 | |
| 2 | North | | | | | 0.0 | | 43 | | 13 | | 30 | |
| 3 | South | | | | | 0.0 | | 35 | | 20 | | 15 | |
| 4 | West | | | | | 0.0 | | 192 | | 125 | | 67 | |

| | | 19 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
|----|---------|---|----------------------------------|-------------------------------|----------|--|--|---------------------------|--------------------------|---|--------------------------|--|--|
| In | dicator | SBA atten deliveries Reporte Deliv | ded home s to Total d Home | Mothers incentive deliv | for home | Mothers incentive deliveries Reporte Deliv | paid JSY for home s to Total d Home | Deliveries at Public I | Conducted nstitutions | Number of Discharged hours of d public f | d under 48 elivery in | Women dis less than 4 delivery Reported D public ins | charged in 8 hours of to Total eliveries at |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 55.1 | | 18 | | 3.3 | | 736 | | 218 | | 29.6 | |
| 1 | East | 51.7 | | | | 0.0 | | 396 | | | | 0.0 | |
| 2 | North | 30.2 | | 18 | | 41.9 | | 36 | | | | 0.0 | |
| 3 | South | 57.1 | | | | 0.0 | | 86 | | | | 0.0 | |
| 4 | West | 65.1 | | | | 0.0 | | 218 | | 218 | | 100.0 | |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 30 | 0 |
|----|---------|------------------------------------|------------|------------------------------------|-----------------------|------------------|------------------|-------------------------------------|--------------------------|--------------------------|---------------|------------------------------|-----------------------|
| In | dicator | Institutiona (Public In Inst | nsts.+Pvt. | Institutiona to tota registi | l Deliveries l ANC | Total r deliv | eported eries | Institutiona to Total I Deliv | l deliveries Reported | Safe deliver Reported | ries to Total | Home del Total R Deliv | iveries to eported |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 736 | | 21.3 | | 1,277 | | 57.6 | | 81.0 | | 42.4 | |
| 1 | East | 396 | | 24.9 | | 667 | | 59.4 | | 80.4 | | 40.6 | |
| 2 | North | 36 | | 17.9 | | 79 | | 45.6 | | 62.0 | | 54.4 | |
| 3 | South | 86 | | 8.7 | | 121 | | 71.1 | | 87.6 | | 28.9 | |
| 4 | West | 218 | | 32.1 | | 410 | | 53.2 | | 83.7 | | 46.8 | |

| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|----|--------------------|--|---------|---------|--|--|---------------------------------------|-----------|--------------------------------------|------------|--|---|---|
| In | Indicator _Sikkim | Number of deliveries co public f | | | f C-section onducted at facilities | % C-section (Public to rep institu (Public deliv | + Pvt.) orted tional + Pvt.) | public fa | conducted at cilities to onducted at | Private fa | onducted at icilities to onducted at | Deliveries of Public Inst Total Inst Deliv | onducted at itutions to itutional |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 1 | | | | 0.1 | | 0.1 | | | | 100.0 | |
| 1 | East | | | | | 0.0 | | 0.0 | | | | 100.0 | |
| 2 | North | | | | | 0.0 | | 0.0 | | | | 100.0 | |
| 3 | South | | | | | 0.0 | | 0.0 | | | | 100.0 | |
| 4 | West | 1 | | | | 0.5 | | 0.5 | | | | 100.0 | |

| | | 3 | 7 | 3 | - | 3 | 9 | 4 | 0 | 4 | 1 | 4. | |
|----|---------|--|-------------------------|--|--|---|---|-----------------------|---|--|---------|--|---|
| In | dicator | Mothers Incentive fo at Public in Total Publi | paid JSY or Delivery | of cases w Incentive pa for Deliver institution Public D | here JSY aid to ASHA y at Public | Deliveries c Private Ins Total Ins Deliv | onducted at titutions to titutional | partum o within 48 | ceived post check-up d hours of very | Care / Wo post partur between 48 | | Women rec partum o within 48 delivery Reported | eiving post check-up hours of to Total |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 0.0 | | 23.4 | | 0.0 | | 879 | | 885 | | 68.8 | |
| 1 | East | 0.0 | | 29.3 | | 0.0 | | 408 | | 384 | | 61.2 | |
| 2 | North | 0.0 | | 38.9 | | 0.0 | | 46 | | 60 | | 58.2 | |
| 3 | South | 0.0 | | 48.8 | | 0.0 | | 108 | | 125 | | 89.3 | |
| 4 | West | 0.0 | | 0.0 | | 0.0 | | 317 | | 316 | | 77.3 | |

| | | 4: | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|----|---------|--|---|------------------------|---------|---------|------------------------|------------------------|--------------------------|---------------------------|----------|----------------------|----------------------|
| In | dicator | Women ge Partum (between 48 14 days Deliv | etting Post Checkup hours and to Total | Total Nu reported l | | | orted Live to Total | Total Nu reported S | ımber of İtill Births | % live birth to Bir | Reported | Number of weighed | Newborns at birth |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 69.3 | | 1,324 | | 103.7 | | 17 | | 98.7 | | 1,322 | |
| 1 | East | 57.6 | | 662 | | 99.3 | | | | 100.0 | | 651 | |
| 2 | North | 75.9 | | 145 | | 183.5 | | 3 | | 98.0 | | 138 | |
| 3 | South | 103.3 | | 118 | | 97.5 | | 3 | | 97.5 | | 138 | |
| 4 | West | 77.1 | | 399 | | 97.3 | | 11 | | 97.3 | | 395 | |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|----|---------|--|------------|---------------------------------|---------|---|--|-----------|--------------------------------|--|----------------------------|-------------------------------------|---------|
| In | dicator | % Newborns birth to l | weighed at | Number of having weig 2.5 | | Newborn weight less to Newborn bir | ns having than 2.5 kg s weighed at | Breast Fe | New Borns d within 1 our | % Newborns within 1 ho to Total l | breast fed our of birth | Number of visited with Home I | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 2008-09 2007-08 2008-09 2007-0 99.8 22 | | | 1.7 | | | | 0.0 | | 192 | | |
| 1 | East | 98.3 | | 9 | | 1.4 | | | | 0.0 | | | |
| 2 | North | 95.2 | | 7 | | 5.1 | | | | 0.0 | | | |
| 3 | South | 116.9 | | 2 | | 1.4 | | | | 0.0 | | | |
| 4 | West | 99.0 | | 4 | | 1.0 | | | | 0.0 | | 192 | |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 9/ Compl | ⁄o | 5 Comp | | 6 | 0 |
|----|---------|--|--|---|-------------------|-------------------------|---------|---|---------------------|---|---|--------------------|---|
| In | dicator | newborns vi 24hrs of hor to total rep deliv | isited within me delivery orted home | Sex Ra birth (Fe Bitr Male Birt | male Live ths/ | Complica attended to | | Pregnanci with antihype Magsulph Total Wo Obst | ies treated n IV | Pregnanci with antihype Magsulph | es treated IV rtensive/ injection to ew cases ed with | to Total W Obst | licated es treated Transfusion omen with |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 35.5 | | 970 | 0 | 10.9 | | 0.0 | | | | 0.0 | |
| 1 | East | 0.0 | | 1,082 | 0 | 19.2 | | 0.0 | | | | 0.0 | |
| 2 | North | 0.0 | | 908 | 0 | 0.0 | | | | | | | |
| 3 | South | 0.0 | | 1,034 | 0 | 4.7 | | 0.0 | | | | 0.0 | |
| 4 | West | 100.0 | | 814 | 0 | 0.0 | | | | | | | |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|----|---------|-------------|--|---------|---------|---------|----------------------------|---------|-------------------|-------------------------|--|-------------|--|
| In | dicator | maternal co | Care / PNC omplications I to Total | Abor | aneous/ | | ımber of olic) reported | | ATPs Abortions | MTPs up to Pregnancy | 12 weeks of y to Total at Public utions | weeks of Pr | re than 12 egnancy to Ps at Public |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 0.0 | | 27 | | | | 0.0 | | | | | |
| 1 | East | 0.0 | | 12 | | | | 0.0 | | | | | |
| 2 | North | 0.0 | | | | | | | | | | | |
| 3 | South | 0.0 | | 2 | | | | 0.0 | | | | | |
| 4 | West | 0.0 | | 13 | | | | 0.0 | | | | | |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7 | 2 |
|----|---------|-------------|------------|--------------|------------|-------------------|--|-----------|---|----------------|---------------------------------------|---------------|---------------------------------------|
| In | dicator | Public Inst | nducted at | Private Inst | nducted at | (Pul Conducted | al MTPs blic) d to Total gistration | Tests con | Wet Mount ducted to f new RTI/ e cases for reatment | Vasect Cond | ber of tomies lucted + Pvt.) | Tubec Cond | ber of tomies ucted :+ Pvt.) |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | 0.0 | | 0.0 | | 21 | 132 | | 147 |
| 1 | East | | | | | 0.0 | | 0.0 | | | 132 | | 147 |
| 2 | North | | | | | 0.0 | | 0.0 | | | | | |
| 3 | South | | | | | 0.0 | | 0.0 | | | | | |
| 4 | West | | | | | 0.0 | | 0.0 | | 21 | | | |

| | | 7 | 3 | 7- | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|----|---------|-------------------|----------------------|------------------------------------|---------|----------------------------|-------------|---------|----------|---------|----------|--|----------|
| In | dicator | Total Ste Cond | rilisation lucted | % Male S (Vasect to Total st | omies) | % Tubectomic sterili | es to Total | Vasect | mies and | Vasect | mies and | Total Ste (Tubecto Vasect conducted | mies and |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 21 | 279 | 100.0 | 47.3 | 0.0 | 52.7 | 21 | | | | | 279 |
| 1 | East | | 279 | | 47.3 | | 52.7 | | | | | | 279 |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | | | | | | | · | | | · | · |
| 4 | West | 21 | | 100.0 | | 0.0 | | 21 | | | | | |

| Ind | Indicator Sikkim 1 East | (Tubecto Vasect conducted | erlisation omies and omies) | (Tubecto Vasect conducted | erlisation mies and omies) l at Private utions | Vasect conducted | terilisation mies and | % Total St (Tubecto Vasect conducted Total Ste | terilisation mies and omies) at CHC to | % Total St (Tubecto Vasect conducted a to Total S | terilisation mies and omies) at SDH/DH | % Total St (Tubecto Vasecto conducted public Insti Total Ste | terilisation mies and omies) I at Other itutions to |
|-----|-------------------------|---------------------------------|-----------------------------------|---------------------------------|--|------------------|--------------------------|--|---|---|---|---|---|
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | 100.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 0.0 | 0.0 |
| 1 | East | | | | | | 0.0 | | 0.0 | | 100.0 | | 0.0 |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | | | | | | | | | | | |
| 4 | West | | | | | 100.0 | | 0.0 | | 0.0 | | 0.0 | |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|---------|--|---------------------------------------|--------------|---|------------------------|---|------------------------|---|-----------------------------|---|---|---|
| In | dicator | % Total St (Tubecto Vasecto conducted institution Sterlis | mies and omies) at Private s to Total | sterlisation | % oscopic is to Total crilisations | Mini Lap S to Total | ⁄₀ terlisations l Female sations | Post P Sterlisation | 6 artum as to Total erilisations | sterlisation Institution | oscopic s at Public s to Total oscopic | Mini Lap s at Public I to Total Sterilis | terlisations nstitutions Mini Lap |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 0.0 | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | |
| 1 | East | | 0.0 | | 100.0 | | 0.0 | | 0.0 | | 100.0 | | |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | | | | | | | | | | | |
| 4 | West | 0.0 | | | | | | | | | | | |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|----|---------|--|---|--|--------------------|------------------------|---------------------------|---------|--------------------------|---------|-----------------------------|------------------------|------------------------------|
| In | dicator | Post P sterlisation Institution Post P Sterili | artum s at Public s to Total artum | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inse (public f | rtions done acilities) | | rtions done cilities) | | O Insertions ic+private) | PP IUCD done (publi | Insertions ic facilities) |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | 204 | 437 | | | 204 | 437 | | |
| 1 | East | | | | | | 437 | | | | 437 | | |
| 2 | North | | | | | 10 | | | | 10 | | | |
| 3 | South | | | | | 30 | | | | 30 | | | |
| 4 | West | | | | | 164 | | | | 164 | | | |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|----|---------|---|-----------------|---|----------------------|------------------------|---|------------|-------------|------------------|-------------------|--------------------|---------|
| In | | % PP IUCI (pul to Tota Insertion | blic) 1 IUCD | % PP IUCI (pul to Total In Deliverie | blic) stitutional | institutio family p | ertions in us private ons to all olanning IUCD plus | Oral Pills | distributed | Condon distri | n pieces buted | Centchro distri | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 0.0 | 0.0 | 0.0 | | 90.7 | 61.0 | 11,581 | 16,200 | 32,050 | 24,531 | 53 | |
| 1 | East | | 0.0 | 0.0 | | | 61.0 | 4,949 | 16,200 | 16,076 | 24,531 | | |
| 2 | North | 0.0 | | 0.0 | | 100.0 | | 352 | | 1,208 | | 53 | |
| 3 | South | 0.0 | | 0.0 | | 100.0 | | 2,331 | | 2,153 | | | |
| 4 | West | 0.0 | | 0.0 | | 88.6 | | 3,949 | | 12,613 | | | |

| | | 10 |)3 | 10 |)4 | 10 |)5 | 10 |)6 | 10 | 07 | 10 |)8 |
|----|---------|-------------------------------|---------|----------|---------|----------------------|------------------------|-----------------------------|-----------|----------|---------|----------|---------|
| In | dicator | Number o given ((Birth | OPV 0 | Number o | | Newborns at birth to | given OPV0 Reported | % Newborns to Reporte | given BCG | Number o | | Number o | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 786 | | 1,700 | 2,593 | 59.4 | | 128.4 | | 2,131 | | 2,621 | 5,008 |
| 1 | East | 443 | | 845 | 2,593 | 66.9 | | 127.6 | | 1,226 | | 1,651 | 5,008 |
| 2 | North | 122 | | 163 | | 84.1 | | 112.4 | | 163 | | 177 | |
| 3 | South | 41 | | 195 | | 34.7 | | 165.3 | | 205 | | 193 | |
| 4 | West | 180 | | 497 | | 45.1 | | 124.6 | | 537 | | 600 | |

| | Indicator Sikkim East | 10 |)9 | 11 | 10 | 1 | 11 | 1 | 12 | 11 | 13 | 11 | 14 |
|----|-------------------------|----------|---------|----------|--------------------------|----------|--------------------------|----------|--------------------------|---------------------|---------|--|------------------------------|
| In | | Number (| | Number o | of Infants tavalent 1 | Number e | of Infants tavalent 2 | Number o | of Infants tavalent 3 | Number (given M | | Infants 0 to old who Measles v reported l | 11 months received accine to |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 2,402 | 2,765 | | | | | | | 2,106 | 2,559 | 159.1 | |
| 1 | East | 1,429 | 2,765 | | | | | | | 1,137 | 2,559 | 171.8 | |
| 2 | North | 170 | | | | | | | | 173 | | 119.3 | |
| 3 | South | 176 | | | | | | | | 215 | | 182.2 | |
| 4 | West | 627 | | | | | | | | 581 | | 145.6 | |

| | | 11 | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|----|---------|--------------------------------|------------|-------------------------|---------|-----------|------------|----------------------------------|-----------------------------|--|-------------------------|---------|-------------------------------|
| In | dicator | Number immunized (9-11 m | d children | 9/ Drop Out BCG & | between | Vitamin - | · A dose 1 | Children g dose1 to Ro bir | given Vit A eported live | Children giv A Dose 9 to given Vit | ven Vitamin Children | | Events munisation ters) |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 1,421 | | -23.9 | 1.3 | 2,105 | 1,478 | 159.0 | | 0.0 | 0.0 | | |
| 1 | East | 452 | | -34.6 | 1.3 | 1,215 | 1,478 | 183.5 | | 0.0 | 0.0 | | |
| 2 | North | 173 | | -6.1 | | 113 | | 77.9 | | 0.0 | | | |
| 3 | South | 215 | · | -10.3 | | 195 | | 165.3 | | 0.0 | | · | |
| 4 | West | 581 | | -16.9 | | 582 | | 145.9 | | 0.0 | | | |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|----|---------|---|---------------------------|--|----------------------------------|---|--|-------------|----------------------------------|----------------------------|---|---|---|
| In | | immunisation Held to Imp Sessions | on Sessions munisation | 9/ Immunisati where AS preser Immunisati Plar | on Sessions HAs were nt to | 9/ Diptheria i 0-5 Years Total R Childhood I Yes | n Children of Age to eported Diseases 0-5 | Childhood 1 | Children of Age to eported | Children 0- Age to Tota | onatorum in -5 Years of al Reported Diseases 0-5 | Tetanus (Children 0- Age to Tota Childhood I Yea | Others in -5 Years of al Reported Diseases 0-5 |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 130.2 | | 71.4 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 1 | East | | | | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 2 | North | | | | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 3 | South | | | | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 4 | West | 90.3 | | 71.4 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|----|---------|------------|---|----------------------|--------------------------------------|--|---|----------------------------|--|------------|---------------------------------------|-------------------------------|---------|
| In | dicator | Years of A | hildren 0-5 ge to Total Childhood | 0-5 Years Total R | of Age to eported Diseases 0-5 | dehydr Children 0 Age to Tota Childhood 1 | oea and ation in -5 Years of al Reported Diseases 0-5 ars | Malaria in (Years of A | % Children 0-5 ge to Total Childhood 0-5 Years | Inpatients | 6 Female s to Total npatient | 9/ Children Ir Total II | * |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | 0.0 | | 0.4 | | 99.6 | | 0.0 | | | | | |
| 1 | East | 0.0 | | 0.2 | | 99.8 | | 0.0 | | | | | |
| 2 | North | 0.0 | | 0.0 | | 100.0 | | 0.0 | | | | | |
| 3 | South | 0.0 | | 0.0 | | 100.0 | | 0.0 | | | | | |
| 4 | West | 0.0 | | 1.1 | | 98.9 | | 0.0 | | | | | |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 13 | 37 | 13 | 38 |
|----|---------|--------------------------------|----------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|-----------------|--------------------|
| In | dicator | Female I Deaths Inpatien | npatient to Total | 9 Inpatient I Tota | | IPD (N | umber) | OPD (N | Jumber) | % IPD | to OPD | Number Opera | of Major ations |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | | | 16,919 | | 0.0 | | | |
| 1 | East | | | | | | | | | | | | |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | | | | | | | | | | | |
| 4 | West | | | | | | | 16,919 | | 0.0 | | | |

| | | 13 | 39 | 14 | 10 | 14 | 41 | 14 | 1 2 | 14 | 43 | 14 | 14 |
|----|---------|-----------------|----------|---------|------------------------------|---------|---------------------------|----------|--|-----------|------------|---------|------------------------|
| In | dicator | Number Opera | of Minor | | % erations to peration | Hyster | ber of ectomy eries | Surgerie | % ectomy s to Total perations | Ayush OPl | D (Number) | | % PD to Total PD |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | | | | | | | 0.0 | |
| 1 | East | | | | | | | | | | | | |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | | | | | | | | | | | |
| 4 | West | | | | | | | | | | | 0.0 | |

| | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|-----------|---------|---------------------|---------|---------------------------|---------|-----------------------------------|---------|---|---------|---|---------|---|---------|
| Indicator | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | 0.0 | | | | | | | | | |
| 1 | East | | | | | | | | | | | | |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | · | | | | | | | | | | |
| 4 | West | | | 0.0 | | | | | | | | | |

| | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|----|---------|---|---------|---|---------|--|---------|---|---------|--|---------|--|---------|
| In | dicator | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | | | 3 | | | | | |
| 1 | East | | | | | | | | | | | | |
| 2 | North | | | | | | | 3 | | | | | |
| 3 | South | | | | | | | | | | | | |
| 4 | West | | | | | | | | | | | | |

| | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|----|---------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| In | dicator | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Sikkim | | | | | | | | | | | | |
| 1 | East | | | | | | | | | | | | |
| 2 | North | | | | | | | | | | | | |
| 3 | South | | | | | | | | | | | | |
| 4 | West | | | | | | | | | | | | |