

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	76,672	70,183	98.2	99.6	2,002	1,681	97.5	97.7	60,994	49,414	35,819	30,029
1	East Garo Hills	5,667	4,972	97.5	100.0	151	55	97.4	98.9	3,524	2,361	3,096	2,889
2	East Jaintia Hills												
3	East Khasi Hills	26,016	22,211	98.0	99.2	779	688	97.1	97.0	22,334	16,966	17,233	13,738
4	North Garo Hills												
5	Ri Bhoi	5,731	5,277	99.0	99.2	73	55	98.7	99.0	2,970	2,094	1,763	1,598
6	South Garo Hills	2,177	2,070	99.6	100.0	34	21	98.5	99.0	1,531	1,138	910	1,181
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	16,015	15,974	98.4	98.0	427	343	97.4	97.9	15,557	14,952	5,446	4,770
10	West Jaintia Hills	12,033	11,388	97.4	97.9	401	324	96.8	97.2	9,453	7,509	4,039	3,811
11	West Khasi Hills	9,033	8,291	98.9	106.3	137	195	98.5	97.7	5,625	4,394	3,332	2,042

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	82,887	79,822	46.7	42.8	108.1	113.7	79,960	78,234	74,248	73,292	67,929	67,272
1	East Garo Hills	7,634	8,977	54.6	58.1	134.7	180.6	7,915	9,246	7,586	8,780	6,390	7,810
2	East Jaintia Hills												
3	East Khasi Hills	24,114	20,318	66.2	61.9	92.7	91.5	19,293	16,662	17,413	15,554	16,007	14,232
4	North Garo Hills												
5	Ri Bhoi	6,433	6,556	30.8	30.3	112.2	124.2	7,116	7,119	6,536	6,582	5,966	6,203
6	South Garo Hills	3,431	3,568	41.8	57.1	157.6	172.4	3,677	3,764	3,449	3,448	2,868	2,951
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	16,830	16,927	34.0	29.9	105.1	106.0	16,298	17,015	15,640	16,679	14,725	15,670
10	West Jaintia Hills	13,544	13,017	33.6	33.5	112.6	114.3	13,620	13,111	12,532	11,888	11,636	10,777
11	West Khasi Hills	10,901	10,459	36.9	24.6	120.7	126.1	12,041	11,317	11,092	10,361	10,337	9,629

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya							62,851	63,191	82.0	90.0	58,630	57,891
1	East Garo Hills							6,144	7,255	108.4	145.9	5,879	5,891
2	East Jaintia Hills												
3	East Khasi Hills							14,295	11,880	54.9	53.5	13,570	11,525
4	North Garo Hills												
5	Ri Bhoi							5,715	5,526	99.7	104.7	5,343	5,167
6	South Garo Hills							3,060	2,900	140.6	140.1	2,282	2,197
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							14,601	15,579	91.2	97.5	13,927	14,266
10	West Jaintia Hills							9,815	10,574	81.6	92.9	9,216	9,895
11	West Khasi Hills							9,221	9,477	102.1	114.3	8,413	8,950

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	24.2	20.8	60,389	71,128	78.8	101.3	32.7	31.4	13	13	79.3	82.1
1	East Garo Hills	19.5	19.2	5,180	5,257	91.4	105.7	68.8	68.1	1		76.7	81.9
2	East Jaintia Hills												
3	East Khasi Hills	40.7	41.5	15,070	16,061	57.9	72.3	12.0	9.0	6	13	90.4	93.2
4	North Garo Hills												
5	Ri Bhoi	11.2	15.7	6,218	6,365	108.5	120.6	14.9	40.4	0		81.9	86.1
6	South Garo Hills	10.8	18.7	2,439	2,976	112.0	143.8	44.1	36.1	0		75.7	71.5
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	13.2	8.0	13,304	15,576	83.1	97.5	47.6	46.4	0		79.3	80.8
10	West Jaintia Hills	27.5	18.8	10,535	14,614	87.6	128.3	44.2	32.9	0		87.7	88.9
11	West Khasi Hills	15.4	9.4	7,643	10,279	84.6	124.0	18.6	15.8	6		60.8	64.3

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	59.6	63.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	72.6	70.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	59.7	63.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	57.1	60.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	65.5	62.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	72.2	78.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	45.6	48.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	41.5	46.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	1.0	0.9	93.6	90.4	5.3	8.7	1,485	2,074	4.0	5.8	8.8	8.1
1	East Garo Hills	4.3	1.4	65.6	60.5	30.2	38.1	21	41	0.0	33.3	0.0	17.9
2	East Jaintia Hills												
3	East Khasi Hills	0.5	0.6	99.0	98.6	0.5	0.7	700	946	5.3	5.9	11.6	8.4
4	North Garo Hills												
5	Ri Bhoi	0.6	2.0	97.4	93.4	2.0	4.6	84	64	1.6	1.8	3.1	8.9
6	South Garo Hills	2.7	1.5	76.7	63.6	20.6	34.9	46	59	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	1.7	2.2	84.7	74.5	13.6	23.3	287	452	2.5	3.4	13.1	6.5
10	West Jaintia Hills	0.6	0.3	98.2	99.3	1.2	0.4	197	318	5.5	9.5	4.1	12.2
11	West Khasi Hills	0.6	0.3	97.2	96.7	2.2	3.0	150	194	1.7	0.0	0.0	2.3

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2011-12  
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	5.0	5.7	14.2	13.2	2.9	3.5	10.9	11.6	0.1	0.2	54.1	51.8
1	East Garo Hills	0.0	0.0	11.1	0.0	22.2	2.6	55.6	17.9	0.0	2.6	11.1	25.6
2	East Jaintia Hills												
3	East Khasi Hills	2.8	3.7	10.3	11.0	2.4	2.1	5.0	4.4	0.0	0.2	62.8	64.4
4	North Garo Hills												
5	Ri Bhoi	10.9	3.6	4.7	8.9	4.7	7.1	18.8	21.4	0.0	0.0	56.3	48.2
6	South Garo Hills	4.7	3.9	4.7	5.9	0.0	0.0	20.9	11.8	0.0	0.0	69.8	78.4
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	9.7	8.5	24.5	22.9	1.7	1.9	21.1	24.9	0.0	0.2	27.4	31.6
10	West Jaintia Hills	5.5	10.5	26.9	10.5	4.8	7.4	7.6	3.4	0.7	0.3	44.8	46.3
11	West Khasi Hills	2.5	0.0	5.0	9.0	4.2	6.8	10.9	18.0	0.0	0.0	75.6	63.9