	Indicators		1	:	2		3	4	4	!	5	(5
	Indicators	Total nu pregnan Registere	t women	Number of women re within first	egistered	Number o	of Women under JSY	1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC che	eceived 3
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	827	911	470	570	827	911	56.8	62.5	100.0	100.0	793	556
1	Block Keller	214	208	150	146	214	208	70.1	70.2	100.0	100.0	162	97
2	Block Shopain	531	446	248	218	531	446	46.7	48.9	100.0	100.0	456	339
3	District HQ Shopian	82	257	72	206	82	257	87.8	80.2	100.0	100.0	175	120

	Indicators		7	8	В	9	9	1	0	1	1	1	2
		TT2 or Boo to Pregna (num		Pregnant	ANC check otal ANC	-		women giv	f Pregnant en 100 IFA lets	Pregnant given 100 I ANC Reg		Number h leve (tested	l<11
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	705	677	95.8	61.0	85.2	74.3	147	744	17.7	81.6	365	549
1	Block Keller	212	178	75.7	46.6	99.1	85.6	0	175	0.0	84.1	38	82
2	Block Shopain	448	401	85.9	76.0	84.4	89.9	19	364	3.6	81.6	297	249
3	District HQ Shopian	45	98	213.4	46.7	54.9	38.1	128	205	156.1	79.8	30	218

	Indicators _Shopian Block Keller	1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	anae	ving severe emia <7) institution	having seve (Hb treated at to women		New cases	ution for on to Total	Number deliv	of Home eries	-		deliveries a Non SBA	of home attended by a trained I TB/Dai)
	_Shopian	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0	13	0.0	2.4	0.8	0.3	36	79	0	4	36	75
1	Block Keller	0	13	0.0	15.9	2.8	1.0	24	43	0	0	24	43
2	Block Shopain			0.0	0.0	0.2	0.0	12	36		4	12	32
3	District HQ Shopian			0.0	0.0	0.0	0.4						

	Indicators _Shopian	1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	deliveries Reporte	ded home s to Total	Mothers incentive deliv		Mothers incentive deliveries Reporte	for home to Total	Deliveries of at Public II			d under 48 delivery in	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	5.0	2	12	5.6	15.2	374	364	283	316	75.6	86.8
1	Block Keller	0.0	0.0	0	3	0.0	7.0	73	90	70	83	95.9	92.2
2	Block Shopain	0.0	11.1	2	9	16.7	25.0	72	25	60	22	83.3	88.0
3	District HQ Shopian							229	249	153	211	66.8	84.7

	Indicators	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators			Institu Deliverie ANC regi	itional s to total	Total re deliv	eported eries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	374	364	45.2	39.9	410	443	91.2	82.2	91.2	83.1	8.8	17.8
1	Block Keller	73	90	34.1	43.3	97	133	75.3	67.7	75.3	67.7	24.7	32.3
2	Block Shopain	72	25	13.6	5.6	84	61	85.7	41.0	85.7	47.5	14.3	59.0
3	District HQ Shopian	229	249	279.3	96.9	229	249	100.0	100.0	100.0	100.0	0.0	0.0

	Indicators	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public		deliveries	f C-section conducted facilities	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	facilities to conducted	Deliveries at Public Ir to Total In: Deliv	nstitutions
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	81	45			21.6	12.3	21.7	12.4			100.0	100.0
1	Block Keller	3	7			4.1	7.8	4.1	7.8			100.0	100.0
2	Block Shopain	2				2.8	0.0	2.8	0.0			100.0	100.0
3	District HQ Shopian	76	38			33.2	15.3	33.2	15.3			100.0	100.0

	Indicators	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators		or Delivery	ASHA for D Public inst	e paid to Delivery at	to Total In	Institutions			Care / Wo post partur between 48	Natal men got a n check up 3 hours and days	Women rec partum o within 48 delivery Reported	heck-up hours of to Total
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	149.2	67.3	31.3	71.7	0.0	0.0	330	353	235	104	80.5	79.7
1	Block Keller	205.5	105.6	0.0	236.7	0.0	0.0	68	85	13	17	70.1	63.9
2	Block Shopain	156.9	240.0	162.5	192.0	0.0	0.0	109	47	146	49	129.8	77.0
3	District HQ Shopian	128.8	36.1	0.0	0.0	0.0	0.0	153	221	76	38	66.8	88.8

	Indicators _Shopian	4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48 14 days Deliv	Checkup 3 hours and to Total	Total Nu reported l		Total Repo		Total Nu reported S	mber of	9 live birth to Bir	-	Number of weighed	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	57.3	23.5	400	435	97.6	98.2	10	9	97.6	98.0	398	365
1	Block Keller	13.4	12.8	97	130	100.0	97.7	0	3	100.0	97.7	97	83
2	Block Shopain	173.8	80.3	81	59	96.4	96.7	3	2	96.4	96.7	79	36
3	District HQ Shopian	33.2	15.3	222	246	96.9	98.8	7	4	96.9	98.4	222	246

	Indicators	4	.9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns v	weighed at	Number of having we than 2	eight less		ewborns	Number of Breast Fed		Newborns within 1 ho to Total I	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	99.5	83.9	0	5	0.0	1.3	400	348	100.0	80.0	11	17
1	Block Keller	100.0	63.8	0	3	0.0	3.6	97	83	100.0	63.8	4	0
2	Block Shopain	97.5	61.0			0.0	0.0	81	58	100.0	98.3	7	17
3	District HQ Shopian	100.0	100.0	0	2	0.0	0.8	222	207	100.0	84.1		

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	to total d home	Bitr	atio at male Live ths/ hs *1000)	cases of women wit Complica attended to	tions and	Compl Pregnanci witi antihype Magsulph ii Total Wo Obst Compli	icated es treated h IV rtensive/ njection to men with etric cations nded	Pregnanci with antihype Magsulph in Total No detecte	icated es treated h IV rtensive/ njection to ew cases	Compl Pregnanci	es treated Blood n to Total n with etric cations
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	30.5	21.5	990	968	0.0	0.0			0.0	0.0		
1	_Shopian 30.5 2 Block Keller 16.7		0.0	1,156	757	0.0	0.0			0.0	0.0		
2	Block Shopain	58.3	47.2	841	1,458	0.0	0.0			0.0			
3	District HQ Shopian			982	1,000	0.0	0.0				0.0		

	Indicators	6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNO compli attended	Natal C maternal cations I to Total eries	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to	ATPs Abortions	MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of P to Total Public Ins	e than 12 Pregnancy MTPs at
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	0.0	21	40	12	32	57.1	80.0	100.0	100.0	0.0	0.0
1	Block Keller	0.0	0.0	1	4	0	0	0.0	0.0				
2	Block Shopain	0.0	0.0	2	4			0.0	0.0				
3	District HQ Shopian	0.0	0.0	18	32	12	32	66.7	100.0	100.0	100.0	0.0	0.0

	Indicators _Shopian Block Keller	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Cond Public Insti Total	ducted at tutions to	MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	blic) I to Total	Number of Tests cond Number of STI female which tr initi	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condo (Public	tomies ucted	Numb Tubect Condu (Public	omies icted
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	100.0	100.0	0.0	0.0	1.5	3.5	0.0	0.0	0	1	23	10
1	Block Keller					0.0	0.0			0	0	8	1
2	Block Shopain					0.0	0.0	0.0	0.0			5	
3	District HQ Shopian	100.0	100.0	0.0	0.0	14.6	12.5		0.0	0	1	10	9

		7	3	7	4	7	5	7	6	7	7	7	8
Indicators		Total Ste Condi	rilisation ucted	% Male St (Vasect to Total st	comies)	7 Tubector Total ste			mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	23	11	0.0	9.0	100.0	90.9			13	1	10	10
1	Block Keller	8	1	0.0	0.0	100.0	100.0			8	1		
2	Block Shopain	5		0.0		100.0				5			
3	District HQ Shopian	10	10	0.0	10.0	100.0	90.0					10	10

	Indicators _Shopian	7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies)		at Private	conducted	mies and omies)	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	` Vasect	mies and omies) d at Other tutions to
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian					0.0	0.0	56.5	9.1	43.5	90.9	0.0	0.0
1	Block Keller					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Block Shopain					0.0		100.0		0.0		0.0	
3	District HQ Shopian					0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0

	Indicators	8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St	Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	stitutions Mini Lap
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0
2	Block Shopain	0.0		0.0		100.0		0.0				100.0	
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution	artum	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa		Total IUCD done(publi		PP IUCD I done (publi	nsertions c facilities)
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian			0	0	57	43			57	43		
1	Block Keller			0	0	11	19			11	19		
2	Block Shopain					25	3			25	3		
3	District HQ Shopian					21	21			21	21		

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	% PP IUCD (pul to Tota Insertion:	blic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD inse public plu institutio family p methods (us private ons to all olanning	Oral Pills o	distributed	Condom distril		Centchro distrit	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	0.0	0.0	0.0	71.2	79.6	958	1,093	5,292	5,197	54	33
1	Block Keller	0.0	0.0	0.0	0.0	57.9	95.0	266	602	1,665	2,108	0	33
2	Block Shopain	0.0	0.0	0.0	0.0	83.3	100.0	664	485	3,613	3,089	54	
3	District HQ Shopian	0.0	0.0	0.0	0.0	67.7	67.7	28	6	14			

		10	03	10	04	10	05	10	06	10)7	10	08
	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g	% given OPVO Reported birth	Newborns to Repo		Number o		Number o	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	468	270	667	606	117.0	62.1	166.8	139.3	890	1,022	750	797
1	Block Keller	145	71	187	199	149.5	54.6	192.8	153.1	216	216	161	162
2	Block Shopain	216	119	369	261	266.7	201.7	455.6	442.4	542	604	486	489
3	District HQ Shopian	107	80	111	146	48.2	32.5	50.0	59.3	132	202	103	146

		10	09	11	10	1	11	1	12	11	13	11	14
	Indicators	Number o		Number o	of Infants tavalent 1		of Infants tavalent 2		of Infants tavalent 3	Number o	of Infants Aeasles	Infants months received vaccine to live b	0 to 11 old who Measles reported
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	603	1,025							918	939	229.5	215.8
1	Block Keller	115	487							254	264	261.9	203.1
2	Block Shopain	439	432							568	576	701.2	976.3
3	District HQ Shopian	49	106							96	99	43.2	40.2

		1	15	11	16	11	17	1	18	11	19	12	20
	Indicators	immunize	of fully d children nonths)	Drop Out	6 between Measles	Vitamin -	A dose 1	Children g dose1 to		Childre Vitamin A Children g dos	n given Dose 9 to given Vit A	Adverse Following I	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	918	939	-37.6	-55.0	1,124	531	281.0	122.1	20.8	16.2	0	0
1	Block Keller	254	264	-35.8	-32.7	246	196	253.6	150.8	28.0	31.1	0	0
2	Block Shopain	568	576	-53.9	-120.7	777	335	959.3	567.8	21.2	7.5		
3	District HQ Shopian	96	99	13.5	32.2	101	0	45.5	0.0	0.0			

	Indicators _Shopian	12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	on Sessions nunisation	Immunisation where AS present Immunisation	HAs were	Diptheria i 0-5 Years Total Re Childhood 0-5 Y	of Age to eported I Diseases	0-5 Years Total Re	of Age to eported I Diseases	Tetanus Ne in Childrer of Age t Reported (Diseases)	eonatorum n 0-5 Years to Total Childhood	Tetanus (Children 0- Age to Tota Childhood	Others in -5 Years of I Reported I Diseases
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	83.1	80.7	76.5	77.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Block Keller	96.0	76.6	95.2	74.1		0.0		0.0		0.0		0.0
2	Block Shopain	79.7	81.4	71.5	77.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	District HQ Shopian	100.0	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

	Indicators _Shopian Block Keller	12	27	12	28	12	29	13	30	1:	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	nildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Diarrho dehydra Children 0 Age to Tota	-5 Years of I Reported I Diseases	Years of Ag Reported	Children 0-5 ge to Total	9 Adult F Inpatients Adult In	emale to Total	9 Children Inp Total In	patient to
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	0.0	0.0	4.2	100.0	95.8	0.0	0.0	59.5	54.4	25.7	30.3
1	Block Keller		0.0		0.0		100.0		0.0	61.2	58.8	9.2	8.1
2	Block Shopain	0.0	0.0	0.0	13.0	100.0	87.0	0.0	0.0	55.6	48.3	8.4	10.3
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	64.1	57.7	41.9	41.6

	Death		33	13	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	9 Inpatient [Tota		IPD (Nu	umber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian			0.0	0.0	3,821	3,470	83,879	62,655	4.6	5.5	375	301
1	Block Keller			0.0	0.0	261	259	11,823	9,825	2.2	2.6	49	77
2	Block Shopain			0.0	0.0	1,590	974	21,561	14,636	7.4	6.7	0	
3	District HQ Shopian			0.0	0.0	1,970	2,237	50,495	38,194	3.9	5.9	326	224

	Indicators	13	39	14	40	14	41	14	42	14	43	14	44
	Indicators	Number Opera	of Minor ations	% Major Ope Total Op	rations to	Hyster	per of ectomy eries	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP	D to Total
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	1,740	2,567	17.7	10.5			0.0	0.0	9,169	7,974	10.9	12.7
1	Block Keller	441	409	10.0	15.8			0.0	0.0	2,029	708	17.2	7.2
2	Block Shopain	476	364	0.0	0.0					4,379	3,179	20.3	21.7
3	District HQ Shopian	823	1,794	28.4	11.1			0.0	0.0	2,761	4,087	5.5	10.7

		145		146		147		148		149		150	
Indicators		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	7,746	5,071	9.2	8.1	329	497	5.6	4.5	0.0	0.0	0.0	0.0
1	Block Keller	1,296	442	11.0	4.5	33	0	10.9	12.9	0.0	0.0	0.0	0.0
2	Block Shopain	1,765	1,099	8.2	7.5	20	298	7.3	12.8	0.0	0.0	0.0	0.0
3	District HQ Shopian	4,685	3,530	9.3	9.2	276	199	0.0	0.0	0.0	0.0	0.0	0.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	0.0					1	2	0.0	0.0	0.0	0.0
1	Block Keller	0.0	0.0										
2	Block Shopain	0.0	0.0					1	2	0.0	0.0	0.0	0.0
3	District HQ Shopian	0.0	0.0										

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Shopian	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
1	Block Keller												
2	Block Shopain	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
3	District HQ Shopian												