

## Performance of Key HMIS Indicators for Madhya Pradesh-&gt; Hoshangabad ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1		2		3		4		5		6	
		Total number of pregnant women Registered for ANC		Number of Pregnant women registered within first trimester		% 1st Trimester registration to Total ANC Registrations		Number of pregnant women received 4 or more ANC check ups		TT2 given to Pregnant women (numbers)		TT Booster given to Pregnant women (numbers)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	6,055	6,047	3,552	3,482	58.6	57.5	3,741	4,838	4,025	3,796	1,185	1,302
1	Babai	586	683	359	428	61.3	62.7	395	589	465	489	46	148
2	Bankhedi	756	753	553	504	73.1	66.9	484	457	409	368	284	269
3	Dolaria	499	455	279	267	55.9	58.7	390	682	336	328	93	111
4	Dolaria Block												
5	Hoshangabad	508	520	161	225	31.7	43.3	165	165	246	268	142	168
6	Kesla	956	896	497	448	52.0	50.0	696	717	697	560	198	170
7	Pipariya	859	843	593	481	69.0	57.1	525	668	637	470	262	274
8	Seoni-Malwa	905	818	623	571	68.8	69.8	557	740	691	657	58	33
9	Sohagpur	986	1,079	487	558	49.4	51.7	529	820	544	656	102	129

Indicators		7		8		9		10		11		12	
		% Pregnant Woman received 4 ANC check ups to Total ANC Registrations		% Pregnant women received TT2+ TT Booster to Total ANC Registration		Number of Pregnant women given 180 IFA tablets		% Pregnant women given 180 IFA to Total ANC Registration		Number of Pregnant Women having Hb level<11 (tested cases)		Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	61.7	80.0	86.0	84.3	5,008	5,314	82.7	87.8	3,516	3,351	56	34
1	Babai	67.4	86.2	87.2	93.3	439	633	74.9	92.7	224	270	5	18
2	Bankhedi	64.0	60.7	91.7	84.6	542	242	71.7	32.1	521	375	0	0
3	Dolaria	78.2	149.9	86.0	96.5	507	519	101.6	114.1	280	203	0	0
4	Dolaria Block												
5	Hoshangabad	32.5	31.7	76.4	83.8	374	468	73.6	90.0	288	341	51	6
6	Kesla	72.8	80.0	93.6	81.5	962	879	100.6	98.1	732	350	0	10
7	Pipariya	61.1	79.2	104.7	88.3	761	815	88.6	96.7	395	485	0	0
8	Seoni-Malwa	61.5	90.5	82.8	84.4	543	825	60.0	100.9	639	572	0	0
9	Sohagpur	53.7	76.0	65.5	72.8	880	933	89.2	86.5	437	755	0	0

## Performance of Key HMIS Indicators for Madhya Pradesh-&gt; Hoshangabad ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		13		14		15		16		17		18	
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7		% New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations		Number of Home deliveries		Number of home deliveries attended by SBA trained (Doctor/Nurse/ANM)		Number of home deliveries attended by Non SBA trained (trained TB/Dai)		% SBA attended home deliveries to Total Reported Home Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	72.7	22.7	0.9	2.3	102	129	8	19	94	110	7.8	14.7
1	Babai	100.0	40.0	0.0	2.6	13	13	4	7	9	6	30.8	53.8
2	Bankhedi	0.0	0.0	2.2	3.6	11	8	4	2	7	6	36.4	25.0
3	Dolaria	0.0	0.0	0.8	2.6	0	4	0	1	0	3		25.0
4	Dolaria Block												
5	Hoshangabad	850.0	100.0	0.2	0.0	0	0	0	0	0	0		
6	Kesla	0.0	40.0	0.8	2.2	25	29	0	0	25	29	0.0	0.0
7	Pipariya	0.0	0.0	1.2	3.1	17	27	0	0	17	27	0.0	0.0
8	Seoni-Malwa	0.0	0.0	1.4	2.3	36	38	0	0	36	38	0.0	0.0
9	Sohagpur	0.0	0.0	0.0	1.8		10		9		1		90.0

Indicators		19		20		21		22		23		24	
		Deliveries Conducted at Public Institutions		Number of Women Discharged under 48 hours of delivery in public facilities		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions		Deliveries Conducted at Private Institutions		Number of Women Discharged under 48 hours of delivery in private institutions		% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at private institutions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	3,727	3,483	44	19	1.1	0.5	772	552	20		2.5	0.0
1	Babai	282	226	6	0	2.1	0.0						
2	Bankhedi	343	326	22	14	6.4	4.3						
3	Dolaria	24	28	0	2	0.0	7.1						
4	Dolaria Block												
5	Hoshangabad	1,317	1,237	0	0	0.0	0.0	772	552	20		2.6	0.0
6	Kesla	705	632	5	2	0.7	0.3						
7	Pipariya	383	381	0	0	0.0	0.0						
8	Seoni-Malwa	327	315	6	0	1.8	0.0						
9	Sohagpur	346	338	5	1	1.4	0.3						

## Performance of Key HMIS Indicators for Madhya Pradesh-&gt; Hoshangabad ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		25		26		27		28		29		30	
		Institutional deliveries (Public Insts.+Pvt. Insts.)		% Institutional Deliveries to total ANC registration		Total reported deliveries		% Institutional deliveries to Total Reported Deliveries		% Safe deliveries to Total Reported Deliveries		% Home deliveries to Total Reported Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	4,499	4,035	74.3	66.7	4,601	4,164	97.8	96.9	98.0	97.4	2.2	3.1
1	Babai	282	226	48.1	33.1	295	239	95.6	94.6	96.9	97.5	4.4	5.4
2	Bankhedi	343	326	45.4	43.3	354	334	96.9	97.6	98.0	98.2	3.1	2.4
3	Dolaria	24	28	4.8	6.2	24	32	100.0	87.5	100.0	90.6	0.0	12.5
4	Dolaria Block												
5	Hoshangabad	2,089	1,789	411.2	344.0	2,089	1,789	100.0	100.0	100.0	100.0	0.0	0.0
6	Kesla	705	632	73.7	70.5	730	661	96.6	95.6	96.6	95.6	3.4	4.4
7	Pipariya	383	381	44.6	45.2	400	408	95.8	93.4	95.8	93.4	4.3	6.6
8	Seoni-Malwa	327	315	36.1	38.5	363	353	90.1	89.2	90.1	89.2	9.9	10.8
9	Sohagpur	346	338	35.1	31.3	346	348	100.0	97.1	100.0	99.7	0.0	2.9

Indicators		31		32		33		34		35		36	
		Number of C-section deliveries conducted at public facilities		Number of C-section deliveries conducted at private facilities		% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries		% C-sections conducted at public facilities to Deliveries conducted at public facilities		% C-sections conducted at Private facilities to Deliveries conducted at private facilities		% Deliveries conducted at Public Institutions to Total Institutional Deliveries	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	771	636	486	85	27.9	17.8	20.7	18.3	63.0	15.4	82.8	86.3
1	Babai	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bankhedi	0	0			0.0	0.0	0.0	0.0			100.0	100.0
3	Dolaria	0	0			0.0	0.0	0.0	0.0			100.0	100.0
4	Dolaria Block												
5	Hoshangabad	504	426	486	85	47.4	28.6	38.3	34.4	63.0	15.4	63.0	69.1
6	Kesla	244	193			34.6	30.5	34.6	30.5			100.0	100.0
7	Pipariya	23	17			6.0	4.5	6.0	4.5			100.0	100.0
8	Seoni-Malwa	0	0			0.0	0.0	0.0	0.0			100.0	100.0
9	Sohagpur					0.0	0.0	0.0	0.0			100.0	100.0

## Performance of Key HMIS Indicators for Madhya Pradesh-&gt; Hoshangabad ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		37		38		39		40		41		42	
		% Deliveries conducted at Private Institutions to Total Institutional Deliveries		Women received 1st post partum check-up within 48 hours of home delivery		Women received 1st post partum check up between 48 hours and 14 days		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries		% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries		Total Number of reported live births	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	17.2	13.7	361	252	1,182	454	353.9	195.3	25.7	10.9	4,534	4,105
1	Babai	0.0	0.0	16	139	17	185	123.1	1069.2	5.8	77.4	290	239
2	Bankhedi	0.0	0.0	11	10	148	59	100.0	125.0	41.8	17.7	351	327
3	Dolaria	0.0	0.0	5	3	118	42		75.0	491.7	131.3	37	29
4	Dolaria Block												
5	Hoshangabad	37.0	30.9	0	0	0	0			0.0	0.0	2,043	1,758
6	Kesla	0.0	0.0	23	29	93	0	92.0	100.0	12.7	0.0	719	656
7	Pipariya	0.0	0.0	154	23	249	28	905.9	85.2	62.3	6.9	396	400
8	Seoni-Malwa	0.0	0.0	152	38	223	85	422.2	100.0	61.4	24.1	355	350
9	Sohagpur	0.0	0.0		10	334	55		100.0	96.5	15.8	343	346

Indicators		43		44		45		46		47		48	
		% Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		% Newborns weighed at birth to live birth		Number of Newborns having weight less than 2.5 kg	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	98.5	98.6	110	68	97.6	98.4	4,548	4,101	100.3	99.9	768	585
1	Babai	98.3	100.0	6	0	98.0	100.0	289	238	99.7	99.6	15	23
2	Bankhedi	99.2	97.9	6	7	98.3	97.9	350	327	99.7	100.0	20	16
3	Dolaria	154.2	90.6	0	1	100.0	96.7	37	28	100.0	96.6	3	1
4	Dolaria Block												
5	Hoshangabad	97.8	98.3	63	40	97.0	97.8	2,056	1,758	100.6	100.0	352	225
6	Kesla	98.5	99.2	17	5	97.7	99.2	723	655	100.6	99.8	211	126
7	Pipariya	99.0	98.0	6	10	98.5	97.6	395	400	99.7	100.0	89	86
8	Seoni-Malwa	97.8	99.2	9	3	97.5	99.2	355	349	100.0	99.7	45	53
9	Sohagpur	99.1	99.4	3	2	99.1	99.4	343	346	100.0	100.0	33	55



Indicators		49		50		51		52		53		54	
		% Newborns having weight less than 2.5 kg to Newborns weighed at birth		Number of New Borns Breast Fed within 1 hour		% Newborns breast fed within 1 hour of birth to Total live birth		Sex Ratio at birth ( Female Live Births/ Male Live Births *1000)		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries		% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	16.8	14.2	4,480	4,031	98.8	98.1	875	854	4.0	7.7	59.1	82.9
1	Babai	5.2	9.7	287	236	99.0	98.7	959	1,115	4.1	0.8	0.0	0.0
2	Bankhedi	5.7	4.9	350	327	99.7	100.0	1,053	994	4.0	1.8	0.0	0.0
3	Dolaria	8.1	3.6	35	23	94.6	79.3	1,467	611	0.0	0.0		
4	Dolaria Block							0	0				
5	Hoshangabad	17.1	12.8	1,995	1,695	97.7	96.4	847	788	2.8	10.7	100.0	100.0
6	Kesla	29.2	19.2	721	655	100.3	99.8	897	792	7.3	11.2	96.2	100.0
7	Pipariya	22.5	21.5	395	400	99.7	100.0	729	951	10.3	6.1	0.0	0.0
8	Seoni-Malwa	12.7	15.2	354	349	99.7	99.7	929	989	0.0	0.0		
9	Sohagpur	9.6	15.9	343	346	100.0	100.0	844	831	2.0	6.3	0.0	0.0

Indicators		55		56		57		58		59		60	
		Number of PW given 360 Calcium tablets		% Pregnant women given 360 Calcium to Total ANC Registration		Number of PW given one Albendazole tablet after 1st trimester		% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registration		Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)		% Pregnant women tested for blood sugar using OGTT to Total ANC Registration	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	3,820	3,740	63.1	61.8	3,265	3,228	53.9	53.4	1,109	1,488	18.3	24.6
1	Babai	335	530	57.2	77.6	375	478	64.0	70.0	46	56	7.8	8.2
2	Bankhedi	488	511	64.6	67.9	457	251	60.4	33.3	2	46	0.3	6.1
3	Dolaria	499	464	100.0	102.0	404	386	81.0	84.8	40	29	8.0	6.4
4	Dolaria Block												
5	Hoshangabad	373	459	73.4	88.3	105	260	20.7	50.0	469	327	92.3	62.9
6	Kesla	786	738	82.2	82.4	614	577	64.2	64.4	260	320	27.2	35.7
7	Pipariya	340	345	39.6	40.9	448	385	52.2	45.7	0	235	0.0	27.9
8	Seoni-Malwa	176	113	19.4	13.8	484	329	53.5	40.2	91	187	10.1	22.9
9	Sohagpur	823	580	83.5	53.8	378	562	38.3	52.1	201	288	20.4	26.7

Indicators		61		62		63		64		65		66	
		Number of PW tested positive for GDM		% Pregnant women tested positive for GDM to Total ANC Registration		Number of pregnant women tested for Syphilis		Number of pregnant women tested found sero positive for Syphilis		% Pregnant women tested for Syphilis to Total ANC Registration		% Pregnant women treated for Syphilis to Total sero positive for Syphilis	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	181	345	3.0	5.7	1,397	1,302	5	0	23.1	21.5	0.0	0.0
1	Babai	2	0	0.3	0.0	309	81	0	0	52.7	11.9	0.0	0.0
2	Bankhedi	0	12	0.0	1.6	361	0	0	0	47.8	0.0	0.0	
3	Dolaria	29	16	5.8	3.5	87	110	1	0	17.4	24.2	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	97	30	19.1	5.8	0	387	0	0	0.0	74.4		0.0
6	Kesla	22	122	2.3	13.6	359	247	0	0	37.6	27.6	0.0	0.0
7	Pipariya	0	29	0.0	3.4	0	223	0	0	0.0	26.5		0.0
8	Seoni-Malwa	5	12	0.6	1.5	0	6	0	0	0.0	0.7		0.0
9	Sohagpur	26	124	2.6	11.5	281	248	4	0	28.5	23.0	0.0	0.0

Indicators		67		68		69		70		71		72	
		% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis		Total no. maternal deaths		Total Facility Based Maternal Death Reviews (FBMDR) done		Total Number of Abortions ( Spontaneous) Reported		Total Number of MTPs ( Public) conducted		% MTPs to total Abortions	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad			2	5	0	2	160	124	166	166	61.5	69.9
1	Babai			0	0	0	0	6	17	21	12	77.8	41.4
2	Bankhedi			1	0	0	0	11	12	20	26	64.5	68.4
3	Dolaria			1	0			1	3	0	0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad			0	1	0	1	73	17	49	22	65.6	89.4
6	Kesla			0	3	0	1	13	20	6	25	31.6	55.6
7	Pipariya			0	0	0	0	22	22	12	9	35.3	29.0
8	Seoni-Malwa			0	1	0	0	34	15	0	9	0.0	37.5
9	Sohagpur							0	18	58	63	100.0	77.8

Indicators		73		74		75		76		77		78	
		% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions		% MTPs Conducted at Public Institutions to Total MTPs		% MTPs Conducted at Private Institutions to Total MTPs		% Total MTPs (Public) Conducted to Total ANC Registration		Number of Vasectomies Conducted	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	98.8	97.6	1.2	2.4	64.8	57.6	35.2	42.4	2.7	2.7	1	6
1	Babai	95.2	66.7	4.8	33.3	100.0	100.0	0.0	0.0	3.6	1.8	0	0
2	Bankhedi	100.0	100.0	0.0	0.0	100.0	100.0	0.0	0.0	2.6	3.5	0	0
3	Dolaria									0.0	0.0	0	0
4	Dolaria Block												
5	Hoshangabad	100.0	100.0	0.0	0.0	35.3	15.3	64.7	84.7	9.6	4.2	0	6
6	Kesla	100.0	100.0	0.0	0.0	100.0	100.0	0.0	0.0	0.6	2.8	1	0
7	Pipariya	91.7	100.0	8.3	0.0	100.0	100.0	0.0	0.0	1.4	1.1	0	0
8	Seoni-Malwa		100.0		0.0		100.0		0.0	0.0	1.1	0	0
9	Sohagpur	100.0	100.0	0.0	0.0	100.0	100.0	0.0	0.0	5.9	5.8		

Indicators		79		80		81		82		83		84	
		Number of Tubectomies Conducted		Total Sterilisation Conducted		% Male Sterilisation (Vasectomies) to Total sterilisation		% Female Serlisation (Tubectomies) to Total sterilisation		Total Sterlisation (Tubectomies and Vasectomies) conducted at PHC		Total Sterlisation (Tubectomies and Vasectomies) conducted at CHC	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	388	392	389	398	0.2	1.5	99.7	98.5				
1	Babai	0	0	0	0								
2	Bankhedi	0	0	0	0								
3	Dolaria	0	36	0	36		0.0		100.0				
4	Dolaria Block												
5	Hoshangabad	299	224	299	230	0.0	2.6	100.0	97.4				
6	Kesla	77	103	78	103	1.3	0.0	98.7	100.0				
7	Pipariya	10	5	10	5	0.0	0.0	100.0	100.0				
8	Seoni-Malwa	0	24	0	24		0.0		100.0				
9	Sohagpur	2		2		0.0		100.0					

Indicators		85		86		87		88		89		90	
		Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH		Total Sterilisation (Tubectomies and Vasectomies) conducted at DH		Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions		Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation		% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad					137	172	252	226	35.2	43.2	64.8	56.8
1	Babai							0	0				
2	Bankhedi							0	0				
3	Dolaria							0	36		0.0		100.0
4	Dolaria Block												
5	Hoshangabad					137	172	162	58	45.8	74.8	54.2	25.2
6	Kesla							78	103	0.0	0.0	100.0	100.0
7	Pipariya							10	5	0.0	0.0	100.0	100.0
8	Seoni-Malwa							0	24		0.0		100.0
9	Sohagpur							2		0.0		100.0	

Indicators		91		92		93		94		95		96	
		% Laparoscopic sterilisations to Total Female Sterilisations		% Mini Lap Sterilisations to Total Female Sterilisations		% Post Partum Sterilisations to Total Female Sterilisations		% Post Abortion Sterilisations to Total Female Sterilisations		% Laparoscopic sterilisations at Public Institutions to Total Laparoscopic Sterilisations		% Mini Lap sterilisations at Public Institutions to Total Mini Lap Sterilisations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	37.1	42.6	13.4	27.0	48.9	30.1	0.5	0.2	20.8	35.3	100.0	43.4
1	Babai												
2	Bankhedi												
3	Dolaria		27.8		11.1		61.1		0.0		100.0		100.0
4	Dolaria Block												
5	Hoshangabad	45.5	65.6	0.3	31.7	53.5	2.2	0.7	0.4	16.2	26.5	100.0	15.5
6	Kesla	0.0	0.0	61.0	11.7	39.0	88.3	0.0	0.0			100.0	100.0
7	Pipariya	60.0	20.0	40.0	80.0	0.0	0.0	0.0	0.0	100.0	100.0	100.0	100.0
8	Seoni-Malwa		37.5		62.5		0.0		0.0		100.0		100.0
9	Sohagpur	100.0		0.0		0.0		0.0		100.0			



Indicators		97		98		99		100		101		102	
		% Post Partum sterilisations at Public Institutions to Total Post Partum Sterilisation		% Post Abortion sterilisations at Public Institutions to Total Post Partum Sterilisation		Total cases of deaths following Sterilisation ( Male + Female)		Total cases of deaths following Male Sterilisation		Total cases of deaths following Female Sterilisation		Total cases of failure following Male Sterilisation	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	88.4	100.0	50.0	100.0	0	0	0	0	0	0	0	0
1	Babai					0		0		0		0	
2	Bankhedi					0	0	0	0	0	0	0	0
3	Dolaria		100.0			0	0	0	0	0	0	0	0
4	Dolaria Block												
5	Hoshangabad	86.3	100.0	50.0	100.0	0	0	0	0	0	0	0	0
6	Kesla	100.0	100.0			0	0	0	0	0	0	0	0
7	Pipariya					0	0	0	0	0	0	0	0
8	Seoni-Malwa					0	0	0	0	0	0	0	0
9	Sohagpur												

Indicators		103		104		105		106		107		108	
		Total cases of failure following Female Sterilisation		Total cases of complication following Male Sterilisation		Total cases of complication following Female Sterilisation		IUCD Insertions done (public facilities)		IUCD insertions done (pvt. facilities)		% PP IUCD Insertions (public) to Total IUCD Insertions (public)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	0	0	0	0	0	1	1,026	1,562	4		52.0	39.6
1	Babai	0		0	0	0	0	85	180			15.3	17.2
2	Bankhedi	0	0	0	0	0	0	173	140			56.6	22.1
3	Dolaria	0	0	0	0	0	1	54	86			44.4	24.4
4	Dolaria Block												
5	Hoshangabad	0	0	0	0	0	0	122	258	4		91.0	91.1
6	Kesla	0	0	0	0	0	0	166	250			30.7	30.4
7	Pipariya	0	0	0	0	0	0	120	211			43.3	14.2
8	Seoni-Malwa	0	0	0	0	0	0	121	143			80.2	50.3
9	Sohagpur							185	294			47.6	42.2

## Performance of Key HMIS Indicators for Madhya Pradesh-&gt; Hoshangabad ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		109		110		111		112		113		114	
		% PP IUCD Insertions (public) to Total Institutional Deliveries (public)		% IUCD insertions to all family planning methods ( IUCD plus permanent)		Total Interval IUCD Insertions done		Total PP IUCD Insertions done		Total PAIUCD insertions done		Combined Oral Pills distributed	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	14.3	17.8	72.5	79.6	475	910	536	620	19	32	28,220	25,626
1	Babai	4.6	13.7	100.0	100.0	72	149	13	31	0	0	2,443	2,739
2	Bankhedi	28.6	9.5	100.0	100.0	75	109	98	31	0	0	3,429	3,345
3	Dolaria	100.0	75.0	100.0	70.5	30	65	24	21	0	0	2,312	2,314
4	Dolaria Block												
5	Hoshangabad	8.4	19.0	29.6	52.9	4	17	113	235	9	6	342	889
6	Kesla	7.2	12.0	68.0	70.8	115	174	51	76	0	0	5,043	5,836
7	Pipariya	13.6	7.9	92.3	97.7	68	181	52	30	0	0	6,570	3,582
8	Seoni-Malwa	29.7	22.9	100.0	85.6	24	71	97	72	0	0	3,856	3,710
9	Sohagpur	25.4	36.7	98.9	100.0	87	144	88	124	10	26	4,225	3,211

Indicators		115		116		117		118		119		120	
		Emergency pills distributed		Condom pieces distributed		Centchroman ( weekly pills) distributed		Number of beneficiaries given 1st dose of Injectable (Antara Program)		Number of beneficiaries given 2nd dose of Injectable (Antara Program)		Number of beneficiaries given 3rd dose of Injectable (Antara Program)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	266	570	345,779	375,550	17	0	25	0	3	0	0	0
1	Babai	0	8	38,155	44,117	0		1	0	0		0	
2	Bankhedi	21	36	31,823	30,157	0	0	0	0	0	0	0	0
3	Dolaria	22	21	34,799	40,376	0	0	0	0	0	0	0	0
4	Dolaria Block												
5	Hoshangabad	0	0	3,887	22,333	17	0	24	0	3	0	0	0
6	Kesla	1	5	81,845	105,353	0	0	0	0	0	0	0	0
7	Pipariya	16	439	58,165	45,743	0	0	0	0	0	0	0	0
8	Seoni-Malwa	169	0	66,656	60,156	0	0		0		0		0
9	Sohagpur	37	61	30,449	27,315								

Indicators		121		122		123		124		125		126	
		Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)		Pregnancy testing kits used		Number of Infants given OPV 0 (Birth Dose)		Number of Infants given BCG		Number of Infants given Hep- B0 (birth dose)		% Newborns given OPV0 at birth to Reported live birth	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	26	0	5,872	4,250	3,814	4,048	4,057	4,247	3,438	3,975	84.1	98.6
1	Babai	5		775	627	179	237	284	237	183	226	61.7	99.2
2	Bankhedi	0	0	442	287	340	318	349	340	340	319	96.9	97.2
3	Dolaria	0	0	390	272	28	22	36	35	24	20	75.7	75.9
4	Dolaria Block												
5	Hoshangabad	21	0	881	49	1,456	1,818	1,467	1,848	1,141	1,758	71.3	103.4
6	Kesla	0	0	1,089	1,100	774	630	805	671	713	630	107.6	96.0
7	Pipariya	0	0	566	611	378	371	400	399	378	371	95.5	92.8
8	Seoni-Malwa		0	885	759	316	307	373	372	316	306	89.0	87.7
9	Sohagpur			844	545	343	345	343	345	343	345	100.0	99.7

Indicators		127		128		129		130		131		132	
		% Newborns given BCG to Reported live birth		% Newborns given Hep-B0(Birth Dose)at birth to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3		Number of Infants given Pentavalent 1	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	89.5	103.5	75.8	96.8	0	0	0	0	0	0	4,920	4,493
1	Babai	97.9	99.2	63.1	94.6	0						459	456
2	Bankhedi	99.4	104.0	96.9	97.6	0	0	0	0	0	0	563	491
3	Dolaria	97.3	120.7	64.9	69.0	0	0	0	0	0	0	452	364
4	Dolaria Block												
5	Hoshangabad	71.8	105.1	55.8	100.0	0	0	0	0	0	0	489	422
6	Kesla	112.0	102.3	99.2	96.0	0	0	0	0	0	0	879	714
7	Pipariya	101.0	99.8	95.5	92.8	0	0	0	0	0	0	741	547
8	Seoni-Malwa	105.1	106.3	89.0	87.4	0	0	0	0	0	0	729	632
9	Sohagpur	100.0	99.7	100.0	99.7							608	867

Indicators		133		134		135		136		137		138	
		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		Number of Infants given MR		% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	5,047	4,609	4,990	5,061	5,167	5,348	0	0	113.9	130.2	5,209	5,339
1	Babai	474	553	499	623	473	543			163.1	227.2	473	543
2	Bankhedi	570	539	536	552	605	570			172.4	174.3	605	570
3	Dolaria	405	370	408	411	395	648	0	0	1067.6	2234.5	395	648
4	Dolaria Block												
5	Hoshangabad	516	439	517	447	550	517	0	0	26.9	29.4	597	517
6	Kesla	959	751	943	1,011	914	854	0	0	127.1	130.2	937	854
7	Pipariya	722	525	680	501	757	846	0	0	191.2	211.5	729	846
8	Seoni-Malwa	741	590	705	629	774	726		0	218.0	207.4	774	726
9	Sohagpur	660	842	702	887	699	644			203.8	186.1	699	635

Indicators		139		140		141		142		143		144	
		% Drop Out between BCG & Measles/ MR		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Abcess )		Adverse Events Following Immunisation (Deaths)		Adverse Events Following Immunisation (Others)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	-27.4	-25.9	114.4	120.1	117.0	85.8	3	0	0	0	0	0
1	Babai	-66.5	-129.1	170.0	223.8	370.8	117.2	0	0	0	0	0	0
2	Bankhedi	-73.4	-67.6	172.6	174.3	71.8	48.6	0	0	0	0	0	0
3	Dolaria	-997.2	-751.4	1097.3	1313.8	70.9	92.4	3	0	0	0	0	0
4	Dolaria Block												
5	Hoshangabad	62.5	72.0	27.2	26.1	59.5	87.8	0	0	0	0	0	0
6	Kesla	-13.5	-27.3	124.8	120.1	125.5	72.2	0	0	0	0	0	0
7	Pipariya	-89.3	-112.0	191.7	205.3	65.0	76.4	0	0	0	0	0	0
8	Seoni-Malwa	-107.5	-95.2	218.0	208.9	116.3	96.9	0	0	0	0	0	0
9	Sohagpur	-103.8	-86.7	203.8	186.1	96.0	103.6						



Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad ( Across Sub Districts)  
Financial Year: 2018-19  
Provisional Figures for the Period April to June  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		145		146		147		148		149		150	
		% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	98.7	98.8	97.7	97.0	34	12	5	18	19	0	0	0
1	Babai	100.0	96.4	99.8	96.8	0	0	0	0	0	0	0	0
2	Bankhedi	100.0	100.0	100.0	100.0	0	0	0	0	0	0	0	0
3	Dolaria	97.1	100.0	97.3	99.5	1	0	0	0	0	0	0	0
4	Dolaria Block												
5	Hoshangabad	94.5	98.3	99.7	100.0	14	7	0	0	19	0	0	0
6	Kesla	99.6	100.0	97.6	98.8	0	5	0	18	0	0	0	0
7	Pipariya	96.2	94.4	89.0	85.8	2	0	5	0	0	0	0	0
8	Seoni-Malwa	99.8	99.3	96.8	96.7	17	0	0	0	0	0	0	0
9	Sohagpur	99.1	100.0	100.7	96.9								

Indicators		151		152		153		154		155		156	
		Pertussis in Children 0-5 Years of Age		Tetanus Neonatorum in Children 0-5 Years of Age		Tuberculosis (TB) in Children 0-5 Years of Age		Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	0	0	0	0	16	6	16	6	1	0	34	12
1	Babai	0	0	0	0	14	0	14	0	0	0	0	0
2	Bankhedi	0	0	0	0	0	0	0	0	0	0	0	0
3	Dolaria	0	0	0	0	1	0	1	0	0	0	1	0
4	Dolaria Block												
5	Hoshangabad	0	0	0	0	1	0	1	0	1	0	14	7
6	Kesla	0	0	0	0	0	1	0	1	0	0	0	5
7	Pipariya	0	0	0	0	0	5	0	5	0	0	2	0
8	Seoni-Malwa	0	0	0	0	0	0	0	0	0	0	17	0
9	Sohagpur					0		0					

Indicators		157		158		159		160		161		162	
		Diarrhoea in Children 0-5 Years of Age		Diarrhoea treated in Inpatients in Children 0-5 Years of Age		No. of infants given Measles Rubella vaccine 1st dose		No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3rd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	286	650	76	133	0	0	4,895	4,238	5,042	2,816	5,042	2,816
1	Babai	20	37	0	3			459	449	474	291	474	291
2	Bankhedi	0	26	0	22			563	491	570	348	570	348
3	Dolaria	28	20	0	0	0	0	452	315	405	183	405	183
4	Dolaria Block												
5	Hoshangabad	78	215	31	24	0	0	464	433	511	395	511	395
6	Kesla	10	66	17	33	0	0	879	712	959	443	959	443
7	Pipariya	16	127	5	0	0	0	741	547	722	342	722	342
8	Seoni-Malwa	82	108	23	42		0	729	424	741	207	741	207
9	Sohagpur	52	51		9			608	867	660	607	660	607

Indicators		163		164		165		166		167		168	
		No of children 16-24 months age given Measles 2nd dose		No of children 16-24 months age given Measles Rubella Vaccine 2nd dose		% Adult Female Inpatients to Total Adult Inpatient		% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	4,955	4,588	14	0	55.2	62.0	13.2	24.4	39.3	51.4	0.2	0.1
1	Babai	518	550	0		82.6	64.5	5.5	26.5			0.0	0.0
2	Bankhedi	570	571			68.2	67.2	8.0	14.7	25.0	100.0	0.1	0.1
3	Dolaria	461	325	0	0	58.7	51.4	20.3	16.5	45.2		5.1	0.0
4	Dolaria Block												
5	Hoshangabad	564	291	14	0	51.2	59.4	11.1	33.3	33.8	46.2	0.2	0.1
6	Kesla	864	750	0		73.1	61.9	20.1	10.1	71.4	50.0	0.2	0.5
7	Pipariya	695	862	0	0	59.9	63.1	15.5	20.1			0.0	0.0
8	Seoni-Malwa	674	575		0	73.2	61.9	23.6	14.1			0.0	0.0
9	Sohagpur	609	664			34.3	64.0	20.7	41.0			0.0	0.0

## Performance of Key HMIS Indicators for Madhya Pradesh-&gt; Hoshangabad ( Across Sub Districts)

Financial Year: 2018-19

Provisional Figures for the Period April to June

These indicators are under compilation (83,84,85,86,197,198)

Indicators		169		170		171		172		173		174	
		IPD (Number)		OPD (Allopathic)		Ayush OPD (Number)		OPD (Ayush+Allopathic)		% IPD to OPD		Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	59,842	26,503	232,756	197,027	20,514	15,721	253,270	212,748	23.6	12.5	301	798
1	Babai	1,881	1,300	16,814	14,446	3,953	71	20,767	14,517	9.1	9.0	0	0
2	Bankhedi	4,132	3,203	29,907	23,994	5,357	1,355	35,264	25,349	11.7	12.6	0	0
3	Dolaria	607	550	8,611	7,766	2,367	1,852	10,978	9,618	5.5	5.7	0	0
4	Dolaria Block												
5	Hoshangabad	37,100	9,819	40,465	51,878	0	4,256	40,465	56,134	91.7	17.5	278	582
6	Kesla	4,120	3,638	46,550	25,480	2,945	4,784	49,495	30,264	8.3	12.0	0	197
7	Pipariya	3,796	4,115	30,497	28,674	0	30	30,497	28,704	12.4	14.3	23	19
8	Seoni-Malwa	3,032	1,848	38,219	25,836	1,273	596	39,492	26,432	7.7	7.0	0	0
9	Sohagpur	5,174	2,030	21,693	18,953	4,619	2,777	26,312	21,730	19.7	9.3		

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad ( Across Sub Districts)  
Financial Year: 2018-19  
Provisional Figures for the Period April to June  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		175		176		177		178		179		180	
		Number of Minor Operations		% Major Operations to Total Operation		Number of Hysterectomy Surgeries		% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	1,495	1,538	16.8	34.2	62	42	20.5	5.2	8.0	7.3	3,825	2,935
1	Babai	0	5		0.0	0	0			19.0	0.5	112	90
2	Bankhedi	290	170	0.0	0.0	0	0			15.2	5.3	265	177
3	Dolaria	45	70	0.0	0.0	0	0			21.6	19.3	236	68
4	Dolaria Block												
5	Hoshangabad	324	249	46.2	70.0	39	25	14.0	4.3	0.0	7.6	1,119	1,733
6	Kesla	30	204	0.0	49.1	0	0		0.0	6.0	15.8	1,827	209
7	Pipariya	702	769	3.2	2.4	23	17	100.0	89.5	0.0	0.1	66	298
8	Seoni-Malwa	0	0			0	0			3.2	2.3	85	278
9	Sohagpur	104	71	0.0	0.0					17.6	12.8	115	82

Indicators		181		182		183		184		185		186	
		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested ( Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	1.5	1.4	1.5	3.8	0.7	0.4	22.0	33.9	0.2	0.1	0.5	0.3
1	Babai	0.5	0.6	1.0	3.5	0.0		17.9	22.1	0.0	0.0	0.0	0.0
2	Bankhedi	0.8	0.7	0.9	2.5	0.0	2.6	4.5	16.9	0.0	0.0	0.0	0.6
3	Dolaria	2.1	0.7	0.3	0.7	0.0	0.0	6.2	18.0	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	2.8	3.1	3.8	9.1	1.3	0.9	137.8	184.0	0.3	0.3	0.8	0.5
6	Kesla	3.7	0.7	0.6	2.6	0.5	0.2	31.7	52.5	0.0	0.0	0.4	0.1
7	Pipariya	0.2	1.0	1.0	1.4	0.0	0.0	3.6	5.9	0.0	0.0	0.0	0.0
8	Seoni-Malwa	0.2	1.1	0.7	0.8	0.0	0.0	6.9	15.5	0.0	0.0	0.0	0.0
9	Sohagpur	0.4	0.4	1.4	2.1	0.0	0.0	6.6	8.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Madhya Pradesh-> Hoshangabad ( Across Sub Districts)  
Financial Year: 2018-19  
Provisional Figures for the Period April to June  
**These indicators are under compilation (83,84,85,86,197,198)**

Indicators		187		188		189		190		191		192	
		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	0.2	0.2	0.1	0.1	83	114	7.2	50.9	7.2	1.8	4.8	5.3
1	Babai	0.1	0.2	0.0	0.0	1	18	0.0	83.3	0.0	0.0	0.0	5.6
2	Bankhedi	0.3	0.5	0.2	0.0	14	5	0.0	0.0	0.0	20.0	0.0	20.0
3	Dolaria	0.0	0.0	0.0	0.0	4	1	0.0	0.0	0.0	0.0	25.0	0.0
4	Dolaria Block												
5	Hoshangabad	0.1	0.4	0.0	0.0	32	48	18.8	72.9	18.8	2.1	0.0	0.0
6	Kesla	0.1	0.1	0.0	0.1	7	11	0.0	0.0	0.0	0.0	0.0	9.1
7	Pipariya	0.1	0.1	0.1	0.1	8	4	0.0	0.0	0.0	0.0	12.5	0.0
8	Seoni-Malwa	0.4	0.4	0.1	0.2	11	19	0.0	21.1	0.0	0.0	18.2	10.5
9	Sohagpur	0.2	0.3	0.0	0.0	6	8	0.0	50.0	0.0	0.0	0.0	12.5



Indicators		193		194		195		196		197		198	
		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Hoshangabad	0.0	0.0	2.4	0.0	0.0	0.0	1,968	1,659				
1	Babai	0.0	0.0	0.0	0.0	0.0	0.0						
2	Bankhedi	0.0	0.0	7.1	0.0	0.0	0.0						
3	Dolaria	0.0	0.0	0.0	0.0	0.0	0.0						
4	Dolaria Block												
5	Hoshangabad	0.0	0.0	0.0	0.0	0.0	0.0	772	552				
6	Kesla	0.0	0.0	0.0	0.0	0.0	0.0	559	481				
7	Pipariya	0.0	0.0	12.5	0.0	0.0	0.0	341	341				
8	Seoni-Malwa	0.0	0.0	0.0	0.0	0.0	0.0	296	285				
9	Sohagpur	0.0	0.0	0.0	0.0	0.0	0.0						