

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	17,907	16,506	99.0	98.2	465	344	97.5	98.0	13,837	11,610	8,388	7,115
1	East Garo Hills	1,544	865	98.9	100.0	60	7	96.3	99.2	840	447	790	553
2	East Jaintia Hills												
3	East Khasi Hills	5,761	5,551	100.3	97.2	189	159	96.8	97.2	4,769	4,350	3,989	3,550
4	North Garo Hills												
5	Ri Bhoi	1,332	1,230	99.4	99.4	11	10	99.2	99.2	678	493	362	391
6	South Garo Hills	483	395	100.4	100.0	7	3	98.6	99.2	323	107	222	250
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	3,698	3,704	98.1	98.3	78	72	97.9	98.1	3,568	3,527	1,228	990
10	West Jaintia Hills	2,957	2,812	97.6	98.1	94	63	96.9	97.8	2,362	1,776	1,034	920
11	West Khasi Hills	2,132	1,949	99.0	98.7	26	30	98.8	98.5	1,297	910	763	461

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	20,586	20,812	46.8	43.1	115.0	126.1	20,617	20,796	19,629	18,218	17,653	16,844
1	East Garo Hills	2,144	2,443	51.2	63.9	138.9	282.4	2,131	2,371	2,174	1,985	1,628	1,701
2	East Jaintia Hills												
3	East Khasi Hills	5,657	5,334	69.2	64.0	98.2	96.1	4,727	4,661	4,380	4,072	4,137	3,783
4	North Garo Hills												
5	Ri Bhoi	1,512	1,618	27.2	31.8	113.5	131.5	1,811	1,674	1,617	1,493	1,491	1,580
6	South Garo Hills	944	907	46.0	63.3	195.4	229.6	1,057	1,089	1,037	886	753	801
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	4,336	4,246	33.2	26.7	117.3	114.6	4,427	4,365	4,195	3,897	3,929	3,667
10	West Jaintia Hills	3,339	3,483	35.0	32.7	112.9	123.9	3,234	3,542	3,198	3,227	2,973	2,875
11	West Khasi Hills	2,654	2,781	35.8	23.7	124.5	142.7	3,230	3,094	3,028	2,658	2,742	2,437

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya							15,541	14,748	86.8	89.3	14,536	13,191
1	East Garo Hills							1,479	1,625	95.8	187.9	1,435	992
2	East Jaintia Hills												
3	East Khasi Hills							3,505	2,635	60.8	47.5	3,318	2,520
4	North Garo Hills												
5	Ri Bhoi							1,339	1,326	100.5	107.8	1,216	1,192
6	South Garo Hills							805	769	166.7	194.7	631	577
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							3,514	3,414	95.0	92.2	3,368	3,193
10	West Jaintia Hills							2,392	2,653	80.9	94.3	2,238	2,505
11	West Khasi Hills							2,507	2,326	117.6	119.3	2,330	2,212

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	24.5	29.1	10,896	18,530	60.8	112.3	36.7	25.7	2		82.7	78.8
1	East Garo Hills	31.0	33.5	815	816	52.8	94.3	69.1	102.3	0		81.8	80.4
2	East Jaintia Hills												
3	East Khasi Hills	38.0	50.6	2,692	4,594	46.7	82.8	14.9	8.4	2		94.6	92.8
4	North Garo Hills												
5	Ri Bhoi	11.4	18.0	1,231	1,437	92.4	116.8	12.7	0.0	0		84.3	85.3
6	South Garo Hills	14.7	15.2	443	861	91.7	218.0	43.3	37.9	0		77.1	46.2
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	19.0	19.6	2,403	3,881	65.0	104.8	50.4	51.8	0		81.6	79.2
10	West Jaintia Hills	28.4	23.8	2,229	4,323	75.4	153.7	54.3	22.4	0		93.5	88.2
11	West Khasi Hills	5.5	16.4	1,083	2,618	50.8	134.3	24.0	9.1	0		61.9	56.2

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	61.0	60.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	75.7	75.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	59.2	65.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	56.1	62.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	65.4	45.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	73.5	75.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	51.1	47.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	43.2	40.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	1.3	0.9	92.7	89.4	6.0	9.7	395	582	3.5	5.5	8.3	7.0
1	East Garo Hills	6.9	0.4	58.1	50.5	35.0	49.1	6	6		0.0		33.3
2	East Jaintia Hills												
3	East Khasi Hills	0.3	0.6	99.1	98.5	0.5	0.8	183	259	6.1	2.5	7.5	4.4
4	North Garo Hills												
5	Ri Bhoi	0.6	0.8	98.3	95.1	1.1	4.1	20	15	0.0	0.0	0.0	7.1
6	South Garo Hills	2.3	1.4	72.0	46.3	25.7	52.3	10	4	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	3.6	3.0	80.1	69.6	16.2	27.4	81	135	1.4	3.9	20.3	7.0
10	West Jaintia Hills	0.6	0.5	96.7	99.3	2.7	0.2	50	95	2.6	17.2	2.6	11.5
11	West Khasi Hills	0.2	0.1	99.1	95.6	0.7	4.3	45	68	0.0	0.0	0.0	4.9

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	6.4	5.2	11.8	13.4	2.9	3.0	11.5	13.6	0.0	0.0	55.7	52.3
1	East Garo Hills		0.0		0.0		0.0		33.3		0.0		33.3
2	East Jaintia Hills												
3	East Khasi Hills	3.4	3.8	6.8	11.9	4.1	2.5	4.8	5.6	0.0	0.0	67.3	69.4
4	North Garo Hills												
5	Ri Bhoi	14.3	7.1	0.0	14.3	7.1	7.1	21.4	7.1	0.0	0.0	57.1	57.1
6	South Garo Hills	10.0	25.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	70.0	75.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	14.5	6.3	15.9	23.4	1.4	2.3	17.4	30.5	0.0	0.0	29.0	26.6
10	West Jaintia Hills	2.6	8.0	28.2	3.4	0.0	4.6	17.9	2.3	0.0	0.0	46.2	52.9
11	West Khasi Hills	2.9	0.0	14.3	12.2	2.9	2.4	14.3	17.1	0.0	0.0	65.7	63.4