		1		2		3	3	4		5		6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Himachal Pradesh	104,924	109,959	100.0	98.7	1,135	1,246	98.9	98.9	96,413	65,760	24,828	20,580
1	Bilaspur	6,697	6,490	101.0	99.9	43	40	99.4	99.4	6,365	4,866	1,601	1,162
2	Chamba	7,939	7,452	98.8	98.0	117	164	98.5	97.8	7,325	4,726	1,344	1,742
3	Hamirpur	8,036	8,421	98.2	98.8	78	99	99.0	98.8	8,031	4,222	4,611	2,863
4	Kangra	18,542	20,272	101.5	99.2	205	183	98.9	99.1	18,415	12,382	3,314	4,256
5	Kinnaur	1,026	1,144	100.7	99.6	8	11	99.2	99.0	926	647	15	115
6	Kullu	7,720	8,748	100.6	99.6	33	58	99.6	99.3	7,487	6,310	1,857	934
7	Lahul Spiti	224	263	100.0	99.6		3	100.0	98.9	207	146	115	71
8	Mandi	15,148	17,517	99.4	100.0	157	179	99.0	99.0	14,287	10,743	2,829	2,750
9	Shimla	14,066	14,140	98.9	98.7	232	184	98.4	98.7	10,890	10,914	4,898	3,385
10	Sirmaur	7,643	8,285	100.3	96.3	76	113	99.0	98.7	6,845	3,563	821	790
11	Solan	8,845	9,484	99.7	97.0	104	97	98.8	99.0	8,344	3,339	1,053	820
12	Una	9,038	7,743	100.7	97.5	82	115	99.1	98.5	7,291	3,902	2,370	1,692

_													
		:	7	8	3	9	9	1	0	1	1	1	2
	Indicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% given BCG ed live birth	Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Himachal Pradesh	131,262	134,314	23.7	18.7	125.1	122.1	123,707	126,165	122,713	126,532	127,350	130,842
1	Bilaspur	7,927	7,766	23.9	17.9	118.4	119.7	7,065	6,896	6,985	6,963	7,013	7,113
2	Chamba	10,103	10,104	16.9	23.4	127.3	135.6	10,267	10,286	9,800	10,294	9,835	10,107
3	Hamirpur	9,648	9,343	57.4	34.0	120.1	110.9	8,620	8,459	8,867	8,773	9,440	9,205
4	Kangra	26,767	28,343	17.9	21.0	144.4	139.8	25,806	26,370	26,130	26,640	27,428	28,219
5	Kinnaur	1,415	1,410	1.5	10.1	137.9	123.3	1,530	1,496	1,518	1,602	1,624	1,608
6	Kullu	8,862	8,354	24.1	10.7	114.8	95.5	8,237	8,226	8,104	8,262	8,288	8,461
7	Lahul Spiti	346	445	51.3	27.0	154.5	169.2	427	489	426	454	371	430
8	Mandi	18,238	19,530	18.7	15.7	120.4	111.5	17,244	18,359	17,543	18,449	18,382	19,465
9	Shimla	17,413	17,389	34.8	23.9	123.8	123.0	14,610	14,954	13,905	15,150	14,042	15,083
10	Sirmaur	9,730	10,715	10.7	9.5	127.3	129.3	10,067	10,641	10,078	10,214	10,292	10,494
11	Solan	10,907	10,900	11.9	8.6	123.3	114.9	10,535	10,590	10,358	10,415	10,955	10,872
12	Una	9,906	10,015	26.2	21.9	109.6	129.3	9,299	9,399	8,999	9,316	9,680	9,785

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received raccine to live births	Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Himachal Pradesh							123,899	122,201	118.1	111.1	123,107	120,655
1	Bilaspur							6,839	6,635	102.1	102.2	6,823	6,017
2	Chamba							9,463	9,105	119.2	122.2	9,409	9,105
3	Hamirpur							8,915	8,635	110.9	102.5	8,905	8,635
4	Kangra							26,802	25,922	144.5	127.9	26,746	25,630
5	Kinnaur							1,521	1,483	148.2	129.6	1,517	1,475
6	Kullu							8,030	8,191	104.0	93.6	7,644	8,191
7	Lahul Spiti							486	454	217.0	172.6	449	442
8	Mandi							17,809	18,139	117.6	103.6	17,801	17,850
9	Shimla							14,122	14,755	100.4	104.3	14,074	14,610
10	Sirmaur							10,021	9,716	131.1	117.3	10,013	9,626
11	Solan							10,559	10,243	119.4	108.0	10,525	10,151
12	Una							9,332	8,923	103.3	115.2	9,201	8,923

	Indicator		9	2	0	2	1	2	2.	2	3	2	4
			% Drop Out between BCG & Measles		Vitamin - A dose 1		6 given Vit A eported live rth	% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Himachal Pradesh	5.6	9.0	123,472	120,312	117.7	109.4	141.0	0.0			98.6	99.0
1	Bilaspur	13.7	14.6	6,835	6,633	102.1	102.2	113.8	0.0			96.5	
2	Chamba	6.3	9.9	9,277	8,886	116.9	119.2	146.6	0.0			95.3	94.1
3	Hamirpur	7.6	7.6	8,943	8,550	111.3	101.5	136.1	0.0			99.5	100.0
4	Kangra	-0.1	8.5	26,817	24,583	144.6	121.3	136.9	0.0			98.4	99.5
5	Kinnaur	-7.5	-5.2	1,836	1,483	178.9	129.6	135.9	0.0			98.2	
6	Kullu	9.4	2.0	7,973	8,155	103.3	93.2	195.9	0.0			99.7	100.0
7	Lahul Spiti	-40.5	-2.0	488	450	217.9	171.1	121.1	0.0			92.3	
8	Mandi	2.4	7.1	17,816	17,925	117.6	102.3	164.4	0.0			98.8	99.5
9	Shimla	18.9	15.1	14,070	14,755	100.0	104.3	103.8	0.0			102.5	
10	Sirmaur	-3.0	9.3	9,627	9,671	126.0	116.7	94.4	0.0			97.3	
11	Solan	3.2	6.0	10,464	10,298	118.3	108.6	109.7	0.0			101.0	100.0
12	Una	5.8	10.9	9,326	8,923	103.2	115.2	222.2	0.0			98.6	

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts) Financial Year: 2009-10 $\,$

Provisional Figures for the Period April to March

_													
		25		2	6	2	7	2	8	2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Himachal Pradesh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
1	Bilaspur	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Chamba	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hamirpur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Kinnaur	0.0		2.3		0.0		0.0		0.0		0.0	
6	Kullu	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Mandi	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0
9	Shimla	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Solan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Una	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		3	31	3	32		3	3	4	3	5	36		
	Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Himachal Pradesh	0.3	0.3	98.8	94.4	0.9	5.2	521	133	2.7	2.3	10.6	4.7	
1	Bilaspur	0.0	0.0	100.0	100.0	0.0	0.0	30	5	5.6	0.0	27.8	0.0	
2	Chamba	0.0	0.0	100.0	100.0	0.0	0.0	134		5.3		6.9		
3	Hamirpur	0.0	0.0	100.0	100.0	0.0	0.0	15	1	0.0	0.0	40.0	0.0	
4	Kangra	0.1	0.0	96.2	100.0	3.7	0.0	87	18	0.0	0.0	7.6	0.0	
5	Kinnaur	0.0		96.7		0.9		6		0.0		0.0		
6	Kullu	0.0	0.0	99.8	100.0	0.2	0.0	6	5	0.0		16.7		
7	Lahul Spiti	0.1	0.0	99.9	100.0	0.0	0.0	4		0.0		0.0		
8	Mandi	0.0	0.0	100.0	98.2	0.0	0.0	84	57	0.0	5.3	22.9	10.5	
9	Shimla	0.4	0.1	99.1	99.9	0.5	0.0	31		0.0		0.0		
10	Sirmaur	2.2	2.7	97.8	97.3	0.0	0.0	60	26	0.0	0.0	0.0	0.0	
11	Solan	0.1	0.0	99.4	100.0	0.5	0.0	18	13	0.0	0.0	6.3	0.0	
12	Una	0.0	0.0	100.0	69.9	0.0	30.1	46	8	13.8	0.0	17.2	0.0	

		3	-	2	8	3	0	4	0	4		4	2
	Indicator		% Deaths due to LBW to Total Reported Infant Deaths		⁄o	9,	/o					%	
					Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		to Measles Reported Deaths	Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Himachal Pradesh	20.1	3.1	7.5	17.2	1.4	3.9	4.5	2.3	0.0	0.0	53.2	66.4
1	Bilaspur	44.4	0.0	5.6	0.0	0.0	0.0	5.6	0.0	0.0	0.0	11.1	100.0
2	Chamba	6.1		12.2		1.5		6.1		0.0		61.8	
3	Hamirpur	60.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	13.6	0.0	6.1	0.0	1.5	0.0	9.1	0.0	0.0	0.0	62.1	100.0
5	Kinnaur	50.0		0.0		0.0		0.0		0.0		50.0	
6	Kullu	33.3		0.0		0.0		0.0		0.0		50.0	
7	Lahul Spiti	50.0		0.0		0.0		0.0		0.0		50.0	
8	Mandi	30.1	7.0	2.4	36.8	2.4	8.8	1.2	5.3	0.0	0.0	41.0	26.3
9	Shimla	29.0		6.5		0.0		3.2		0.0		61.3	
10	Sirmaur	12.2	0.0	12.2	0.0	0.0	0.0	6.1	0.0	0.0	0.0	69.4	100.0
11	Solan	18.8	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.5	100.0
12	Una	41.4	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	24.1	100.0