		1	l	2	2	3	3	4	Į	5	•	(5
	Indicator	Total nu pregnan Registered	t women	Number o women r within first	egistered		of Women under JSY	9/ 1st Tri registratio ANC Reg	mester	9/ JSY regis Total ANC			f pregnant lived 3 ANC c ups
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	447,787	686,634	249,212	517,476			55.7	75.4	0.0	0.0	336,808	
1	Alappuzha	27,329		13,580				49.7		0.0		18,227	
2	Ernakulam	41,845		25,888				61.9		0.0		33,902	
3	Idukki	13,630		11,545				84.7		0.0		11,925	
4	KOZHIKKODE	37,491		27,461				73.2		0.0		30,090	
5	Kannur	35,413		17,996				50.8		0.0		24,052	
6	Kasaragod	16,885		7,480				44.3		0.0		12,382	
7	Kollam	38,751		21,233				54.8		0.0		30,234	
8	Kottayam	23,096		13,620				59.0		0.0		18,904	
9	Malappuram	62,261		32,667				52.5		0.0		40,640	
10	Palakkad	36,047		17,015				47.2		0.0		26,616	
11	Pathanamthitta	15,779		7,224				45.8		0.0		11,981	
12	Thiruvananthapuram	46,082	686,634	21,594	517,476			46.9	75.4	0.0	0.0	38,461	
13	Thrissur	38,325		23,685				61.8		0.0		28,724	
14	Wayanad	14,853		8,224				55.4		0.0		10,670	

		7	7	8	3	Ģ)	1	0	1	1	1	2
	Indicator		ster given to t women bers)	Pregnant received 3 ups to To Regista	t Woman ANC check otal ANC	received	t women 1 TT2 or Total ANC	Number o women giv tab	en 100 IFA	Pregnant w 100 IFA to Regist	omen given Total ANC	Number l level<11 (te	naving Hb sted cases)
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	350,134	395,962	75.2	0.0	78.2	57.7	285,156	328,878	63.7	47.9		
1	Alappuzha	15,818		66.7		57.9		18,133		66.4			
2	Ernakulam	30,488		81.0		72.9		29,046		69.4			
3	Idukki	13,092		87.5		96.1		11,654		85.5			
4	KOZHIKKODE	37,546		80.3		100.1		26,672		71.1			
5	Kannur	30,038		67.9		84.8		19,817		56.0			
6	Kasaragod	10,368		73.3		61.4		10,173		60.2			
7	Kollam	28,580		78.0		73.8		25,016		64.6			
8	Kottayam	16,093		81.8		69.7		18,045		78.1			
9	Malappuram	47,106		65.3		75.7		46,211		74.2			
10	Palakkad	26,181		73.8		72.6		26,475		73.4			
11	Pathanamthitta	9,686		75.9		61.4		10,900		69.1			
12	Thiruvananthapuram	38,376	395,962	83.5	0.0	83.3	57.7	15,042	328,878	32.6	47.9		
13	Thrissur	37,815		74.9		98.7		18,318		47.8			
14	Wayanad	8,947		71.8		60.2		9,654		65.0			

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicator	anae	oving severe emia o<7) institution	Pregnan having seve (Hi treated at in women i	//o tt women tre anaemia to 7) institution to inaving hb		detected at	Number deliv	of Home eries	Number deliveries a SBA t (Doctor/N	ttended by	deliveries a Non SBA	of home ttended by A trained TB/Dai)
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala					0.0	0.0	1,210	2,235	193	127	1,017	2,108
1	Alappuzha					0.0		7		3		4	
2	Ernakulam					0.0		15		1		14	
3	Idukki					0.0		121		6		115	
4	KOZHIKKODE					0.0		41		16		25	
5	Kannur					0.0		23				23	
6	Kasaragod					0.0		98		10		88	
7	Kollam					0.0		39		39			
8	Kottayam					0.0		7		2		5	
9	Malappuram					0.0		227		61		166	
10	Palakkad					0.0		203		19		184	
11	Pathanamthitta	_				0.0		9		6	_	3	_
12	Thiruvananthapuram					0.0	0.0	29	2,235	23	127	6	2,108
13	Thrissur					0.0		13		5		8	
14	Wayanad					0.0		378		2		376	

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator	SBA atten	s to Total ed Home	Mothers incentive deliv		Mothers incentive deliveries Reporte Deliv	paid JSY for home s to Total d Home	Deliveries at Public I		Number of discharge hours of dispublic f	d under 48 elivery in	less than 4	scharged in 8 hours of to Total deliveries at
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	16.0	5.7			0.0	0.0	138,087	602,026			0.0	0.0
1	Alappuzha	42.9				0.0		12,763				0.0	
2	Ernakulam	6.7				0.0		6,456				0.0	
3	Idukki	5.0				0.0		5,264				0.0	
4	KOZHIKKODE	39.0				0.0		18,306				0.0	
5	Kannur	0.0				0.0		8,995				0.0	
6	Kasaragod	10.2				0.0		1,932				0.0	
7	Kollam	100.0				0.0		10,461				0.0	
8	Kottayam	28.6				0.0		8,923				0.0	
9	Malappuram	26.9				0.0		13,000				0.0	
10	Palakkad	9.4				0.0		6,498				0.0	
11	Pathanamthitta	66.7				0.0		7,252				0.0	
12	Thiruvananthapuram	79.3	5.7			0.0	0.0	19,121	602,026			0.0	0.0
13	Thrissur	38.5				0.0		14,288				0.0	
14	Wayanad	0.5				0.0		4,828				0.0	

		2	5	2	6	2	7	2	8	2	9	3	0
	Indicator	Institutiona (Public Ir	ısts.+Pvt.	Institutiona to tota registi	l Deliveries l ANC	Total r deliv	eported eries	Institutiona to Total	l deliveries Reported	Safe deliver Reported	ries to Total	% Home del Total R Deliv	iveries to eported
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	138,087	602,026	30.8	87.7	139,297	604,261	99.1	99.6	99.3	99.7	0.9	0.4
1	Alappuzha	12,763		46.7		12,770		99.9		100.0		0.1	
2	Ernakulam	6,456		15.4		6,471		99.8		99.8		0.2	
3	Idukki	5,264		38.6		5,385		97.8		97.9		2.2	
4	KOZHIKKODE	18,306		48.8		18,347		99.8		99.9		0.2	
5	Kannur	8,995		25.4		9,018		99.7		99.7		0.3	
6	Kasaragod	1,932		11.4		2,030		95.2		95.7		4.8	
7	Kollam	10,461		27.0		10,500		99.6		100.0		0.4	
8	Kottayam	8,923		38.6		8,930		99.9		99.9		0.1	
9	Malappuram	13,000		20.9		13,227		98.3		98.7		1.7	
10	Palakkad	6,498		18.0		6,701		97.0		97.3		3.0	
11	Pathanamthitta	7,252		46.0		7,261		99.9		100.0		0.1	
12	Thiruvananthapuram	19,121	602,026	41.5	87.7	19,150	604,261	99.8	99.6	100.0	99.7	0.2	0.4
13	Thrissur	14,288		37.3		14,301		99.9		99.9		0.1	
14	Wayanad	4,828		32.5		5,206		92.7		92.8		7.3	

Provisional Figures for the Period April to December

		•			•		•						
	Indicator	Number of deliveries co public f	f C-section	Number of deliveries co private f	f C-section onducted at	to rep institu	n deliveries + Pvt.) ported tional + Pvt.)	public fa Deliveries c	% onducted at	Private fa Deliveries c	% onducted at	Deliveries c Public Inst	onducted at titutions to titutional
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	45,393		62,176		77.9	0.0	32.9	0.0			100.0	100.0
1	Alappuzha	4,888		2,048		54.3		38.3				100.0	
2	Ernakulam	4,261		11,097		237.9		66.0				100.0	
3	Idukki	1,269		452		32.7		24.1				100.0	
4	KOZHIKKODE	5,933		5,140		60.5		32.4				100.0	
5	Kannur	3,854		6,182		111.6		42.8				100.0	
6	Kasaragod	463		2,228		139.3		24.0				100.0	
7	Kollam	4,977		8,229		126.2		47.6				100.0	
8	Kottayam	3,132				35.1		35.1				100.0	
9	Malappuram	2,605		10,339		99.6		20.0				100.0	
10	Palakkad	1,429		4,942		98.0		22.0				100.0	
11	Pathanamthitta	1,565		3,847		74.6		21.6				100.0	
12	Thiruvananthapuram	6,313				33.0	0.0	33.0	0.0			100.0	100.0
13	Thrissur	3,723		7,672		79.8		26.1				100.0	
14	Wayanad	981				20.3		20.3				100.0	

Provisional Figures for the Period April to December

		3	7	3	8	3	9	4	:0	4	1	4	2
	Indicator	Mothers Incentive fo at Public in Total Publi	paid JSY or Delivery stitution to	of cases w Incentive pa for Deliver institution Public D	here JSY nid to ASHA y at Public n to Total	Deliveries of Private Ins Total Ins Deliv	onducted at titutions to titutional	partum within 48	ceived post check-up 3 hours of very	Care / Wo post partur between 48	Natal omen got a m check up 3 hours and days	partum o within 48 delivery	ceiving post check-up hours of to Total Deliveries
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	0.0	0.0	0.0	0.0	0.0	0.0					0.0	0.0
1	Alappuzha	0.0		0.0		0.0						0.0	
2	Ernakulam	0.0		0.0		0.0						0.0	
3	Idukki	0.0		0.0		0.0						0.0	
4	KOZHIKKODE	0.0		0.0		0.0						0.0	
5	Kannur	0.0		0.0		0.0						0.0	
6	Kasaragod	0.0		0.0		0.0						0.0	
7	Kollam	0.0		0.0		0.0						0.0	
8	Kottayam	0.0		0.0		0.0						0.0	
9	Malappuram	0.0		0.0		0.0						0.0	
10	Palakkad	0.0		0.0		0.0						0.0	
11	Pathanamthitta	0.0		0.0		0.0						0.0	
12	Thiruvananthapuram	0.0	0.0	0.0	0.0	0.0	0.0					0.0	0.0
13	Thrissur	0.0		0.0		0.0						0.0	
14	Wayanad	0.0		0.0		0.0						0.0	

Provisional Figures for the Period April to December

_													
		4	3	4	4	4	5	4	6	4	7	4	8
	Indicator	Women go Partum between 48	cetting Post Checkup Shours and to Total Peries	Total Nu reported l			orted Live to Total		umber of Still Births	% live birth to Bir	Reported	Number of weighed	`Newborns at birth
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	0.0	0.0	376,304		270.1	0.0	1,845		99.5		379,414	
1	Alappuzha	0.0		29,405		230.3		64		99.8		18,345	
2	Ernakulam	0.0		28,780		444.8		57		99.8		28,388	
3	Idukki	0.0		11,634		216.0		68		99.4		11,589	
4	KOZHIKKODE	0.0		40,567		221.1		376		99.1		40,566	
5	Kannur	0.0		32,121		356.2		169		99.5		32,121	
6	Kasaragod	0.0		14,893		733.6		88		99.4		14,766	
7	Kollam	0.0		31,516		300.2		92		99.7		31,516	
8	Kottayam	0.0		17,745		198.7		73		99.6		17,745	
9	Malappuram	0.0		63,041		476.6		280		99.6		63,127	
10	Palakkad	0.0		28,120		419.6		80		99.7		28,111	
11	Pathanamthitta	0.0		12,465		171.7		39		99.7		12,465	
12	Thiruvananthapuram	0.0	0.0	15,216		79.5	0.0	213		98.6		28,293	
13	Thrissur	0.0		41,127		287.6		172		99.6		42,708	
14	Wayanad	0.0		9,674		185.8		74		99.2		9,674	•

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicator	% Newborns birth to l	weighed at	Number of having weig 2.5	ht less than	Newborn weight less to Newborn bii	ns having than 2.5 kg s weighed at	Number of Breast Fed	d within 1	% Newborns within 1 ho to Total 1	breast fed our of birth	Number of visited with Home I	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	100.8		45,315		11.9				0.0			
1	Alappuzha	62.4		1,327		7.2				0.0			
2	Ernakulam	98.6		2,387		8.4				0.0			
3	Idukki	99.6		757		6.5				0.0			
4	KOZHIKKODE	100.0		5,615		13.8				0.0			
5	Kannur	100.0		3,690		11.5				0.0			
6	Kasaragod	99.1		914		6.2				0.0			
7	Kollam	100.0		1,486		4.7				0.0			
8	Kottayam	100.0		1,645		9.3				0.0			
9	Malappuram	100.1		10,472		16.6				0.0			
10	Palakkad	100.0		2,801		10.0			_	0.0		_	_
11	Pathanamthitta	100.0		1,265		10.1				0.0			
12	Thiruvananthapuram	185.9		8,072		28.5				0.0			
13	Thrissur	103.8		3,636		8.5				0.0			
14	Wayanad	100.0		1,248	_	12.9			_	0.0		_	_

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicator	newborns vi 24hrs of hor to total rep deliv	isited within me delivery orted home	Sex R: birth (Fe Bitr Male Birt	male Live ths/	cases of I women wit Complica	h Obstetric ations and o reported	Obst	licated es treated IV rtensive/ injection to omen with		licated les treated 1 IV rtensive/ injection to ew cases ed with	Pregnanci with Blood to Total W Obst	licated es treated Transfusion Jomen with
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	0.0	0.0	901	0	14.3	0.0	0.0				0.0	
1	Alappuzha	0.0		436	0	0.5		0.0				0.0	
2	Ernakulam	0.0		960	0	0.9		0.0				0.0	
3	Idukki	0.0		932	0	4.2		0.0				0.0	
4	KOZHIKKODE	0.0		980	0	18.7		0.0				0.0	
5	Kannur	0.0		946	0	129.8		0.0				0.0	
6	Kasaragod	0.0		925	0	9.3		0.0				0.0	
7	Kollam	0.0		934	0	0.0							
8	Kottayam	0.0		932	0	0.8		0.0				0.0	
9	Malappuram	0.0		952	0	0.0							
10	Palakkad	0.0		969	0	6.7		0.0				0.0	
11	Pathanamthitta	0.0		949	0	2.6		0.0				0.0	
12	Thiruvananthapuram	0.0	0.0	1,010	0	1.0	0.0	0.0				0.0	
13	Thrissur	0.0		959	0	16.3		0.0				0.0	
14	Wayanad	0.0		935	0	18.7		0.0				0.0	

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicator	9/ Post - Natal maternal co attended Deliv	Care / PNC omplications to Total	Total Nu Abor (Sponta Induced)	aneous/	Total Nu MTPs (Pub	umber of olic) reported		MTPs Abortions	Pregnancy	12 weeks of y to Total at Public	weeks of Pr	re than 12 egnancy to Ps at Public
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	0.0	0.0	18,604			67,184	0.0			100.0		0.0
1	Alappuzha	0.0		1,237				0.0					
2	Ernakulam	0.0		1,530				0.0					
3	Idukki	0.0		835				0.0					
4	KOZHIKKODE	0.0		1,632				0.0					
5	Kannur	0.0		1,350				0.0					
6	Kasaragod	0.0		633				0.0					
7	Kollam	0.0		1,346				0.0					
8	Kottayam	0.0		1,111				0.0					
9	Malappuram	0.0		2,296				0.0					
10	Palakkad	0.0		1,356			_	0.0					
11	Pathanamthitta	0.0		704			_	0.0					
12	Thiruvananthapuram	0.0	0.0	1,983			67,184	0.0			100.0		0.0
13	Thrissur	0.0		1,964				0.0					
14	Wayanad	0.0		627				0.0					

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicator	MTPs Co Public Inst	% nducted at itutions to MTPs	MTPs Co Private Inst	6 nducted at itutions to MTPs	(Pu Conducte	al MTPs blic) 1 to Total gistration	Tests con Number o STI femal which tr	Wet Mount ducted to f new RTI/	Vasect Cond	ber of tomies ucted + Pvt.)	Numl Tubec Cond (Public	ucted
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala		100.0		0.0	0.0	9.8	0.0		3,740	824	95,118	94,128
1	Alappuzha					0.0		0.0		299		4,374	
2	Ernakulam					0.0		0.0		155		12,532	
3	Idukki					0.0		0.0		745		4,358	
4	KOZHIKKODE					0.0		0.0		324		8,030	
5	Kannur					0.0		0.0		111		7,679	
6	Kasaragod					0.0		0.0		88		2,309	
7	Kollam					0.0		0.0		427		5,592	
8	Kottayam					0.0		0.0		464		5,169	
9	Malappuram					0.0		0.0		140		8,324	
10	Palakkad					0.0		0.0		315		8,831	
11	Pathanamthitta					0.0		0.0		99	_	2,961	
12	Thiruvananthapuram		100.0		0.0	0.0	9.8	0.0		45	824	9,900	94,128
13	Thrissur					0.0		0.0		348		12,603	
14	Wayanad					0.0		0.0		180		2,456	

		_	•	_			_			_	_		0
		7:	3	7-	4	7	5	7		7		7	_
	Indicator	Total Ste Cond		% Male S (Vasect to Total st	tomies)	7 Tubectomi sterili	es to Total	Total Ste (Tubecto Vasect conducte	mies and	Total Ste (Tubecto Vasecto conducte	mies and	` Vasect	mies and
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	98,858	94,952	3.8	0.9	96.2	99.1	3,388		17,199		37,627	94,952
1	Alappuzha	4,673		6.4		93.6				45		3,061	
2	Ernakulam	12,687		1.2		98.8		53		15		3,520	
3	Idukki	5,103		14.6		85.4		1,970		2,603		206	
4	KOZHIKKODE	8,354		3.9		96.1		5		2,511		4,860	
5	Kannur	7,790		1.4		98.6		444		165		3,386	
6	Kasaragod	2,397		3.7		96.3				742		517	
7	Kollam	6,019		7.1		92.9				657		4,156	
8	Kottayam	5,633		8.2		91.8						3,505	
9	Malappuram	8,464		1.7		98.3		2		873		3,341	
10	Palakkad	9,146		3.4		96.6		859		1,245		2,341	
11	Pathanamthitta	3,060		3.2		96.8						1,740	
12	Thiruvananthapuram	9,945	94,952	0.5	0.9	99.5	99.1	55		6,036		2,947	94,952
13	Thrissur	12,951		2.7		97.3				1,718		2,736	
14	Wayanad	2,636		6.8		93.2				589		1,311	

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicator	Total Ste (Tubecto Vasect conducted public In	mies and omies) 1 at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	Vasect	mies and omies) at PHC to	% Total St (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total St (Tubecto Vasect conducted a to Total S	mies and omies) at SDH/DH	% Total So (Tubecto Vasect conducted public Insti	omies and omies) I at Other itutions to
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	2,680		168		3.4	0.0	17.4	0.0	38.1	100.0	2.7	0.0
1	Alappuzha	876				0.0		1.0		65.5		18.7	
2	Ernakulam	3		80		0.4		0.1		27.7		0.0	
3	Idukki	88		6		38.6		51.0		4.0		1.7	
4	KOZHIKKODE			3		0.1		30.1		58.2		0.0	
5	Kannur			1		5.7		2.1		43.5		0.0	
6	Kasaragod			1		0.0		31.0		21.6		0.0	
7	Kollam	28				0.0		10.9		69.0		0.5	
8	Kottayam	1,376				0.0		0.0		62.2		24.4	
9	Malappuram			14		0.0		10.3		39.5		0.0	
10	Palakkad					9.4		13.6		25.6		0.0	
11	Pathanamthitta					0.0		0.0		56.9		0.0	
12	Thiruvananthapuram	86				0.6	0.0	60.7	0.0	29.6	100.0	0.9	0.0
13	Thrissur	223		40		0.0		13.3		21.1		1.7	
14	Wayanad			23		0.0		22.3		49.7		0.0	

Provisional Figures for the Period April to December

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicator	Vasect	mies and omies) at Private s to Total	Lapar sterlisation Female Ste	oscopic is to Total	Mini Lap S to Total Sterilis	terlisations Female	Post P Sterlisation Female Ste	artum is to Total	sterlisation Institution	oscopic s at Public s to Total oscopic	% Mini Lap s at Public Ii to Total Sterilis	terlisations nstitutions Mini Lap
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	38.4	0.0	14.9	100.0	4.4	0.0	80.8	0.0	73.2	100.0	71.5	
1	Alappuzha	14.8		9.2		6.2		84.7		95.5		85.6	
2	Ernakulam	71.7		15.7		1.5		82.8		41.4		22.8	
3	Idukki	4.6		11.3		4.4		84.3		98.0		93.2	
4	KOZHIKKODE	11.7		10.6		6.9		82.5		87.3		98.0	
5	Kannur	48.7		6.1		7.3		86.6		4.9		41.5	
6	Kasaragod	47.5		33.0		1.6		65.4		89.9		86.1	
7	Kollam	19.6		7.2		3.6		89.1		86.4		78.9	
8	Kottayam	13.3		16.9		1.8		81.3		87.6		98.9	
9	Malappuram	50.2		7.7		3.7		88.5		19.4		68.2	
10	Palakkad	51.4		25.5		3.0		71.5		89.1		39.6	
11	Pathanamthitta	43.1		4.7		17.3		78.1		58.0		99.4	
12	Thiruvananthapuram	8.3	0.0	26.5	100.0	2.3	0.0	71.2	0.0	93.6	100.0	93.4	
13	Thrissur	63.9		16.5		4.8		78.7		62.1		51.3	
14	Wayanad	27.9		8.1		5.2		86.6		74.5		82.8	

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicator	Post P sterlisation Institution Post P Sterili	artum as at Public as to Total artum	Total cases follo Sterlisatio Fem	wing n (Male +	IUCD Inse (public f		IUCD inse (pvt. fa		Total IUCI done(publi		PP IUCD done (publi	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	57.3				45,213	49,205	4,811		50,024	49,205		
1	Alappuzha	82.9				1,749		139		1,888			
2	Ernakulam	25.6				3,567		521		4,088			
3	Idukki	94.4				3,272		61		3,333			
4	KOZHIKKODE	87.1				3,916		70		3,986			
5	Kannur	54.6				3,520		107		3,627			
6	Kasaragod	30.1				1,968				1,968			
7	Kollam	78.3				3,660		33		3,693			
8	Kottayam	84.7				4,708		56		4,764			
9	Malappuram	50.9				4,344		1,507		5,851			
10	Palakkad	32.0				3,837		546		4,383			
11	Pathanamthitta	45.5				2,102		54		2,156			
12	Thiruvananthapuram	91.0				3,207	49,205	186		3,393	49,205		
13	Thrissur	27.9				3,825		1,399		5,224		_	
14	Wayanad	69.9				1,538		132		1,670			

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicator	% PP IUCI (pul to Tota Insertion	blic) 1 IUCD			institutio family p	ertions in us private ons to all olanning IUCD plus	Oral Pills	distributed	Condor distri			man Pills buted
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	0.0	0.0	0.0	0.0	33.6	34.1	250,626	291,429	4,956,566	6,828,451		
1	Alappuzha	0.0		0.0		28.8		10,972		463,310			
2	Ernakulam	0.0		0.0		24.4		26,991		555,530			
3	Idukki	0.0		0.0		39.5		14,777		203,184			
4	KOZHIKKODE	0.0		0.0		32.3		12,728		422,952			
5	Kannur	0.0		0.0		31.8		17,047		340,310			
6	Kasaragod	0.0		0.0		45.1		7,471		166,759			
7	Kollam	0.0		0.0		38.0		25,357		446,229			
8	Kottayam	0.0		0.0		45.8		21,499		202,294			
9	Malappuram	0.0		0.0		40.9		31,900		342,453			
10	Palakkad	0.0		0.0		32.4		21,117		98,673			
11	Pathanamthitta	0.0		0.0		41.3		8,696		319,403			
12	Thiruvananthapuram	0.0	0.0	0.0	0.0	25.4	34.1	15,754	291,429	845,304	6,828,451		
13	Thrissur	0.0		0.0		28.7		26,820		342,372			
14	Wayanad	0.0		0.0		38.8		9,497		207,793			

		10)3	10	04	10	05	10)6	10	07	10)8
	Indicator	Number (given ((Birth	OPV 0	Number o		Newborns at birth to	given OPV0 Reported	Newborns to Reporte	given BCG	Number o		Number o	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	368,606		383,445	404,642	98.0		101.9		373,906		354,054	294,850
1	Alappuzha	19,769		19,769		67.2		67.2		20,898		19,975	
2	Ernakulam	29,566		29,566		102.7		102.7		32,850		32,281	
3	Idukki	11,626		11,619		99.9		99.9		12,011		11,716	
4	KOZHIKKODE	39,599		40,329		97.6		99.4		34,195		32,520	
5	Kannur	33,782		33,786		105.2		105.2		28,308		26,522	
6	Kasaragod	11,718		14,824		78.7		99.5		15,158		13,901	
7	Kollam	31,802		31,802		100.9		100.9		30,642		29,527	
8	Kottayam	17,990		18,115		101.4		102.1		19,235		18,953	
9	Malappuram	52,174		61,160		82.8		97.0		56,774		50,765	
10	Palakkad	28,276		28,051		100.6		99.8		32,869		30,754	
11	Pathanamthitta	11,752		11,766		94.3		94.4		11,672		11,350	
12	Thiruvananthapuram	29,385		29,691	404,642	193.1		195.1		36,665		35,172	294,850
13	Thrissur	42,956		42,956		104.4		104.4		34,243		33,419	
14	Wayanad	8,211		10,011		84.9		103.5		8,386		7,199	

								•					
		10)9	1	10	1	11	1	12	11	13	11	14
	Indicator	Number o		Number ogiven Pen		Number given Pen	of Infants tavalent 2	Number given Pen		Number o		Infants 0 to old who Measles v reported l	11 months received raccine to
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	348,305	378,264							364,459	357,457	96.9	
1	Alappuzha	19,597								19,428		66.1	
2	Ernakulam	33,565								32,938		114.4	
3	Idukki	11,795								12,195		104.8	
4	KOZHIKKODE	29,916								33,862		83.5	
5	Kannur	26,838								28,986		90.2	
6	Kasaragod	13,374								18,598		124.9	
7	Kollam	31,443								31,168		98.9	
8	Kottayam	19,589								19,343		109.0	
9	Malappuram	42,820								46,623		74.0	
10	Palakkad	29,345								31,618		112.4	
11	Pathanamthitta	11,113								11,390		91.4	
12	Thiruvananthapuram	36,077	378,264							34,760	357,457	228.4	
13	Thrissur	36,330								34,733		84.5	
14	Wayanad	6,503								8,817		91.1	

Provisional Figures for the Period April to December

		11	15	11	16	11	17	11	18	11	19	12	20
	Indicator	Number immunize (9-11 m	d children	Drop Ou BCG &	t between	Vitamin -	· A dose 1	Children g dose1 to Robin	iven Vit A eported live	% Children giv A Dose 9 to given Vit	ven Vitamin o Children	Adverse Following I (Oth	munisation
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	346,749		5.0	11.7	129,586	219,150	34.4		4.4	0.0	1	
1	Alappuzha	19,428		1.7		11,781		40.1		0.0			
2	Ernakulam	32,938		-11.4		10,705		37.2		4.4			
3	Idukki	11,901		-5.0		8,492		73.0		1.2			
4	KOZHIKKODE	34,052		16.0		8,706		21.5		2.4			
5	Kannur	28,116		14.2		6,901		21.5		0.3			
6	Kasaragod	10,592		-25.5		3,598		24.2		0.7			
7	Kollam	31,168		2.0		11,934		37.9		9.9			
8	Kottayam	19,291		-6.8		8,430		47.5		5.1			
9	Malappuram	42,182		23.8		17,861		28.3		2.2			
10	Palakkad	32,347		-12.7		12,979		46.2		6.0		1	
11	Pathanamthitta	11,359		3.2		5,376		43.1		2.6			
12	Thiruvananthapuram	31,967		-17.1	11.7	10,277	219,150	67.5		6.8	0.0		
13	Thrissur	34,733		19.1		8,817		21.4		10.5			
14	Wayanad	6,675		11.9		3,729		38.5		9.4			

		1/	· ·	10		1,		1		1	. -		26
		12	21	12			23		24	12	-		26
	Indicator	immunisati Held to Im Sessions	on Sessions munisation	Immunisati where AS presei Immunisati Plar	on Sessions HAs were at to on Sessions	Diptheria i 0-5 Years Total R Childhood	in Children of Age to Leported Diseases 0-5 ars	Pertusis in 0-5 Years Total R Childhood		Children 0	onatorum in -5 Years of al Reported Diseases 0-5	Tetanus (Children 0 Age to Tota	-5 Years of al Reported Diseases 0-5
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	98.3		0.0									
1	Alappuzha	99.5		0.0									
2	Ernakulam												
3	Idukki	96.4		0.0									
4	KOZHIKKODE	98.3		0.0									
5	Kannur	95.0		0.0									
6	Kasaragod	99.0		0.0									
7	Kollam	98.8		0.0									
8	Kottayam	90.6		0.0									
9	Malappuram	98.5		0.0									
10	Palakkad	99.8		0.0									
11	Pathanamthitta	99.9		0.0									
12	Thiruvananthapuram	99.7		0.0									
13	Thrissur	99.0		0.0									
14	Wayanad	100.1		0.0									

		12	27	12	28	12	29	1:	30	13	31	1.	32
	Indicator	Polio in Cl Years of A Reported Diseases (hildren 0-5 ge to Total Childhood	Measles in 0-5 Years Total R	of Age to eported Diseases 0-5	dehydr Children 0 Age to Tota Childhood	oea and eation in -5 Years of al Reported Diseases 0-5 ars	Malaria in (Years of A	% Children 0-5 ge to Total Childhood 0-5 Years	Inpatients	% Female s to Total npatient	Children In	% npatient to npatient
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala												
1	Alappuzha												
2	Ernakulam												
3	Idukki												
4	KOZHIKKODE												
5	Kannur												
6	Kasaragod												
7	Kollam												
8	Kottayam												
9	Malappuram												
10	Palakkad												
11	Pathanamthitta												
12	Thiruvananthapuram												
13	Thrissur												
14	Wayanad												

		13	33	13	34	13	35	13	36	13	37	13	38
	Indicator	Female I Deaths Inpatien	npatient to Total	9 Inpatient I Tota		IPD (N	umber)	OPD (N	(umber)	% IPD	to OPD	Number Opera	of Major ations
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
_F	Kerala												
1 Al	lappuzha												
2 E1	rnakulam												
3 Id	lukki												
4 K	OZHIKKODE												
5 Ka	annur												
6 K	asaragod												
7 K	ollam												
8 K	ottayam												
9 M	Ialappuram												
10 Pa	alakkad												
11 Pa	athanamthitta												
12 TI	hiruvananthapuram												
13 TI	hrissur												
14 W	Vayanad												

		13	39	14	40	14	1 1	14	12	14	13	14	14
	Indicator	Number Opera	of Minor ations	Major Op	6 erations to peration		ber of ectomy eries	Hyster Surgeries Major O	ectomy	Ayush OPI) (Number)		6 PD to Total PD
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala												
1	Alappuzha												
2	Ernakulam												
3	Idukki												
4	KOZHIKKODE												
5	Kannur												
6	Kasaragod												
7	Kollam												
8	Kottayam												
9	Malappuram												
10	Palakkad												
11	Pathanamthitta												
12	Thiruvananthapuram												
13	Thrissur												
14	Wayanad												

Indicator		145 Dental OPD (Number)		146 % Dental OPD to Total OPD		147 Adolescent counselled (Number)		148 % Hb < 7 mg to Total Hb Tests Conducted		149 % Male HIV Positive to Total Males Tested		150 % Female HIV Positive to Total Females Tested	
			_Kerala										
1	Alappuzha												
2	Ernakulam												
3	Idukki												
4	KOZHIKKODE												
5	Kannur												
6	Kasaragod												
7	Kollam												
8	Kottayam												
9	Malappuram												
10	Palakkad												
11	Pathanamthitta												
12	Thiruvananthapuram												
13	Thrissur												
14	Wayanad												

Indicator		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala							2,943		0.0		0.0	
1	Alappuzha							80		0.0		0.0	
2	Ernakulam							139		0.0		0.0	
3	Idukki							96		0.0		0.0	
4	KOZHIKKODE							553		0.0		0.0	
5	Kannur							164		0.0		0.0	
6	Kasaragod							170		0.0		0.0	
7	Kollam							179		0.0		0.0	
8	Kottayam							127		0.0		0.0	
9	Malappuram							465		0.0		0.0	
10	Palakkad							217		0.0		0.0	
11	Pathanamthitta							61		0.0		0.0	
12	Thiruvananthapuram							456		0.0		0.0	
13	Thrissur							155		0.0		0.0	
14	Wayanad							81	_	0.0		0.0	

Provisional Figures for the Period April to December

												111	
Indicator		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Kerala	0.0		0.0		0.0		0.0		0.0		100.0	
1	Alappuzha	0.0		0.0		0.0		0.0		0.0		100.0	
2	Ernakulam	0.0		0.0		0.0		0.0		0.0		100.0	
3	Idukki	0.0		0.0		0.0		0.0		0.0		100.0	
4	KOZHIKKODE	0.0		0.0		0.0		0.0		0.0		100.0	
5	Kannur	0.0		0.0		0.0		0.0		0.0		100.0	
6	Kasaragod	0.0		0.0		0.0		0.0		0.0		100.0	
7	Kollam	0.0		0.0		0.0		0.0		0.0		100.0	
8	Kottayam	0.0		0.0		0.0		0.0		0.0		100.0	
9	Malappuram	0.0		0.0		0.0		0.0		0.0		100.0	
10	Palakkad	0.0		0.0		0.0		0.0		0.0		100.0	
11	Pathanamthitta	0.0		0.0		0.0		0.0		0.0		100.0	
12	Thiruvananthapuram	0.0		0.0		0.0		0.0		0.0		100.0	
13	Thrissur	0.0		0.0		0.0		0.0		0.0		100.0	
14	Wayanad	0.0		0.0		0.0		0.0		0.0		100.0	