		1 Total Number of reported live births		2 % Total Reported Live Births to Total Deliveries		2	3	4	1	5		6	
I	ndicator						Total Number of reported Still Births		% o Reported rth	Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	126,336	111,708	107.9	108.0	2,457	1,944	98.1	98.3	108,013	66,866	115,497	86,123
1	Central	17,050	111,708	98.7	108.0	335	1,944	98.1	98.3	16,112	66,866	13,509	86,123
2	East	11,803		146.5		152		98.7		11,305		9,825	
3	New Delhi	11,441		99.2		277		97.6		11,406		1,333	
4	North	9,076		99.3		158		98.3		8,677		8,144	
5	North East	11,092		115.6		314		97.2		9,122		19,342	
6	North West	16,150		146.2		319		98.1		10,240		14,428	
7	Shahdara												
8	South	8,249		102.4		59		99.3		6,225		8,507	
9	South East												
10	South West	23,488		97.8		546		97.7		19,080		24,312	
11	West	17,987		97.9		297		98.4		15,846		16,097	

		7		8	8)	10		11		12	
I	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	194,032	194,049	91.4	77.1	153.6	173.7	193,077	190,686	175,210	165,439	167,016	152,453
1	Central	13,433	194,049	79.2	77.1	78.8	173.7	10,376	190,686	8,586	165,439	7,516	152,453
2	East	16,753		83.2		141.9		18,443		16,318		15,670	
3	New Delhi	2,065		11.7		18.0		2,109		1,868		1,801	
4	North	12,489		89.7		137.6		10,646		9,907		9,513	
5	North East	23,904		174.4		215.5		22,328		20,097		18,940	
6	North West	36,081		89.3		223.4		44,977		41,062		39,262	
7	Shahdara												
8	South	25,539		103.1		309.6		29,782		27,141		26,342	
9	South East												
10	South West	33,623		103.5		143.1		24,732		22,349		20,992	
11	West	30,145		89.5		167.6		29,684		27,882		26,980	

		1	3	1	4	1	5	1	6	1	7	1	8	
I	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		9% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Delhi							168,105	158,975	133.1	142.3	181,119	186,438	
1	Central							7,830	158,975	45.9	142.3	7,830	186,438	
2	East							16,352		138.5		16,094		
3	New Delhi							1,925		16.8		1,925		
4	North							9,650		106.3		11,358		
5	North East							18,083		163.0		18,133		
6	North West							40,311		249.6		47,875		
7	Shahdara													
8	South							26,200		317.6		30,470		
9	South East													
10	South West							21,080		89.7		20,757		
11	West							26,674		148.3		26,677		

			•	20						23		24	
		I	19		20		21		2	2	3	24	
I	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	13.4	18.1	104,264	140,031	82.5	125.4	24.4	5.7	41	189	92.3	94.9
1	Central	41.7	18.1	5,574	140,031	32.7	125.4	79.3	5.7		189	85.9	94.9
2	East	2.4		11,678		98.9		14.8				93.5	
3	New Delhi	6.8		1,340		11.7		24.9				86.6	
4	North	22.7		4,951		54.6		26.2				94.7	
5	North East	24.4		7,636		68.8		45.6				91.5	
6	North West	-11.7		28,662		177.5		9.0		17		91.6	
7	Shahdara												
8	South	-2.6		15,895		192.7		32.5				93.0	
9	South East												
10	South West	37.3		14,007		59.6		24.6		22		92.1	
11	West	11.5		14,521		80.7		20.8		2		93.9	

		2	25		6	2	27		8	2	9	30	
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis in 0-5 Years Total R Childhood	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	17.0	19.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	2.2	19.8	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
2	East	13.4		0.0		0.0		0.0		0.0		0.0	
3	New Delhi	14.4		0.0		0.0		0.0		0.0		0.0	
4	North	7.3		0.0		0.0		0.0		0.0		0.0	
5	North East	39.0		0.0		0.0		0.0		0.0		0.0	
6	North West	22.9		0.0		0.0		0.0		0.0		0.0	
7	Shahdara												
8	South	17.8		0.0		0.0		0.0		0.0		0.0	
9	South East												
10	South West	18.5		0.0		0.0		0.0		0.2		0.1	
11	West	18.0		0.0		0.0		0.0		0.0		0.0	

		3	1	3	2	3	3	3	4	35		36	
I	ndicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	0.3	1.0	98.8	97.0	0.9	1.9	1,541	422	18.8	4.3	13.1	3.1
1	Central	0.0	1.0	99.9	97.0	0.1	1.9	286	422	23.5	4.3	24.9	3.1
2	East	0.5		98.9		0.6		485		24.5		4.8	
3	New Delhi	0.1		99.4		0.5							
4	North	0.2		99.0		0.7		5		40.0		20.0	
5	North East	0.9		99.1		0.0							
6	North West	0.0		99.8		0.2		121		25.2		31.9	
7	Shahdara												
8	South	0.1		98.7		1.2		16		0.0		6.3	
9	South East												
10	South West	0.6		96.5		2.6		115		7.0		17.4	
11	West	0.1		99.7		0.2		513		10.9		7.1	

		3	7	3	8	3	9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Delhi	16.1	1.9	11.4	2.6	3.7	0.7	1.4	0.0	0.1	0.0	35.5	87.4
1	Central	22.8	1.9	5.3	2.6	2.5	0.7	1.1	0.0	0.0	0.0	20.0	87.4
2	East	4.5		20.2		3.4		0.9		0.0		41.7	
3	New Delhi												
4	North	0.0		20.0		20.0		0.0		0.0		0.0	
5	North East												
6	North West	7.6		4.2		5.0		4.2		0.8		21.0	
7	Shahdara												
8	South	6.3		0.0		0.0		0.0		0.0		87.5	
9	South East												
10	South West	7.0		4.3		5.2		3.5		0.0		55.7	
11	West	30.0		10.4		4.1		0.8		0.0		36.6	