		1	l	2	2	27	3	4	Į	į	5	(	5
In	dicator	pregnan	amber of t women 1 for ANC	Number o women r within firs		Number o	of Women under JSY		mester on to Total	JSY regis Total ANC	~	Number o women rece checl	eived 3 ANC
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	12,554	11,225	3,862	4,996	3,143	218	30.8	44.5	25.0	1.9	6,150	7,147
1	East	2,637	7,004	1,393	3,223	1,197		52.8	46.0	45.4	0.0	2,298	3,971
2	North	6,568	471	267	200	227	18	4.1	42.5	3.5	3.8	467	300
3	South	1,684	1,934	1,533	1,020	807	200	91.0	52.7	47.9	10.3	1,701	1,164
4	West	1,665	1,816	669	553	912		40.2	30.5	54.8	0.0	1,684	1,712

		7	1	8	3	ġ	)	1	0	1	1	12	2
In	dicator	TT2 or Boos Pregnan (num	t women		Woman ANC check otal ANC	received	t women l TT2 or Total ANC		f Pregnant en 100 IFA lets		omen given Total ANC	Number l level<11 (te	naving Hb sted cases)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	5,546	9,677	49.0	63.7	44.2	86.2	4,684	3,541	37.3	31.5	1,687	
1	East	1,999	5,786	87.1	56.7	75.8	82.6	2,047	1,741	77.6	24.9	906	
2	North	329	391	7.1	63.7	5.0	83.0	248	216	3.8	45.9	106	
3	South	1,665	1,281	101.0	60.2	98.9	66.2	1,436	585	85.3	30.2	186	
4	West	1,553	2,219	101.1	94.3	93.3	122.2	953	999	57.2	55.0	489	

		1	3	1 % Pregnan		1	5	1	6	1	7	1	8
In	dicator	anae	>7)	treated at in	o<7) astitution to aaving hb	institut hypertensi	detected at		of Home eries	deliveries a	of home attended by rained urse/ANM)	deliveries a	of home attended by A trained TB/Dai)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	75		4.4		2.8	0.2	1,561	2,231	538	1,179	1,023	1,052
1	East	40		4.4		6.3	0.0	469	1,247	186	544	283	703
2	North	2		1.9		2.5	5.9	137	146	43	66	94	80
3	South	18		9.7		0.1	0.0	453	253	181	150	272	103
4	West	15		3.1		1.0	0.0	502	585	128	419	374	166

In	dicator	SBA atten deliveries Reporte Deliv	ded home to Total d Home	Mothers incentive delive	paid JSY for home	incentive deliveries Reporte	% paid JSY for home	Deliveries at Public I	Conducted	Discharge hours of d	of Women d under 48	Women dis less than 4 delivery Reported D public in	% scharged in 8 hours of to Total beliveries at
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	34.5	52.8	353	76	22.6	3.4	2,520	2,121	1,463	740	58.1	34.9
1	East	39.7	43.6	116	35	24.7	2.8	870	871			0.0	0.0
2	North	31.4	45.2	51	41	37.2	28.1	142	166	132		93.0	0.0
3	South	40.0	59.3	104		23.0	0.0	709	344	553		78.0	0.0
4	West	25.5	71.6	82		16.3	0.0	799	740	778	740	97.4	100.0

		2	5	2	6	2	7	2	8	2	9	3	0
In	dicator	Institutiona (Public II Ins	nsts.+Pvt.	Institutiona to tota regist	l Deliveries l ANC	Total r deliv	eported eries	Institutiona to Total Deliv	l deliveries Reported	% Safe deliver Reported	ries to Total	9/ Home del Total R Deliv	iveries to eported
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	2,520	2,121	20.1	18.9	4,081	4,352	61.7	48.7	74.9	75.8	38.3	51.3
1	East	870	871	33.0	12.4	1,339	2,118	65.0	41.1	78.9	66.8	35.0	58.9
2	North	142	166	2.2	35.2	279	312	50.9	53.2	66.3	74.4	49.1	46.8
3	South	709	344	42.1	17.8	1,162	597	61.0	57.6	76.6	82.7	39.0	42.4
4	West	799	740	48.0	40.7	1,301	1,325	61.4	55.8	71.3	87.5	38.6	44.2

		3	1	3	2	3	3	3	4	3	5	3	6
In	dicator	Number of deliveries co public f		deliveries c	f C-section onducted at facilities	to rep institu (Public	n deliveries e + Pvt.) corted ational e + Pvt.) veries	public fa	conducted at cilities to onducted at	Private fa Deliveries c	onducted at acilities to onducted at facilities	Deliveries c Public Inst Total Ins Deliv	onducted at titutions to titutional
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	268	58	1	3	10.7	2.9	10.6	2.7			100.0	100.0
1	East	168				19.3	0.0	19.3	0.0			100.0	100.0
2	North		48			0.0	28.9	0.0	28.9			100.0	100.0
3	South	82				11.6	0.0	11.6	0.0			100.0	100.0
4	West	18	10	1	3	2.4	1.8	2.3	1.4			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
In	dicator	Incentive fo at Public in	paid JSY or Delivery	for Deliver	there JSY aid to ASHA by at Public	Private Ins	onducted at titutions to titutional	partum (	ceived post check-up s hours of very	Post - Care / Wo post partu between 48	n check up hours and	partum (	eiving post check-up hours of to Total
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	37.3	1.7	24.2	19.3	0.0	0.0	4,152	3,369	3,735	3,647	101.7	77.4
1	East	36.3	0.0	21.4	13.3	0.0	0.0	1,485	1,605	901	1,691	110.9	75.8
2	North	128.2	0.0	90.8	22.3	0.0	0.0	332	177	366	189	119.0	56.7
3	South	30.3	10.5	15.0	74.7	0.0	0.0	1,154	530	1,162	696	99.3	88.8
4	West	28.3	0.0	23.8	0.0	0.0	0.0	1,181	1,057	1,306	1,071	90.8	79.8

		4	3	4	4	4	5	4	6	4	7	4	8
Ind	dicator	between 48	etting Post Checkup S hours and to Total	Total Nu reported l			orted Live to Total	Total Nu	umber of Still Births	% live birth to Bir	Reported	Number of weighed	Newborns at birth
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	91.5	83.8	4,925	5,810	120.7	133.5	210	85	95.9	98.6	3,974	3,730
1	East	67.3	79.8	1,999	3,322	149.3	156.8	45	25	97.8	99.3	1,192	1,447
2	North	131.2	60.6	405	430	145.2	137.8	114	15	78.0	96.6	384	357
3	South	100.0	116.6	1,233	762	106.1	127.6	25	15	98.0	98.1	1,237	694
4	West	100.4	80.8	1,288	1,296	99.0	97.8	26	30	98.0	97.7	1,161	1,232

		4	9	5	0	5	1	5	2	5	3	5	4
In	dicator	% Newborns birth to l	weighed at	Number of having weig 2.5		weight less to Newborn	is having	Number of Breast Fed ho		Newborns within 1 ho to Total 1	breast fed our of birth		New Borns in 24 hrs of Delivery
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	80.7	64.2	171	120	4.3	3.2	4,388		89.1	0.0	1,387	597
1	East	59.6	43.6	107	38	9.0	2.6	1,476		73.8	0.0	333	
2	North	94.8	83.0	23	27	6.0	7.6	412		101.7	0.0	128	12
3	South	100.3	91.1	17	22	1.4	3.2	1,262		102.4	0.0	440	
4	West	90.1	95.1	24	33	2.1	2.7	1,238		96.1	0.0	486	585

In	dicator	9, newborns vi 24hrs of hor to total repo	6 isited within me delivery orted home		atio at	cases of I women wit Complica attended t	<b>6</b>	Comp Pregnanci with antihype Magsulph Total Wo	licated les treated n IV	Pregnanci with antihype Magsulph i Total N	licated les treated of IV rtensive/ injection to ew cases ed with	Pregnanci with Blood to Total W Obst	6 licated es treated Transfusion
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	88.9	26.8	922	1,036	9.5	21.2	5.4	0.0	3.7	0.0	0.0	0.0
1	East	71.0	0.0	943	1,119	19.5	37.0	0.6	0.0	0.6		0.0	0.0
2	North	93.4	8.2	792	911	4.2	0.0	200.0		7.2	0.0	0.0	
3	South	97.1	0.0	942	1,021	0.0	36.9		0.0	0.0			0.0
4	West	96.8	100.0	914	895	8.0	0.0	0.0		0.0		0.0	

In	dicator	6 Post - Natal maternal co attended Deliv	Care / PNC mplications to Total	Total Nu Abor ( Spont Induced)	umber of tions aneous/	Total Nu MTPs ( Pub			ATPs Abortions	Pregnancy	6 12 weeks of y to Total at Public	weeks of Pr	6 re than 12 egnancy to Ps at Public
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	4.3	0.0	62	72	10	17	16.1	23.6	80.0	100.0	20.0	0.0
1	East	0.0	0.0	23	44			0.0	0.0				
2	North	14.3	0.0	15	1	7		46.7	0.0	71.4		28.6	
3	South	10.2	0.0	4	8		17	0.0	212.5		100.0		0.0
4	West	1.4	0.0	20	19	3		15.0	0.0	100.0		0.0	

		6	7	6	8	6	9	7	0	7	1	7	2
In	dicator	Public Insti	nducted at	Private Inst	nducted at	(Pul Conducted	al MTPs blic) d to Total gistration	Tests con	Wet Mount ducted to f new RTI/ e cases for reatment	Vasect Cond	ber of tomies lucted + Pvt.)	Tubec Cond	ber of tomies ucted + Pvt.)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	71.4	100.0	28.6	0.0	0.1	0.2	0.0	0.0	5	151	40	46
1	East					0.0	0.0	0.0	0.0	5		38	
2	North	63.6		36.4		0.1	0.0	0.0	0.0		7		
3	South		100.0		0.0	0.0	0.9	0.0	0.0		123	2	46
4	West	100.0		0.0		0.2	0.0	0.0	0.0		21		

		7	3	7	4	7	5	7	6	7	7	7:	8
In	dicator	Total Ste Cond	rilisation lucted	% Male S (Vasect to Total st	omies)	% Tubectomic sterili	es to Total	(Tubecto Vasect	erlisation omies and omies) ed at PHC	(Tubecto Vasect	erlisation omies and omies) d at CHC	Total Ste (Tubecto Vasecto conducted	mies and
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	45	197	11.1	76.6	88.9	23.4		192		1	17	
1	East	43		11.6		88.4						15	
2	North		7		100.0		0.0		6		1		
3	South	2	169	0.0	72.8	100.0	27.2	·	165		·	2	
4	West		21		100.0		0.0		21				

		7	9	8	0	8	1	8	2	8	3	8	4
In	dicator	(Tubecto Vasect	erlisation omies and omies) I at Other stitutions	(Tubecto Vasect	erlisation mies and omies) at Private ntions	Vasect conducted	mies and	Vasect conducted	terilisation omies and omies) at CHC to erlisation	% Total St (Tubecto Vasect conducted a to Total S	mies and omies) at SDH/DH	% Total St (Tubecto Vasecto conducted public Insti Total Ste	mies and omies) I at Other tutions to
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	28	4			0.0	97.5	0.0	0.5	37.8	0.0	62.2	2.0
1	East	28				0.0		0.0		34.9		65.1	
2	North						85.7		14.3		0.0		0.0
3	South		4			0.0	97.6	0.0	0.0	100.0	0.0	0.0	2.4
4	West						100.0		0.0		0.0		0.0

	Indicator  _Sikkim 1 East	8	5	8	6	8	7	8	8	8	9	9	0
In	dicator	(Tubecto Vasect conducted institution	at Private	sterlisation	oscopic			Post P Sterlisation Female Ste	artum is to Total	sterlisation Institution Lapar	oscopic s at Public	at Public I	terlisations nstitutions Mini Lap
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	0.0	78.3	0.0	21.7	100.0	0.0		100.0		100.0
1	East	0.0		0.0		0.0		100.0					
2	North		0.0										
3	South	0.0	0.0	0.0	78.3	0.0	21.7	100.0	0.0		100.0		100.0
4	West		0.0										

	Indicator  _Sikkim 1 East	9	1	9	2	9	3	9	4	9	5	9	6
In	dicator	Post P sterlisation Institution Post P Sterili	artum s at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n ( Male +		rtions done facilities)		rtions done cilities)		O Insertions ic+private)		Insertions ic facilities)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	100.0				1,018	726		2	1,018	728		
1	East	100.0				73				73			
2	North					52	51			52	51		
3	South	100.0				447	232			447	232		
4	West					446	443		2	446	445		

		9	7	9	8	9	9	10	00	10	01	10	02
In	dicator	% PP IUCI (pul to Tota Insertion	blic) 1 IUCD	, , , , , , , , , , , , , , , , , , , ,		institutio family p	vertions in us private ons to all olanning IUCD plus	Oral Pills	distributed	Condor distri	n pieces buted		man Pills buted
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	0.0	0.0	95.8	78.7	43,519	45,185	212,044	143,672		314
1	East	0.0		0.0	0.0	62.9		9,043	16,956	41,312	58,915		
2	North	0.0	0.0	0.0	0.0	100.0	87.9	2,415	1,246	7,396	3,506		314
3	South	0.0	0.0	0.0	0.0	99.6	57.9	18,461	13,619	50,803	39,863		
4	West	0.0	0.0	0.0	0.0	100.0	95.5	13,600	13,364	112,533	41,388		

		10	)3	10	)4	10	)5	10	06	10	07	10	)8
In	dicator	Number o given (Birth	OPV 0	Number o		Newborns at birth to	6 given OPV0 Reported birth	Newborns to Reporte	given BCG	Number (		Number o	of Infants DPT2
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	3,468	3,769	5,751	6,040	70.4	64.9	116.8	104.0	6,184	7,214	6,101	7,942
1	East	2,086	2,333	2,296	3,014	104.4	70.2	114.9	90.7	2,468	4,021	2,415	4,630
2	North	345	676	455	414	85.2	157.2	112.3	96.3	527	470	547	478
3	South	333	215	1,529	1,098	27.0	28.2	124.0	144.1	1,662	1,137	1,543	1,150
4	West	704	545	1,471	1,514	54.7	42.1	114.2	116.8	1,527	1,586	1,596	1,684

	Indicator	10	)9	1	10	1	11	1	12	11	13	11	14
In	dicator	Number o		Number (	of Infants tavalent 1	Number e	of Infants tavalent 2	Number o	of Infants tavalent 3	Number ( given M		Infants 0 to old who Measles v reported l	11 months received vaccine to
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	6,152	7,844							6,316	7,824	128.2	134.7
1	East	2,437	4,583							2,493	4,169	124.7	125.5
2	North	524	487							453	500	111.9	116.3
3	South	1,633	1,089							1,703	1,388	138.1	182.2
4	West	1,558	1,685							1,667	1,767	129.4	136.3

		11	15	11	16	1	17	11	18	11	19	12	20
In	dicator	Number immunize (9-11 m	d children	9/ Drop Out BCG &	between	Vitamin -	· A dose 1	Children g dose1 to Ro bir	given Vit A	Children giv A Dose 9 to given Vit	ven Vitamin o Children	Adverse Following I (Oth	munisation
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	6,154	5,550	-9.8	-29.5	6,228	7,573	126.5	130.3	109.6	0.7		
1	East	2,491	1,985	-8.6	-38.3	2,533	4,184	126.7	125.9	77.6	0.0		
2	North	220	500	0.4	-20.8	436	441	107.7	102.6	51.6	11.6		
3	South	1,776	1,298	-11.4	-26.4	1,608	1,196	130.4	157.0	112.1	0.0		
4	West	1,667	1,767	-13.3	-16.7	1,651	1,752	128.2	135.2	171.7	0.0		

In	dicator	immunisati Held to Im Sessions	6 on Sessions munisation	presei Immunisati	6 on Sessions HAs were nt to	9 Diptheria i 0-5 Years Total R Childhood I	in Children	Pertusis in 0-5 Years Total R Childhood I	Children	Children 0	% onatorum in -5 Years of al Reported Diseases 0-5	Tetanus ( Children 0 Age to Tota Childhood 1	Others in -5 Years of al Reported
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	92.9	61.8	88.4	36.7	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
1	East	90.2		81.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	89.3		82.2		0.0	4.7	0.0	0.0	0.0	0.0	0.0	0.0
3	South	87.8		84.5		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	99.6	48.3	99.6	36.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28		29	13	30	13	31	13	32
In	dicator	Years of A	hildren 0-5 ge to Total Childhood	0-5 Years Total R	of Age to eported Diseases 0-5	dehydr Children 0	oea and ation in -5 Years of al Reported Diseases 0-5	Years of A	Children 0-5 ge to Total Childhood	Inpatients	6 Female to Total npatient	% Children In Total In	•
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	2.6	0.6	96.5	98.9	0.9	0.1	60.2		27.6	
1	East	0.0	0.0	4.8	0.3	93.3	99.7	1.9	0.0	67.1		13.0	
2	North	0.0	0.0	0.7	0.8	99.3	93.1	0.0	1.4	60.6		25.2	
3	South	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	58.6		28.8	
4	West	0.0	0.0	1.1	1.9	98.9	98.1	0.0	0.0	58.9		31.2	

		13	33	13	34	13	35	13	36	13	37	13	88
Inc	dicator	Female I Deaths t Inpatient	npatient to Total	% Inpatient I Total		IPD (N	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	of Major ntions
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	48.9		0.6		7,967		191,136	53,730	4.2	0.0	95	
1	East	0.0		0.1		772		20,874		3.7			
2	North	26.7		0.9		1,649		25,357		6.5			
3	South	50.0		0.2		1,755		55,682	·	3.2		95	
4	West	63.0		0.7		3,791		89,223	53,730	4.2	0.0	·	

		13	39	14	10	1	41	14	12	14	13	14	14
In	dicator		of Minor ations		% erations to peration	Hyster	ber of ectomy eries	Hyster Surgeries Major O	ectomy	Ayush OPI	) (Number)		% PD to Total PD
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	1,497		6.0				0.0		52		0.0	0.0
1	East											0.0	
2	North											0.0	
3	South	1,468		6.1				0.0		52	·	0.1	
4	West	29		0.0								0.0	0.0

		145		146		147		148		149		150	
Indicator		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	6,717		3.5	0.0	1,286		4.2		0.1		0.0	
1	East	1,036		5.0				4.9				0.0	
2	North	1,694		6.7		927		0.7				0.0	
3	South	763		1.4		319		4.4		0.0		0.1	
4	West	3,224		3.6	0.0	40		3.9		0.0		0.0	

Indicator		151  % Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		153  % Plasmodium Falciparum test positive to Total Blood Smears Examined		154  Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		9% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.1		40.6		0.0		16	6	18.2	0.0	9.1	0.0
1	East	0.0		0.0		0.0		6		66.7		0.0	
2	North	0.8		16.7		0.0			4				
3	South	0.0		95.8		0.0		2	2	0.0	0.0	50.0	0.0
4	West	0.0		0.0		0.0		8		0.0		0.0	

Indicator		157  % Deaths due to LBW to Total Reported Infant Deaths		158  "%  Deaths due to  Pneumonia to Total  Reported Infant  Deaths		9% Deaths due to Diarrhoea to Total Reported Infant Deaths		9% Deaths due to Fever to Total Reported Infant Deaths		161 % Deaths due to Measles to Total Reported Infant Deaths		162  "%  Deaths due to Other  Causes to Total  Reported Infant  Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	9.1	0.0	18.2	0.0	0.0	0.0	9.1	0.0	0.0	0.0	36.4	100.0
1	East	0.0		0.0		0.0		0.0		0.0		33.3	
2	North												
3	South	50.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
4	West	0.0		33.3		0.0		16.7		0.0		50.0	