

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Meghalaya	60,747	57,637	98.4	97.9	1,445	1,425	97.7	97.6	51,432	47,504	28,905	27,204
1	East Garo Hills	4,847	4,465	102.0	98.1	106	72	97.9	98.4	3,492	3,231	2,068	2,258
2	East Jaintia Hills												
3	East Khasi Hills	20,253	19,912	97.3	97.2	577	621	97.2	97.0	17,921	17,502	13,775	13,328
4	North Garo Hills												
5	Ri Bhoi	4,273	4,311	99.9	99.3	33	44	99.2	99.0	2,936	2,549	1,652	1,546
6	South Garo Hills	1,889	1,707	98.6	99.2	28	26	98.5	98.5	1,613	1,392	479	608
7	South West Garo Hills	4		100.0		0		100.0		4		4	
8	South West Khasi Hills												
9	West Garo Hills	12,540	12,110	98.1	98.0	331	315	97.4	97.5	12,381	11,886	4,792	4,123
10	West Jaintia Hills	9,135	8,344	98.5	98.0	243	233	97.4	97.3	7,379	6,508	3,309	2,859
11	West Khasi Hills	7,806	6,788	98.7	98.6	127	114	98.4	98.3	5,706	4,436	2,826	2,482

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Meghalaya	64,568	62,333	47.6	47.2	106.3	108.1	63,068	61,614	59,649	58,778	57,263	55,010
1	East Garo Hills	5,819	5,382	42.7	50.6	120.1	120.5	5,895	6,177	5,555	5,678	5,311	5,414
2	East Jaintia Hills												
3	East Khasi Hills	19,516	18,692	68.0	66.9	96.4	93.9	15,188	15,148	13,904	14,021	13,213	13,118
4	North Garo Hills												
5	Ri Bhoi	4,412	4,864	38.7	35.9	103.3	112.8	5,444	5,560	4,976	5,200	4,672	4,680
6	South Garo Hills	2,530	2,463	25.4	35.6	133.9	144.3	2,860	2,741	2,844	2,831	2,664	2,456
7	South West Garo Hills	3		100.0		75.0		2		2		4	
8	South West Khasi Hills												
9	West Garo Hills	12,780	12,375	38.2	34.0	101.9	102.2	12,907	12,499	12,594	12,399	12,425	12,003
10	West Jaintia Hills	10,304	9,989	36.2	34.3	112.8	119.7	10,590	10,145	10,235	9,689	9,865	9,102
11	West Khasi Hills	9,204	8,568	36.2	36.6	117.9	126.2	10,182	9,344	9,539	8,960	9,109	8,237

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	0		0		0		53,594	51,376	88.2	89.1	50,539	47,855
1	East Garo Hills	0		0		0		4,649	4,852	95.9	108.7	4,343	4,509
2	East Jaintia Hills												
3	East Khasi Hills	0		0		0		12,810	12,125	63.2	60.9	12,351	11,519
4	North Garo Hills												
5	Ri Bhoi							4,522	4,479	105.8	103.9	4,065	4,108
6	South Garo Hills							2,404	2,215	127.3	129.8	2,129	1,724
7	South West Garo Hills							0		0.0		0	
8	South West Khasi Hills												
9	West Garo Hills	0		0		0		11,850	11,410	94.5	94.2	11,296	10,714
10	West Jaintia Hills							9,328	8,610	102.1	103.2	8,769	8,024
11	West Khasi Hills	0		0		0		8,031	7,685	102.9	113.2	7,586	7,257

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	17.0	17.6	10,750	38,942	17.7	67.6	14.1	29.1	97	316	81.9	80.1
1	East Garo Hills	20.1	9.8	570	3,377	11.8	75.6	37.0	60.9	0	0	76.9	76.5
2	East Jaintia Hills												
3	East Khasi Hills	34.4	35.1	8,264	9,958	40.8	50.0	8.5	13.0	0	2	92.7	92.4
4	North Garo Hills												
5	Ri Bhoi	-2.5	7.9	141	4,051	3.3	94.0	7.1	11.5	0	0	84.8	81.6
6	South Garo Hills	5.0	10.1	254	1,734	13.4	101.6	38.2	43.2	0	0	78.6	77.6
7	South West Garo Hills	100.0		0		0.0				0		100.0	
8	South West Khasi Hills												
9	West Garo Hills	7.3	7.8	630	6,346	5.0	52.4	45.2	46.7	0	0	80.3	80.0
10	West Jaintia Hills	9.5	13.8	426	8,013	4.7	96.0	13.6	32.3	0	1	90.4	89.5
11	West Khasi Hills	12.7	10.3	465	5,463	6.0	80.5	33.1	22.3	97	313	67.5	61.4

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	60.7	60.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	69.4	69.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	63.2	64.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	54.8	55.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	70.4	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills	0.0		0.0		0.0		0.0		0.0		0.0	
8	South West Khasi Hills												
9	West Garo Hills	75.1	74.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	39.2	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	48.1	43.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	0.7	0.4	93.5	94.8	5.8	4.8	1,600	1,560	5.9	5.5	9.2	7.4
1	East Garo Hills	1.5	1.8	64.9	68.1	33.6	30.1	93	83	1.1	1.2	3.3	4.9
2	East Jaintia Hills												
3	East Khasi Hills	0.3	0.1	99.2	99.5	0.5	0.4	671	552	5.9	5.9	13.1	10.8
4	North Garo Hills												
5	Ri Bhoi	0.4	1.1	92.1	97.5	7.4	1.4	67	67	1.8	1.7	5.5	0.0
6	South Garo Hills	0.8	1.4	75.9	72.3	23.3	26.4	60	66	0.0	0.0	0.0	0.0
7	South West Garo Hills	0.0		100.0		0.0							
8	South West Khasi Hills												
9	West Garo Hills	0.9	0.4	92.6	89.8	6.5	9.8	304	391	2.8	1.3	4.3	5.1
10	West Jaintia Hills	0.8	0.1	98.0	99.4	1.2	0.5	232	217	13.0	19.8	14.5	14.5
11	West Khasi Hills	0.6	0.1	94.6	96.0	4.7	3.8	173	184	7.7	2.7	4.6	1.4

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2013-14  
Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	7.3	7.3	14.4	14.7	3.3	2.4	13.0	12.6	0.0	0.1	46.9	49.9
1	East Garo Hills	4.4	6.2	17.8	13.6	1.1	0.0	23.3	16.0	0.0	1.2	48.9	56.8
2	East Jaintia Hills												
3	East Khasi Hills	3.7	3.7	9.2	11.3	1.6	0.5	5.9	5.4	0.0	0.0	60.7	62.4
4	North Garo Hills												
5	Ri Bhoi	14.5	10.3	5.5	13.8	5.5	5.2	21.8	13.8	0.0	0.0	45.5	55.2
6	South Garo Hills	1.9	0.0	15.1	11.3	3.8	1.9	30.2	15.1	0.0	0.0	49.1	71.7
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	6.7	6.7	30.8	26.9	0.8	0.6	24.9	24.4	0.0	0.0	29.6	34.9
10	West Jaintia Hills	16.9	19.2	11.1	7.0	7.2	3.5	2.4	3.5	0.0	0.0	34.8	32.6
11	West Khasi Hills	8.5	6.8	9.2	9.5	9.2	10.9	16.9	15.0	0.0	0.0	43.8	53.7