		1		2		3	3	4		5		6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% o Reported rth	Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	126,198	118,616	99.4	99.3	2,230	2,170	98.3	98.2	119,643	110,910	112,854	110,840
1	Central	22,699	21,095	99.3	99.1	484	435	97.9	98.0	22,462	19,396	18,528	19,305
2	East	5,318	5,173	99.1	99.7	74	37	98.6	99.3	5,051	4,777	4,867	4,563
3	New Delhi	20,674	19,641	98.7	98.3	579	543	97.3	97.3	20,538	19,072	18,113	19,109
4	North	4,859	4,793	99.7	99.6	55	81	98.9	98.3	4,201	4,256	4,627	4,657
5	North East	3,474	3,206	99.6	99.5	23	33	99.3	99.0	3,064	2,868	3,462	3,170
6	North West	18,793	16,742	99.8	99.5	279	267	98.5	98.4	17,131	16,086	17,045	15,275
7	Shahdara	16,575	15,705	98.8	99.1	288	282	98.3	98.2	16,221	15,017	16,495	15,802
8	South	6,064	6,199	100.7	101.2	43	51	99.3	99.2	5,584	5,392	5,555	5,267
9	South East	4,988	4,524	100.6	101.6	23	19	99.5	99.6	3,940	3,855	3,652	3,824
10	South West	5,892	5,857	99.6	99.5	50	64	99.2	98.9	5,452	5,212	5,436	5,560
11	West	16,862	15,681	99.6	99.4	332	358	98.1	97.8	15,999	14,979	15,074	14,308

		7		8	3	ġ)	1	0	1	1	12	
I	ndicator	Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2014-15 2013-14		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	144,531	144,343	89.4	93.4	114.5	121.7	20,617	90,104	23,619	98,290	26,500	106,820
1	Central	21,533	20,384	81.6	91.5	94.9	96.6	1,791	4,976	1,750	6,885	2,050	8,630
2	East	6,915	7,731	91.5	88.2	130.0	149.4	913	8,235	1,275	8,546	1,364	8,871
3	New Delhi	21,185	20,859	87.6	97.3	102.5	106.2	842	6,801	1,168	7,121	1,423	7,384
4	North	8,321	8,394	95.2	97.2	171.2	175.1	2,063	4,767	2,436	5,949	2,587	7,683
5	North East	6,370	6,567	99.7	98.9	183.4	204.8	1,708	8,005	2,006	8,376	2,116	8,285
6	North West	21,337	19,913	90.7	91.2	113.5	118.9	2,301	7,911	2,425	10,116	2,777	11,797
7	Shahdara	18,238	18,118	99.5	100.6	110.0	115.4	1,650	9,398	1,714	9,772	1,919	9,798
8	South	6,985	7,635	91.6	85.0	115.2	123.2	1,781	6,255	1,887	6,927	2,047	7,284
9	South East	7,163	7,581	73.2	84.5	143.6	167.6	2,905	7,541	3,244	8,195	3,735	9,126
10	South West	7,165	7,613	92.3	94.9	121.6	130.0	721	8,545	1,238	9,149	1,558	9,879
11	West	19,319	19,548	89.4	91.2	114.6	124.7	3,942	17,670	4,476	17,254	4,924	18,083

		1	3	1	4	1	5	1	6	1	7	1	8
I	ndicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received accine to ive births	Number of fully immunized children (9-11 months)	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	108,458	651	99,334	189	96,967	154	171,928	134,645	136.2	113.5	154,410	129,248
1	Central	10,774	42	10,373	18	10,241	15	19,213	14,716	84.6	69.8	17,341	14,031
2	East	7,790	340	7,471		7,419		12,383	9,826	232.9	189.9	11,801	9,559
3	New Delhi	7,500		6,340		5,963		10,025	7,750	48.5	39.5	8,618	6,990
4	North	9,224	147	8,697	98	8,356	91	15,053	11,124	309.8	232.1	13,629	10,831
5	North East	10,611		9,520		9,110		18,130	10,210	521.9	318.5	14,260	9,978
6	North West	14,781	85	12,681	73	12,592	48	20,657	16,614	109.9	99.2	19,073	15,831
7	Shahdara	9,978		8,774		8,396		13,285	11,062	80.2	70.4	12,006	10,617
8	South	5,664		5,611		5,516		10,620	9,505	175.1	153.3	9,250	9,051
9	South East	7,881		7,695		7,393		15,274	11,308	306.2	250.0	13,696	10,554
10	South West	9,475		9,032		8,943		14,398	11,660	244.4	199.1	13,344	11,392
11	West	14,780	37	13,140	0	13,038	0	22,890	20,870	135.7	133.1	21,392	20,414

		1	9	2	0	2	1	2	2	2	3	2	4
1	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		wen Vitamin o Children A dose1	Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	-19.0	6.7	176,203	113,192	139.6	95.4	43.8	30.2	8	14	95.8	93.7
1	Central	10.8	27.8	17,950	10,982	79.1	52.1	26.6	19.8	0	1	93.4	92.9
2	East	-79.1	-27.1	11,100	8,647	208.7	167.2	66.5	20.7	0	0	97.5	96.7
3	New Delhi	52.7	62.8	9,979	7,167	48.3	36.5	70.0	65.1	0	0	94.9	90.0
4	North	-80.9	-32.5	17,244	10,369	354.9	216.3	68.9	35.9	0	0	96.4	93.2
5	North East	-184.6	-55.5	17,280	8,926	497.4	278.4	57.9	40.5	0	0	96.2	95.9
6	North West	3.2	16.6	25,036	16,179	133.2	96.6	36.2	22.6	0	0	94.8	94.5
7	Shahdara	27.2	38.9	12,996	7,318	78.4	46.6	53.8	49.4	0	0	97.4	96.3
8	South	-52.0	-24.5	12,045	8,283	198.6	133.6	25.7	29.9	0	2	98.7	96.4
9	South East	-113.2	-49.2	14,780	7,702	296.3	170.2	41.4	38.3	1	7	97.2	97.4
10	South West	-100.9	-53.2	14,608	9,725	247.9	166.0	32.1	12.9	1	2	93.7	89.3
11	West	-18.5	-6.8	23,185	17,894	137.5	114.1	26.6	23.8	6	2	96.1	92.2

Indicator		2	5	2	6	2	7	2	8	2	9	30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis in 0-5 Years Total R Childhood 1	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	41.4	32.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	19.5	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East	54.9	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	41.0	28.7	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0
4	North	43.9	31.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	68.5	70.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	North West	29.0	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara	45.1	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	South	32.7	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East	35.9	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	South West	70.4	62.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West	47.4	43.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

												24		
		31		32		33		34		35		36		
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in (Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	
	_Delhi	0.9	0.2	98.5	98.5	0.5	1.2	1,816	1,283	30.0	21.6	9.8	10.1	
1	Central	2.1	0.9	96.7	97.5	1.1	1.6	385	279	19.0	21.2	15.9	13.4	
2	East	3.6	0.6	95.8	98.6	0.6	0.9	149	175	10.7	21.5	14.1	8.1	
3	New Delhi	0.5	0.1	98.7	97.8	0.7	1.9	762	375	51.1	30.2	6.6	7.5	
4	North	1.0	0.2	98.4	97.7	0.6	2.1	21	27	11.1	8.7	5.6	8.7	
5	North East	2.1	0.0	97.6	99.7	0.3	0.3	22	9	19.0	0.0	4.8	57.1	
6	North West	0.7	0.2	98.9	99.7	0.3	0.1	195	144	17.7	34.5	17.7	28.3	
7	Shahdara	0.5	0.2	99.0	97.6	0.5	2.2	24	22	22.7	15.8	13.6	10.5	
8	South	0.7	0.0	98.3	99.6	1.0	0.4	13	8	9.1	0.0	0.0	12.5	
9	South East	0.7	0.4	98.9	98.0	0.4	1.6	29	25	0.0	0.0	0.0	0.0	
10	South West	0.8	0.0	99.1	99.8	0.0	0.2	20	10	17.6	44.4	5.9	11.1	
11	West	1.0	0.1	98.6	99.0	0.4	0.8	196	209	6.7	5.3	2.1	1.9	

		3	7	3	0	3	0	4	0	41		42	
1	ndicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14	2014-15	2013-14
	_Delhi	14.1	16.6	7.5	9.2	1.6	1.3	2.9	4.0	0.1	0.0	34.0	37.2
1	Central	13.5	10.8	2.1	3.3	0.8	0.0	0.3	0.7	0.0	0.0	48.4	50.6
2	East	0.0	4.1	22.8	22.7	0.0	0.0	0.0	0.6	0.0	0.0	52.3	43.0
3	New Delhi	4.0	7.5	8.0	11.9	2.4	2.5	4.9	10.8	0.0	0.0	23.0	29.6
4	North	22.2	52.2	5.6	4.3	0.0	8.7	5.6	4.3	0.0	0.0	50.0	13.0
5	North East	9.5	0.0	4.8	0.0	9.5	14.3	9.5	0.0	0.0	0.0	42.9	28.6
6	North West	28.7	24.8	7.7	5.3	2.2	0.0	3.3	0.9	0.6	0.0	22.1	6.2
7	Shahdara	31.8	26.3	4.5	15.8	4.5	0.0	4.5	5.3	0.0	0.0	18.2	26.3
8	South	27.3	50.0	36.4	0.0	0.0	0.0	0.0	12.5	0.0	0.0	27.3	25.0
9	South East	0.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	92.0
10	South West	5.9	0.0	0.0	0.0	0.0	0.0	11.8	0.0	0.0	0.0	58.8	44.4
11	West	51.3	41.8	5.6	5.3	0.0	1.9	1.0	1.0	0.0	0.0	33.3	42.8