

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	1,145,168	908,811	101.0	118.6	36,086	16,833	96.9	98.2	772,945	681,717	1,382,121	1,238,665
1	Araria	25,406	26,136	74.6	124.4	307		98.8	100.0	23,937	16,722	34,302	28,104
2	Arwal	8,920	10,743	97.1	147.9	182	1,148	98.0	90.3	8,118	8,686	13,975	14,776
3	Aurangabad	30,782	15,722	89.9	56.0	774	140	97.5	99.1	24,141	6,421	45,619	25,146
4	Banka	26,449	24,587	94.5	97.8	756	560	97.2	97.8	24,183	24,587	27,059	26,018
5	Begusarai	35,571	17,431	91.5	58.2	3,008	61	92.2	99.7	19,058	4,896	40,174	29,139
6	Bhagalpur	27,776	40,814	98.5	90.7	627	647	97.8	98.4	18,597	29,595	41,867	51,119
7	Bhojpur	17,123	8,912	83.1	23.6	244	528	98.6	94.4	9,129	4,345	19,296	33,773
8	Buxar	12,680	9,891	99.4	342.7	72	965	99.4	91.1	7,555	6,448	9,093	16,024
9	Darbhanga	29,401	27,395	75.9	248.7	376		98.7	100.0	24,827	15,084	50,180	47,385
10	East Champaran	56,442	53,685	120.8	78.5	631	13	98.9	100.0	52,467	37,277	75,170	45,029
11	Gaya	42,128	33,998	106.1	86.8	6,385	573	86.8	98.3	30,378	16,253	46,195	27,769
12	Gopalganj	33,581	35,813	91.4	255.2	606	326	98.2	99.1	18,742	30,862	21,797	14,971
13	Jamui	19,033	17,201	166.2	130.8	289	391	98.5	97.8	10,594	16,023	22,585	13,242
14	Jehanabad	11,399		55.3	0.0	233		98.0		6,598		24,470	22,711
15	Kaimur Bhabua	16,847	5,168	75.6	29.7	182	1,992	98.9	72.2	17,038	5,168	23,254	21,708
16	Katihar	18,392	24,474	79.6	204.5	867	311	95.5	98.7	11,571	14,678	30,181	24,078
17	Khagaria	29,798	31,545	120.7	235.3	497	396	98.4	98.8	28,395	20,232	35,577	20,889
18	Kishanganj	18,060	21,739	166.1	611.7	1,014	871	94.7	96.1	16,397	19,779	22,273	12,410
19	Lakhisarai	12,161	14,139	94.7	85.7	232	220	98.1	98.5	9,261	2,581	13,113	19,788
20	Madhepura	19,041	14,180	97.3	354.9	613		96.9	100.0	14,235	2,175	42,566	23,594
21	Madhubani	42,673	51,965	72.1	160.5	345	349	99.2	99.3	41,149	53,639	65,214	61,663
22	Munger	20,129	11,977	93.1	58.0	471	1,803	97.7	86.9	17,694	5,581	24,286	22,949
23	Muzaffarpur	14,614		36.4	0.0	1,030	135	93.4	0.0	9,288	10,308	20,435	
24	Nalanda	31,932	41,580	84.4	279.9	1,876	402	94.5	99.0	28,267	41,598	34,373	31,571
25	Nawada	3,001		15.0		538	418	84.8	0.0	2,429	11,521	22,927	56,663
26	Patna	31,997	39,374	118.9	82.9	582	54	98.2	99.9	29,139	37,903	43,286	76,020
27	Purnia	45,609	48,510	170.2	236.4	1,510	785	96.8	98.4	43,531	38,106	65,227	51,304
28	Rohtas	35,968	41,997	96.8	101.3	798	122	97.8	99.7	33,408	31,281	48,646	41,531
29	Saharsa	29,095	8,257	83.1	88.5	641	511	97.8	94.2	25,877	6,863	34,380	20,164
30	Samastipur	60,905	33,476	82.9	126.6	1,041	1,208	98.3	96.5	40,150	37,647	43,646	41,386
31	Saran	183,514	42,847	349.2	388.7	1,289	436	99.3	99.0	19,976		72,791	46,782
32	Sheikhpura	13,303	13,027	103.0	87.6	252	51	98.1	99.6	13,274	13,019	14,609	19,280
33	Sheohar	2,744	2,778	82.0	388.0	105	89	96.3	96.9	2,524	2,822	8,038	2,552
34	Sitamarhi	19,472	20,708	132.0	92.7	333	291	98.3	98.6	11,299	18,759	30,103	43,669
35	Siwan	23,061		63.2		1,404		94.3		15,176		66,596	55,354
36	Supaul	21,113	16,049	78.3	126.9	765	523	96.5	96.8	2,101	2,363	38,609	46,346

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	2,169,924	2,423,973	120.7	136.3	189.5	266.7	2,268,378	2,115,185	2,297,725	1,961,987	2,235,000	1,783,082
1	Araria	41,070	29,984	135.0	107.5	161.7	114.7	45,356	30,892	46,126	31,235	43,062	30,042
2	Arwal	14,422	16,572	156.7	137.5	161.7	154.3	14,827	13,437	15,303	14,872	15,076	14,231
3	Aurangabad	57,384	49,718	148.2	159.9	186.4	316.2	56,659	63,813	61,239	43,469	63,124	42,809
4	Banka	45,867	44,323	102.3	105.8	173.4	180.3	47,002	40,328	48,351	39,337	48,408	37,834
5	Begusarai	45,811	47,340	112.9	167.2	128.8	271.6	57,183	38,773	58,372	35,402	55,834	32,016
6	Bhagalpur	58,627	74,144	150.7	125.2	211.1	181.7	57,952	63,707	58,335	61,322	58,676	57,571
7	Bhojpur	27,967	111,009	112.7	379.0	163.3	1245.6	25,368	95,671	21,646	86,552	19,386	79,786
8	Buxar	35,841	35,921	71.7	162.0	282.7	363.2	37,698	29,371	38,357	26,499	36,821	24,279
9	Darbhanga	96,568	94,558	170.7	173.0	328.5	345.2	96,421	82,171	93,638	77,053	86,243	67,254
10	East Champaran	103,505	98,953	133.2	83.9	183.4	184.3	107,847	102,746	103,540	109,368	97,742	48,703
11	Gaya	93,111	117,827	109.7	81.7	221.0	346.6	88,263	112,974	90,143	105,537	87,485	96,415
12	Gopalganj	55,501	48,656	64.9	41.8	165.3	135.9	59,315	49,052	63,528	46,502	63,845	42,824
13	Jamui	43,259	49,353	118.7	77.0	227.3	286.9	48,847	40,373	40,897	29,999	41,089	38,118
14	Jehanabad	28,126	29,729	214.7		246.7		25,839	22,880	26,613	21,442	26,568	20,190
15	Kaimur Bhabua	33,367	39,878	138.0	420.0	198.1	771.6	36,283	34,265	37,707	29,720	36,535	26,383
16	Katihar	59,032	62,317	164.1	98.4	321.0	254.6	64,766	52,343	68,437	45,469	61,786	39,971
17	Khagaria	46,483	51,904	119.4	66.2	156.0	164.5	46,278	40,323	45,606	42,854	43,590	39,296
18	Kishanganj	39,852	40,397	123.3	57.1	220.7	185.8	41,832	33,315	39,938	26,410	36,490	20,467
19	Lakhisarai	21,743	22,287	107.8	140.0	178.8	157.6	21,880	15,738	21,982	14,400	20,238	12,155
20	Madhepura	49,287	48,117	223.5	166.4	258.8	339.3	54,269	33,422	56,820		55,596	8,990
21	Madhubani	104,242	110,239	152.8	118.7	244.3	212.1	110,354	101,551	116,212	95,784	117,842	92,709
22	Munger	29,967	31,344	120.7	191.6	148.9	261.7	28,909	27,063	28,748	25,531	28,629	23,960
23	Muzaffarpur	106,507	126,346	139.8		728.8		107,868	109,669	109,040	107,505	103,202	101,539
24	Nalanda	59,005	55,170	107.6	75.9	184.8	132.7	58,239	50,603	63,925	46,364	63,434	41,956
25	Nawada	33,120	105,493	764.0		1103.6		37,092	58,279	40,813	77,740	40,002	95,154
26	Patna	63,524	107,344	135.3	193.1	198.5	272.6	65,472	104,842	65,285	103,116	62,017	89,350
27	Purnia	86,240	86,546	143.0	105.8	189.1	178.4	84,310	77,349	85,722	68,573	84,316	61,509
28	Rohtas	63,803	59,769	135.2	98.9	177.4	142.3	65,336	43,058	66,552	42,665	64,825	35,810
29	Saharsa	28,752	39,162	118.2	244.2	98.8	474.3	51,462	35,520	53,161	30,998	51,857	32,130
30	Samastipur	89,795	75,175	71.7	123.6	147.4	224.6	92,718	61,540	91,455	63,441	92,285	57,813
31	Saran	121,475	100,418	39.7	109.2	66.2	234.4	123,185	87,002	118,997	79,688	126,836	72,580
32	Sheikhpura	18,786	20,778	109.8	148.0	141.2	159.5	16,899	18,097	17,447	15,990	17,901	14,895
33	Sheohar	15,481	11,602	292.9	91.9	564.2	417.6	15,136	9,532	15,106	7,966	12,773	6,862
34	Sitamarhi	53,970	79,057	154.6	210.9	277.2	381.8	58,722	74,023	59,738	65,590	55,470	59,810
35	Siwan	77,485	77,629	288.8		336.0		90,340	77,601	93,456	79,478	91,494	74,760
36	Supaul	56,217	62,270	182.9	288.8	266.3	388.0	53,994	59,563	54,525	56,308	52,893	50,919

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar							1,946,230	2,012,853	170.0	221.5	2,443,405	3,099,420
1	Araria							38,066	31,406	149.8	120.2	103,774	31,254
2	Arwal							14,553	15,529	163.2	144.5	18,872	43,450
3	Aurangabad							54,424	47,656	176.8	303.1	49,818	33,182
4	Banka							39,491	37,584	149.3	152.9	44,585	29,629
5	Begusarai							42,926	38,511	120.7	220.9	104,277	44,885
6	Bhagalpur							55,781	65,240	200.8	159.8	76,893	78,708
7	Bhojpur							22,009	50,959	128.5	571.8	22,009	25,700
8	Buxar							32,817	31,888	258.8	322.4	32,817	52,165
9	Darbhanga							78,339	49,849	266.5	182.0	99,042	51,710
10	East Champaran							97,834	41,865	173.3	78.0	126,739	
11	Gaya							76,706	104,309	182.1	306.8	110,670	76,255
12	Gopalganj							52,657	50,459	156.8	140.9	79,603	50,459
13	Jamui							39,107	33,458	205.5	194.5	45,008	60,961
14	Jehanabad							24,156	26,685	211.9		10,557	
15	Kaimur Bhabua							28,805	28,035	171.0	542.5	32,218	153,781
16	Katihar							45,499	60,466	247.4	247.1	105,711	39,807
17	Khagaria							41,064	40,609	137.8	128.7	55,560	132,469
18	Kishanganj							28,937	25,938	160.2	119.3	73,242	18,746
19	Lakhisarai							13,899	16,451	114.3	116.4	13,171	17,568
20	Madhepura							40,923	61,505	214.9	433.7	39,969	144,757
21	Madhubani							104,682	101,899	245.3	196.1	102,988	101,218
22	Munger							25,399	25,900	126.2	216.2	26,920	26,302
23	Muzaffarpur							91,147	100,399	623.7		162,084	114,890
24	Nalanda							68,940	51,194	215.9	123.1	66,421	51,005
25	Nawada							33,718	100,969	1123.6		41,473	
26	Patna							50,830	91,043	158.9	231.2	102,143	726,939
27	Purnia							71,526	73,171	156.8	150.8	72,168	371,508
28	Rohtas							70,235	50,685	195.3	120.7	69,580	54,889
29	Saharsa							48,972	44,756	168.3	542.0	31,087	13,459
30	Samastipur							80,623	53,712	132.4	160.4	43,023	34,987
31	Saran							101,101	81,494	55.1	190.2	37,314	50,241
32	Sheikhpura							16,159	16,530	121.5	126.9	60,677	154,184
33	Sheohar							8,157	7,114	297.3	256.1	5,440	23,431
34	Sitamarhi							44,526	65,839	228.7	317.9	67,141	67,444
35	Siwan							76,025	75,129	329.7		121,461	64,197
36	Supaul							42,346	73,678	200.6	459.1	22,548	35,663

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	Bihar	10.3	17.0	1,423,217	1,372,611	124.3	151.0	20.2	20.5	4,706	1,756	94.0	94.4
1	Araria	7.3	-4.7	33,361	30,747	131.3	117.6	6.0	0.0	5		86.3	99.8
2	Arwal	-0.9	6.3	12,145	9,725	136.2	90.5	0.3	0.0	124		96.8	90.0
3	Aurangabad	5.2	4.1	41,280	25,243	134.1	160.6	0.1	0.0			95.5	94.2
4	Banka	13.9	15.2	35,289	21,501	133.4	87.4	85.0	0.0	5		101.4	100.0
5	Begusarai	6.3	18.7	32,058	18,339	90.1	105.2	41.9	57.5	547		100.8	97.1
6	Bhagalpur	4.9	12.0	27,800	62,874	100.1	154.1	0.0	32.6			98.2	89.8
7	Bhojpur	21.3	54.1	10,071	52,882	58.8	593.4	15.7	247.8			76.1	84.3
8	Buxar	8.4	11.2	10,055	21,896	79.3	221.4	3.6	0.0		1,735	99.4	99.1
9	Darbhanga	18.9	47.3	39,513	42,892	134.4	156.6	3.5	5.2			91.3	
10	East Champaran	5.5	57.7	41,634		73.8	0.0	141.3		17		76.2	
11	Gaya	17.6	11.5	85,180	180,254	202.2	530.2	15.6	36.3			86.9	94.5
12	Gopalganj	5.1	-3.7	42,888	38,278	127.7	106.9	0.0	0.0			100.0	90.6
13	Jamui	9.6	32.2	46,495	29,813	244.3	173.3	3.6	0.0			81.5	
14	Jehanabad	14.1	10.2	20,720	16,166	181.8		0.2	0.0			100.0	
15	Kaimur Bhabua	13.7	29.7	21,797	30,217	129.4	584.7	0.0	0.0			99.1	98.5
16	Katihar	22.9	3.0	25,863	40,707	140.6	166.3	143.0	0.0			74.3	63.7
17	Khagaria	11.7	21.8	18,341	21,019	61.6	66.6	1.3	0.2			96.8	80.5
18	Kishanganj	27.4	35.8	22,816	16,467	126.3	75.7	3.2	0.3			82.0	95.0
19	Lakhisarai	36.1	26.2	3,922	7,959	32.3	56.3	0.1	0.2			68.9	100.0
20	Madhepura	17.0	-27.8	30,772		161.6	0.0	8.2				97.2	58.2
21	Madhubani	-0.4	7.6	88,762	91,994	208.0	177.0	0.0	0.0			94.9	88.9
22	Munger	15.2	17.4	19,764	12,937	98.2	108.0	0.4	1.0	39		98.1	95.7
23	Muzaffarpur	14.4	20.5	103,327	100,826	707.0		4.0	0.0	6		96.9	
24	Nalanda	-16.8	7.2	30,653	30,661	96.0	73.7	0.0	0.0	3,833		96.6	92.9
25	Nawada	-1.8	4.3	20,464		681.9		0.0				92.2	
26	Patna	20.0	15.2	35,408	34,420	110.7	87.4	6.0	1.0	8	5	95.3	98.8
27	Purnia	17.1	15.5	57,850	56,493	126.8	116.5	46.7	41.3			92.0	89.8
28	Rohtas	-10.1	15.2	52,128	47,537	144.9	113.2	3.9	0.0	2		98.4	
29	Saharsa	-70.3	-14.3	47,284	12,328	162.5	149.3	0.6	0.0			78.9	
30	Samastipur	10.2	28.6	46,264	40,323	76.0	120.5	2.4	2.8			94.6	85.9
31	Saran	16.8	18.8	91,681	73,320	50.0	171.1	76.4	27.5			107.9	
32	Sheikhpura	14.0	20.4	10,264	19,301	77.2	148.2	3.2	3.1			95.5	96.7
33	Sheohar	47.3	38.7	6,398	5,364	233.2	193.1	6.4	0.0			102.7	
34	Sitamarhi	17.5	16.7	21,593	33,718	110.9	162.8	9.9	0.0	120		89.5	100.0
35	Siwan	1.9	3.2	80,300	47,078	348.2		12.1	0.0			96.6	65.7
36	Supaul	24.7	-18.3	24,923	21,804	118.0	135.9	0.0	0.1			91.1	77.2

(Continued)

## Performance of Key HMIS Indicators for Bihar ( Across Districts)

Financial Year: 2009-10

Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	65.8	65.8	2.4	1.1	0.1	1.1	0.8	0.8	0.6	0.6	0.1	0.0
1	Araria	61.5	41.0	0.0		0.0		0.0		0.0		0.0	
2	Arwal	79.5	89.2	0.0		0.0		0.0		0.0		0.0	
3	Aurangabad	78.1	60.5	0.1	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0
4	Banka	85.1	91.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Begusarai	73.5	59.7	0.0	8.9	0.3	0.0	0.1	0.0	0.5	0.0	0.9	0.0
6	Bhagalpur	30.2	26.7	0.0		0.0		0.0		0.0		0.0	
7	Bhojpur	40.4	93.0										
8	Buxar	81.0	74.2	0.0		0.0		9.8		29.5		0.0	
9	Darbhanga	50.1		0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.5	0.0
10	East Champaran	49.0		0.0		0.7		0.0		0.0		0.0	
11	Gaya	81.0	98.6	0.0	0.0	1.1	0.0	0.2	1.0	3.6	9.2	0.0	0.0
12	Gopalganj	80.6	0.0										
13	Jamui	82.3		41.4	0.0	0.0	0.0	21.0	0.0	0.0	0.0	0.0	0.0
14	Jehanabad	51.2											
15	Kaimur Bhabua	93.3	86.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	Katihar	49.2	73.1	0.0		0.0		0.0		0.0		0.0	
17	Khagaria	45.1	75.6	0.0	5.1	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0
18	Kishanganj	65.7	52.9	0.0	0.1	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0
19	Lakhisarai	25.8	25.0	52.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	Madhepura	63.2	0.0	2.0		0.0		0.0		0.0		1.1	
21	Madhubani	68.1	35.2	0.4		0.0		0.1		6.1		0.0	
22	Munger	42.6	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	Muzaffarpur	95.5		0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	0.8
24	Nalanda	68.9	86.2	0.0		0.0		0.0		0.0		0.0	
25	Nawada	75.1		0.0		0.0		0.0		0.0		0.0	
26	Patna	75.0	95.3	0.0	15.0	2.0	46.1	0.0	29.0	0.0	0.0	0.0	0.0
27	Purnia	76.4	57.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	Rohtas	68.9		0.0		0.0		0.0		0.0		0.0	
29	Saharsa	29.8		0.4	4.7	0.0	0.0	0.1	0.0	0.5	0.2	0.0	0.2
30	Samastipur	29.8	30.6	0.0		0.0		0.0		0.0		0.0	
31	Saran	65.3		0.0		0.0		0.0		0.0		0.0	
32	Sheikhpura	68.9	1.7	69.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	Sheohar	163.7		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	Sitamarhi	80.0	100.0	5.0	0.0	0.0	0.0	3.2	0.9	1.4	0.0	0.0	0.0
35	Siwan	59.1	0.0	0.1		0.3		0.0		0.0		0.0	
36	Supaul	70.3	38.6	0.0		0.0		0.0		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	14.9	8.0	70.7	84.8	10.3	3.7	1,472	420	0.7	0.0	3.0	0.0
1	Araria	3.1		72.5		24.4		1					
2	Arwal	9.5		66.7		23.8		51	24	0.0	0.0	0.0	0.0
3	Aurangabad	5.0	29.6	35.0	10.1	59.0	60.4	13		0.0		0.0	
4	Banka	0.4	0.0	90.9	100.0	8.7	0.0	1					
5	Begusarai	32.5	4.5	58.9	86.5	6.8	0.0	31					
6	Bhagalpur	70.8		18.7		10.5			89		0.0		0.0
7	Bhojpur												
8	Buxar	0.0		60.7		0.0							
9	Darbhanga	1.2	15.8	88.6	84.2	9.3	0.0	20					
10	East Champaran	29.0		67.6		2.8		50		0.0		12.0	
11	Gaya	34.3	36.6	50.3	35.7	10.6	17.5	89		10.0		70.0	
12	Gopalganj							158		0.0		0.0	
13	Jamui	2.6	17.9	31.9	62.5	3.1	19.6						
14	Jehanabad												
15	Kaimur Bhabua	49.1	9.1	6.1	0.0	44.8	90.9	258		0.0		0.0	
16	Katihar	3.4		93.7		3.0		106		0.0		0.9	
17	Khagaria	1.5	0.0	96.8	7.9	0.9	86.6	51					
18	Kishanganj	0.0	0.3	89.2	99.5	8.1	0.0	2					
19	Lakhisarai	4.2	22.2	43.1	77.8	0.0	0.0		25		0.0		0.0
20	Madhepura	2.7		94.2		0.0		34					
21	Madhubani	32.6		32.0		28.8							
22	Munger	0.0	0.0	81.8	100.0	16.1	0.0	18	1	0.0	0.0	17.6	0.0
23	Muzaffarpur	3.1	16.5	91.7	82.8	4.5	0.0	382		0.0		0.0	
24	Nalanda	19.6		48.6		31.9							
25	Nawada	0.0		96.8		3.2		2		0.0		0.0	
26	Patna	66.7	0.0	28.4	0.0	2.9	9.8	1		0.0		0.0	
27	Purnia	0.0	0.0	99.3	99.5	0.7	0.5	73	142	60.0	0.0	0.0	0.0
28	Rohtas	0.0		32.6		67.4		32	81	5.3	0.0	0.0	0.0
29	Saharsa	0.0	0.4	98.4	94.5	0.6	0.0						
30	Samastipur	21.3		78.7		0.0		17		0.0		12.5	
31	Saran	0.0		100.0		0.0							
32	Sheikhpura	0.0	0.0	29.4	100.0	1.5	0.0						
33	Sheohar	22.0	41.3	78.0	56.5	0.0	2.3	14					
34	Sitamarhi	21.4	0.0	67.4	99.1	1.5	0.0	30		0.0		0.0	
35	Siwan	59.9		18.4		21.3		9					
36	Supaul	0.0		80.0		20.0							

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Bihar	3.7	6.7	4.4	0.0	20.6	6.0	29.3	0.0	17.6	0.5	20.7	86.9
1	Araria												
2	Arwal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
3	Aurangabad	0.0		0.0		0.0		0.0		0.0		100.0	
4	Banka												
5	Begusarai												
6	Bhagalpur		0.0		0.0		0.0		0.0		0.0		100.0
7	Bhojpur												
8	Buxar												
9	Darbhanga												
10	East Champaran	84.0		0.0		0.0		0.0		0.0		4.0	
11	Gaya	6.7		0.0		0.0		0.0		0.0		13.3	
12	Gopalganj	0.0		16.7		10.3		70.5		0.0		2.6	
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua	0.0		0.0		0.0		0.0		90.4		9.6	
16	Katihar	0.9		1.9		0.0		2.8		0.0		93.4	
17	Khagaria												
18	Kishanganj												
19	Lakhisarai		0.0		0.0		100.0		0.0		0.0		0.0
20	Madhepura												
21	Madhubani												
22	Munger	35.3	0.0	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.2	100.0
23	Muzaffarpur	0.0		2.7		52.0		45.3		0.0		0.0	
24	Nalanda												
25	Nawada	0.0		0.0		0.0		0.0		0.0		100.0	
26	Patna	0.0		0.0		0.0		0.0		0.0		100.0	
27	Purnia	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	100.0
28	Rohtas	26.3	4.9	26.3	0.0	0.0	0.0	5.3	0.0	0.0	2.5	36.8	92.6
29	Saharsa												
30	Samastipur	6.3		0.0		0.0		0.0		0.0		81.3	
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi	0.0		0.0		0.0		0.0		0.0		100.0	
35	Siwan												
36	Supaul												

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2009-10  
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	43,736	57,425	99.1	257.9	514	514	98.8	99.1	43,088	56,781	70,752	65,037
38	West Champaran	31,312	45,268	60.9	147.3	4,697		87.0	100.0	19,354	31,714	39,457	38,721



Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	88,114	79,782	161.8	113.3	201.5	138.9	92,374	66,951	93,603	61,710	91,329	54,580
38	West Champaran	76,618	82,862	126.0	85.5	244.7	183.0	82,083	57,348	87,362	46,098	80,301	37,412

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali							80,624	63,474	184.3	110.5	79,801	74,709
38	West Champaran							63,227	77,465	201.9	171.1	86,601	48,868

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	8.5	20.4	60,210	57,536	137.7	100.2	4.5	7.8		16	97.3	94.9
38	West Champaran	17.5	6.5	23,944	19,992	76.5	44.2	11.3	6.4			92.5	89.6

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2009-10  
 Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diphtheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	89.6	12.3	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	West Champaran	55.4	89.6	0.0		0.0		0.0		0.0		0.0	

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali	0.0	17.9	95.1	79.1	4.9	0.6	2	58		0.0		0.0
38	West Champaran	33.7		43.9		22.4		27		0.0		0.0	

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
37	Vaishali		41.4		0.0		0.0		0.0		0.0		58.6
38	West Champaran	0.0		0.0		0.0		78.9		0.0		21.1	