		1	l	2	2	3	3	4	1		i	(ó
In	dicator	pregnan	amber of t women 1 for ANC	Number of women r within first		Number (of Women under JSY		mester on to Total	JSY regis Total ANC	~		f pregnant lived 3 ANC c ups
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	4,357	7,780	2,629	3,305	2,280	200	60.3	42.5	52.3	2.6	4,221	4,458
1	East	1,589	4,547	864	2,047	854		54.4	45.0	53.7	0.0	1,469	2,213
2	North	363	372	190	152	159		52.3	40.9	43.8	0.0	329	209
3	South	1,194	1,564	1,088	722	582	200	91.1	46.2	48.7	12.8	1,185	844
4	West	1,211	1,297	487	384	685		40.2	29.6	56.6	0.0	1,238	1,192

		7	7	8		Ģ		1	0	1	1	1:	2
In	dicator	TT2 or Boo Pregnan (num	t women		Woman ANC check otal ANC	received	t women 1 TT2 or Total ANC	women giv	f Pregnant en 100 IFA lets		omen given Total ANC	Number l level<11 (te	naving Hb sted cases)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	3,980	6,146	96.9	57.3	91.3	79.0	3,389	1,727	77.8	22.2	1,114	
1	East	1,372	3,623	92.4	48.7	86.3	79.7	1,422	818	89.5	18.0	573	
2	North	266	304	90.6	56.2	73.3	81.7	228	166	62.8	44.6	92	
3	South	1,185	945	99.2	54.0	99.2	60.4	987	181	82.7	11.6	136	
4	West	1,157	1,274	102.2	91.9	95.5	98.2	752	562	62.1	43.3	313	

		1	3	1	4	1	5	1	6	1	7	1	8
In	dicator	anae	ving severe emia ><7) institution	having seve (Hb treated at in	t women re anaemia ><7) astitution to aving hb	New cases institut hypertensi	detected at cion for on to Total cistrations	- 100	of Home veries	deliveries a SBA t	of home attended by rained urse/ANM)	deliveries a	of home attended by A trained TB/Dai)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	49		4.4		3.8	0.0	1,055	1,463	396	777	659	686
1	East	22		3.8		1.3	0.0	333	778	149	354	184	424
2	North	2		2.2		35.8	0.0	97	106	32	48	65	58
3	South	10		7.4		0.1	0.0	292	188	126	103	166	85
4	West	15		4.8		1.2	0.0	333	391	89	272	244	119

In	dicator	9 SBA atten deliveries Reporte Deliv	ded home to Total d Home	Mothers incentive deliv	paid JSY for home	incentive deliveries	% paid JSY for home s to Total ed Home	Deliveries	Conducted	- 100000000	of Women d under 48 lelivery in	Women dis less than 4 delivery Reported D public in:	% scharged in 8 hours of to Total beliveries at
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09

	_Sikkim	37.5	53.1	231	53	21.9	3.6	1,146	1,351	884	464	77.1	34.3
1	East	44.7	45.5	73	35	21.9	4.5	213	528			0.0	0.0
2	North	33.0	45.3	32	18	33.0	17.0	63	96	61		96.8	0.0
3	South	43.2	54.8	66	·	22.6	0.0	335	263	309		92.2	0.0
4	West	26.7	69.6	60		18.0	0.0	535	464	514	464	96.1	100.0

		2	5	2	6	2	7	2	8	2	9	3	0
In	dicator	Institutiona (Public II Ins	nsts.+Pvt.	9/ Institutiona to tota regista	l Deliveries l ANC	Total r deliv	eported eries	Institutiona to Total Deliv	l deliveries Reported	9/ Safe deliver Reported	ries to Total	9 Home del Total R Deliv	liveries to eported
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	1,146	1,351	26.3	17.4	2,201	2,814	52.1	48.0	70.1	75.6	47.9	52.0
1	East	213	528	13.4	11.6	546	1,306	39.0	40.4	66.3	67.5	61.0	59.6
2	North	63	96	17.4	25.8	160	202	39.4	47.5	59.4	71.3	60.6	52.5
3	South	335	263	28.1	16.8	627	451	53.4	58.3	73.5	81.2	46.6	41.7
4	West	535	464	44.2	35.8	868	855	61.6	54.3	71.9	86.1	38.4	45.7

		3	1	3	2	3	3	3	4	3	5	3	6
In	dicator	Number of deliveries co public f		deliveries c	f C-section onducted at facilities	% C-section (Public to rep institu (Public deliv	+ Pvt.) orted tional + Pvt.)	public fa	conducted at cilities to onducted at	Private fa Deliveries c	onducted at	Deliveries of Public Inst Total Inst Deliv	onducted at titutions to titutional
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	61	1			5.3	0.1	5.3	0.1			100.0	100.0
1	East					0.0	0.0	0.0	0.0			100.0	100.0
2	North					0.0	0.0	0.0	0.0			100.0	100.0
3	South	47				14.0	0.0	14.0	0.0			100.0	100.0
4	West	14	1		-	2.6	0.2	2.6	0.2			100.0	100.0

Ind	dicator	Incentive fo at Public in	6 paid JSY or Delivery	for Deliver institution	6 here JSY hid to ASHA y at Public	99 Deliveries co Private Inst Total Inst Deliv	onducted at titutions to titutional	partum (ceived post check-up s hours of	Care / Wo post partur between 48	Natal	partum o within 48	ceiving post check-up hours of to Total
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	48.4	0.0	30.4	23.5	0.0	0.0	2,394	2,572	2,504	2,729	108.8	91.4
1	East	56.8	0.0	23.5	22.0	0.0	0.0	664	1,366	610	1,459	121.6	104.6
2	North	198.4	0.0	138.1	14.6	0.0	0.0	244	125	232	126	152.5	61.9
3	South	39.7	0.0	18.8	71.1	0.0	0.0	723	390	769	463	115.3	86.5
4	West	32.9	0.0	27.7	0.0	0.0	0.0	763	691	893	681	87.9	80.8

		4	3	4	4	4	5	4	6	4	7	4	8
In	dicator	Partum between 48	etting Post Checkup B hours and to Total	Total Nu reported l		Total Rep	% orted Live to Total eries	Total No reported S	ımber of İtill Births	% live birth to Bir	Reported		f Newborns l at birth
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	113.8	97.0	2,613	3,672	118.7	130.5	120	57	95.6	98.5	2,367	2,724
1	East	111.7	111.7	777	2,035	142.3	155.8	11	11	98.6	99.5	617	1,155
2	North	145.0	62.4	280	288	175.0	142.6	71	9	79.8	97.0	270	273
3	South	122.6	102.7	707	516	112.8	114.4	16	14	97.8	97.4	715	506
4	West	102.9	79.6	849	833	97.8	97.4	22	23	97.5	97.3	765	790

		4	9	5	0	5	1	5	2	5	3	5	4
In	dicator	% Newborns birth to l	weighed at	Number of having weig 2.5		weight less to Newborn	ns having	Number of Breast Fed		within 1 ho	breast fed	Number of visited with Home D	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	90.6	74.2	70	75	3.0	2.8	2,602		99.6	0.0	882	403
1	East	79.4	56.8	32	34	5.2	2.9	751		96.7	0.0	215	
2	North	96.4	94.8	12	15	4.4	5.5	284		101.4	0.0	80	12
3	South	101.1	98.1	7	14	1.0	2.8	743		105.1	0.0	270	
4	West	90.1	94.8	19	12	2.5	1.5	824		97.1	0.0	317	391

		5	5	5	6	5	7	5	8	5	9	6	0
In	dicator	newborns vi 24hrs of hor to total repo deliv	isited within me delivery orted home	Sex R: birth (Fe Bitr Male Birt	male Live ths/	Complica attended t	· ·	Pregnanci with antihype Magsulph Total Wo Obst	licated les treated n IV	Pregnanci with antihype Magsulph Total N	es treated IV rtensive/ injection to ew cases ed with	Pregnanci with Blood to Total W Obst	licated
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	83.6	27.5	900	999	11.6	21.6	9.8	0.0	7.8		0.0	0.0
1	East	64.6	0.0	854	1,066	51.2	52.8	0.9	0.0	4.8		0.0	0.0
2	North	82.5	11.3	783	907	3.2	0.0	600.0		9.2		0.0	
3	South	92.5	0.0	986	1,008	0.0	4.9		0.0	0.0			0.0
4	West	95.2	100.0	916	876	4.1	0.0	0.0		0.0		0.0	

Ind	dicator	6 Post - Natal maternal co attended Deliv	Care / PNC mplications to Total	Total Nu Abor (Spont: Induced)	umber of tions aneous/	Total Nu MTPs (Pub			4 ATPs Abortions	Pregnancy	6 12 weeks of 7 to Total at Public	weeks of Pr	6 re than 12 egnancy to Ps at Public
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.8	0.0	41	64	10	17	24.4	26.6	80.0	100.0	20.0	0.0
1	East	0.0	0.0	14	39			0.0	0.0				
2	North	1.9	0.0	12	1	7		58.3	0.0	71.4		28.6	
3	South	0.0	0.0	4	5		17	0.0	340.0		100.0		0.0
4	West	1.7	0.0	11	19	3		27.3	0.0	100.0		0.0	

		6	7	6	8	6	9	7	0	7	1	7	2
In	dicator	Public Insti	nducted at	Private Inst	nducted at	(Pui Conducted	al MTPs blic) d to Total gistration	Tests con	Wet Mount ducted to f new RTI/ e cases for reatment	Vasect Cond	ber of tomies lucted : + Pvt.)	Tubec Cond	ber of tomies ucted + Pvt.)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	71.4	100.0	28.6	0.0	0.2	0.2	0.0	0.0		68		46
1	East					0.0	0.0	0.0	0.0				
2	North	63.6		36.4		1.9	0.0	0.0	0.0		7		
3	South		100.0		0.0	0.0	1.1	0.0	0.0		40		46
4	West	100.0		0.0		0.2	0.0	0.0	0.0		21		

		7	3	7	4	7	5	7	6	7	7	7	8
In	dicator		rilisation lucted	% Male S (Vasect to Total st	omies)		√₀ es to Total sation	(Tubecto Vasect	erlisation omies and omies) ed at PHC	(Tubecto Vasect	erlisation omies and omies) d at CHC	(Tubecto Vasect	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim		114		59.6		40.4		109		1		
1	East												
2	North		7		100.0		0.0		6		1		
3	South		86		46.5		53.5		82		·		
4	West		21		100.0		0.0		21				

		7	9	8	0	8	31	8	2	8	3	8	4
In	dicator	(Tubecto Vasect	erlisation omies and omies) 1 at Other stitutions	` Vasect	mies and omies) at Private	(Tubecto Vasect conducted	terilisation omies and comies) at PHC to erlisation	Vasect conducted	mies and omies)	% Total Standard (Tubecton Vasect conducted to Total S	mies and omies) at SDH/DH	, , , , , , , , , , , , , , , , , , , ,	l at Other tutions to
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	2009-10 2008-09		4				95.6		0.9		0.0		3.5
1	East												
2	North						85.7		14.3		0.0		0.0
3	South		4				95.3		0.0		0.0		4.7
4	West	-		_	-		100.0		0.0		0.0		0.0

		8	5	8	6	8	7	8	8	8	9	9	0
In	dicator	Vasect	mies and omies) at Private s to Total	sterlisation	% oscopic as to Total erilisations	Mini Lap S to Total	6 terlisations I Female sations	Post P Sterlisation Female Ste	artum is to Total	sterlisation Institution	oscopic s at Public s to Total oscopic	at Public I	terlisations nstitutions Mini Lap
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim		0.0		78.3		21.7		0.0		100.0		100.0
1	East												
2	North		0.0										
3	South		0.0		78.3		21.7		0.0		100.0		100.0
4	West		0.0										

		9	1	9	2	9	3	9	4	9	5	9	6
In	dicator	Post P sterlisation Institution Post P Sterili	artum s at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n (Male +		rtions done facilities)		rtions done cilities)		O Insertions ic+private)	PP IUCD done (publ	Insertions ic facilities)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim					666	534			666	534		
1	East												
2	North					27	41			27	41		
3	South					329	157			329	157		
4	West					310	336			310	336		

		9	7	9	8	9	9	10	00	10	01	10)2
In	dicator	% PP IUCI (pul to Tota Insertion	blic) 1 IUCD	, , , , , , , , , , , , , , , , , , , ,		institutio family p	ertions in us private ons to all olanning IUCD plus	Oral Pills	distributed	Condor distri	n pieces buted		man Pills buted
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	0.0	0.0	100.0	82.4	29,025	33,363	133,598	93,499		265
1	East			0.0	0.0			5,943	14,710	21,904	49,887		
2	North	0.0	0.0	0.0	0.0	100.0	85.4	1,708	782	3,622	2,582		265
3	South	0.0	0.0	0.0	0.0	100.0	64.6	12,451	9,167	33,104	16,397		
4	West	0.0	0.0	0.0	0.0	100.0	94.1	8,923	8,704	74,968	24,633		

		10)3	10)4	10)5	10)6	10)7	10	08
In	dicator	Number o given (Birth	OPV 0	Number o		Newborns at birth to	6 given OPV0 Reported birth	% Newborns to Reporte	given BCG	Number o		Number o	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	1,796	3,022	3,243	4,667	68.7	82.3	124.1	127.1	3,741	5,622	3,786	6,307
1	East	911	1,940	1,009	2,596	117.2	95.3	129.9	127.6	1,350	3,490	1,383	4,094
2	North	232	583	306	278	82.9	202.4	109.3	96.5	342	304	372	341
3	South	192	135	996	793	27.2	26.2	140.9	153.7	1,080	790	1,001	762
4	West	461	364	932	1,000	54.3	43.7	109.8	120.0	969	1,038	1,030	1,110

		10	09	11	10	1	11	1:	12	11	13	11	14
In	dicator	Number o		Number o		Number e	of Infants tavalent 2	Number o	of Infants tavalent 3	Number (given M		Infants 0 to old who Measles v reported l	11 months received vaccine to
	2009-10 2008-09 2009-10		2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09		
	_Sikkim	4,008	6,388							4,042	6,030	154.7	164.2
1	East	1,454	4,126							1,429	3,599	183.9	176.9
2	North	370	356							311	324	111.1	112.5
3	South	1,103	728							1,173	895	165.9	173.4
4	West	1,081	1,178							1,129	1,212	133.0	145.5

		11	15	11	16	1	17	11	18	11	19	12	20
In	dicator	Number immunize (9-11 m	d children	9/ Drop Out BCG &	between	Vitamin -	· A dose 1	Children g dose1 to Ro bir	given Vit A	Children giv A Dose 9 to given Vit	ven Vitamin o Children		Events munisation ters)
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	3,872	3,844	-24.6	-29.2	4,020	5,913	153.8	161.0	142.2	0.9		
1	East	1,429	1,415	-41.6	-38.6	1,456	3,643	187.4	179.0	110.2	0.0		
2	North	102	324	-1.6	-16.5	294	269	105.0	93.4	68.4	19.0		
3	South	1,212	893	-17.8	-12.9	1,146	804	162.1	155.8	123.0	0.0		
4	West	1,129	1,212	-21.1	-21.2	1,124	1,197	132.4	143.7	222.4	0.0		

		12	21	12		12	23	12	24	12		12	
In	dicator	9/ immunisatio Held to Ima Sessions	on Sessions munisation	Immunisati where AS presei Immunisati	on Sessions HAs were nt to	Diptheria i 0-5 Years Total R Childhood I	n Children of Age to eported	Pertusis in 0-5 Years Total R Childhood	Children of Age to eported	Tetanus Neo Children 0 Age to Tota	onatorum in -5 Years of al Reported Diseases 0-5	Tetanus (Children 0	Others in -5 Years of al Reported Diseases 0-5
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	92.9	121.9	89.9	72.9	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
1	East	90.4		84.2		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	89.0		78.5		0.0	6.6	0.0	0.0	0.0	0.0	0.0	0.0
3	South	86.3		91.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	99.4	94.5	99.4	72.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
In	dicator	Years of A	hildren 0-5 ge to Total Childhood	Measles in 0-5 Years Total R Childhood I Yes	of Age to eported Diseases 0-5	dehydr Children 0 Age to Tota Childhood	oea and ation in -5 Years of al Reported Diseases 0-5 ars	Years of A	Children 0-5 ge to Total Childhood	Adult I	% Female s to Total npatient	% Children In Total In	patient to
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	2.5	0.5	96.2	99.0	1.3	0.0	58.6		27.6	
1	East	0.0	0.0	4.0	0.2	93.4	99.8	2.6	0.0				
2	North	0.0	0.0	0.7	0.4	99.3	93.0	0.0	0.0	60.3		26.6	
3	South	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	57.1		20.6	
4	West	0.0	0.0	1.4	2.1	98.6	97.9	0.0	0.0	58.7		31.4	

		13	33	13	34	13	35	13	36	13	37	13	38
Inc	dicator	Female I Deaths t Inpatien	npatient to Total	9/ Inpatient I Total		IPD (N	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	of Major ations
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	60.0		0.7		4,956		115,208	37,206	4.3	0.0	49	
1	East												
2	North	33.3		0.5		1,105		17,772		6.2			
3	South	50.0		0.3		1,266		34,732	·	3.6		49	
4	West	68.0		1.0		2,585		62,704	37,206	4.1	0.0		

		13	39	14	10	1	41	14	12	14	13	14	14
In	dicator	Number Opera	of Minor ations		% erations to peration	Hyster	ber of ectomy eries	Hyster Surgeries Major O	ectomy	Ayush OPI) (Number)	99 AYUSH O	PD to Total
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	877		5.3				0.0		52		0.0	0.0
1	East												
2	North											0.0	
3	South	877		5.3				0.0		52		0.1	
4	West											0.0	0.0

		145		146		147		148		149		150	
In	dicator	Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	4,290		3.7	0.0	760		3.6		0.2		0.0	
1	East	323						3.9				0.0	
2	North	1,171		6.6		441		0.0				0.0	
3	South	649		1.9		319		3.3		0.0		0.0	
4	West	2,147		3.4	0.0			4.7		0.0		0.0	

		151		152		153		154		155		156	
Indicator		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0		45.3		0.0		1	6	0.0	0.0	100.0	0.0
1	East	0.0		0.0		0.0							
2	North	20.0		21.9		0.0			4				
3	South	0.0		101.7		0.0		1	2	0.0	0.0	100.0	0.0
4	West	0.0		0.0		0.0							

Indicator		9% Deaths due to LBW to Total Reported Infant Deaths		158 % Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
1	East												
2	North												
3	South	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
4	West												