		1		2	2	67	3	4	4	i.	5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	6,821	7,236	117.9	144.2	279	110	96.1	98.5	5,486	4,956	5,049	4,778
1	East	3,075	3,782	137.5	174.9	77	34	97.6	99.1	1,918	1,901	3,303	2,900
2	North	479	534	146.5	131.2	140	17	77.4	96.9	457	459	429	841
3	South	1,606	1,175	104.6	167.1	26	22	98.4	98.2	1,611	917	414	311
4	West	1,661	1,745	98.6	99.9	36	37	97.9	97.9	1,500	1,679	903	726

		7	1	8	3	ģ)	1	0	1	1	1:	2
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	8,045	8,246	74.0	66.0	117.9	114.0	8,708	9,404	8,655	10,182	8,811	10,106
1	East	3,543	3,609	107.4	76.7	115.2	95.4	3,614	4,833	3,585	5,483	3,619	5,441
2	North	559	559	89.6	157.5	116.7	104.7	703	637	739	641	734	660
3	South	2,017	2,033	25.8	26.5	125.6	173.0	2,243	1,729	2,172	1,762	2,284	1,695
4	West	1,926	2,045	54.4	41.6	116.0	117.2	2,148	2,205	2,159	2,296	2,174	2,310

		13		1	14		5	1	6	1	7	18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim							8,590	9,799	125.9	135.4	8,078	6,717
1	East							3,535	4,872	115.0	128.8	3,267	2,440
2	North							623	660	130.1	123.6	292	660
3	South							2,248	1,948	140.0	165.8	2,335	1,298
4	West							2,184	2,319	131.5	132.9	2,184	2,319

		19		2	0	2	1	2	22		3	24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	-6.8	-18.8	8,478	9,429	124.3	130.3	89.8	0.6			94.2	70.6
1	East	0.2	-35.0	3,559	4,879	115.7	129.0	62.3	0.0			91.3	
2	North	-11.4	-18.1	604	581	126.1	108.8	40.4	9.8			91.2	
3	South	-11.5	4.2	2,157	1,663	134.3	141.5	96.4	0.0			92.1	
4	West	-13.4	-13.4	2,158	2,306	129.9	132.1	142.2	0.0			99.7	55.8

Indicator		25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		29 "% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	89.5	41.9	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	80.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	85.9		0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	90.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	100.2	41.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		35 % Deaths due to Sepsis to Total Reported Infant Deaths		36 % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	2.1	0.6	97.2	96.3	0.7	2.9	37	10	20.7	16.7	3.4	0.0
1	East	4.2	0.3	94.3	99.7	1.5	0.0	15		20.0		0.0	
2	North	0.7	0.8	99.3	94.2	0.0	1.2	2	4	0.0		0.0	
3	South	0.0	0.0	100.0	84.4	0.0	15.6	3	2	0.0	0.0	33.3	0.0
4	West	0.8	1.6	99.2	98.4	0.0	0.0	17	4	26.7	25.0	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Sikkim	13.8	50.0	6.9	0.0	0.0	0.0	3.4	0.0	0.0	0.0	51.7	33.3
1	East	0.0		0.0		0.0		0.0		0.0		80.0	
2	North	100.0		0.0		0.0		0.0		0.0		0.0	
3	South	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.3	100.0
4	West	13.3	75.0	13.3	0.0	0.0	0.0	6.7	0.0	0.0	0.0	40.0	0.0