		1	1	2	,	3	3	4				(i
	Indicator	Total Nu	ımber of	9/	% orted Live to Total	Total N	ımber of	% live birth to Reported Birth		Number of	f Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	185,779		97.6	0.0	1,770		99.1		149,845		34,172	
1	Amritsar	18,973		99.0		191		99.0		18,973		9,096	
2	Barnala	4,864		99.5		22		99.5		4,360		922	
3	Bathinda	9,501		98.6		127		98.7		7,590			
4	Faridkot	4,585		99.3		68		98.5		4,153		771	
5	Fatehgarh Sahib	3,211		99.4		21		99.4		3,112		1,593	
6	Fazilka												
7	Firozpur	10,201		100.0		4		100.0		5,859		2,007	
8	Gurdaspur	17,193		104.0				100.0		16,496		704	
9	Hoshiarpur	10,454		97.1		312		97.1		8,177		3,225	
10	Jalandhar	15,737		99.1		137		99.1		14,923		20	
11	Kapurthala	5,694		99.0		55		99.0		5,794			
12	Ludhiana	18,928		98.9		169		99.1		6,471		275	
13	Mansa	5,912		99.4		34		99.4		4,219		537	
14	Moga	9,225		99.2		77		99.2		8,457			
15	Mohali SAS Nagar	5,279		99.6	0.0	18		99.7		4,915		612	
16	Muktsar	7,496		99.5		36		99.5		6,046			
17	Nawanshahr	3,616		95.0		76		97.9		3,586		506	
18	Pathankot												
19	Patiala	9,902		82.8		27		99.7		8,499		7,153	
20	Rupnagar	5,256		98.3		91		98.3		5,256		2,455	
21	Sangrur	10,585		88.4		52		99.5		6,205		1,881	
22	Tarn Taran	9,167		97.7		253		97.3		6,754		2,415	

		7	7		2)	1	0	1	1	1:	2
	Indicator	Number o	of Infants	9/	% given OPV0 Reported	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number o	of Infants	Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	200,933	243,334	18.4		108.2		183,457		172,908	300,063	173,745	243,119
1	Amritsar	18,464		47.9		97.3		14,137		13,891		14,720	
2	Barnala	4,249		19.0		87.4		4,556		4,405		4,558	
3	Bathinda	7,969		0.0		83.9		8,885		8,123		8,108	
4	Faridkot	5,588		16.8		121.9		5,317		4,975		5,038	
5	Fatehgarh Sahib	3,656		49.6		113.9		3,889		3,422		3,486	
6	Fazilka												
7	Firozpur	13,747		19.7		134.8		13,907		12,584		12,213	
8	Gurdaspur	15,342		4.1		89.2		15,517		14,703		14,580	
9	Hoshiarpur	10,584		30.8		101.2		7,843		6,797		7,006	
10	Jalandhar	16,641		0.1		105.7		14,787		13,627		13,993	
11	Kapurthala	6,288		0.0		110.4		6,549		6,654		6,567	
12	Ludhiana	26,994		1.5		142.6		22,968		21,897		22,390	
13	Mansa	5,392		9.1		91.2		5,584		5,133		4,907	
14	Moga	6,370		0.0		69.1		6,189		5,114		4,581	
15	Mohali SAS Nagar	5,709	243,334	11.6		108.1		5,918		5,705	300,063	5,834	243,119
16	Muktsar	6,699		0.0		89.4		6,570		6,086		5,920	
17	Nawanshahr	5,441		14.0		150.5		4,545		4,247		4,318	
18	Pathankot												
19	Patiala	17,441		72.2		176.1		15,686		15,010		14,806	
20	Rupnagar	5,179		46.7		98.5		5,207		5,259		5,527	
21	Sangrur	11,231		17.8		106.1		9,904		9,487		9,487	
22	Tarn Taran	7,949		26.3		86.7		5,499		5,789		5,706	

			•										2
		1	3	1	4	1	5	1	6	1		18	8
	Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		of fully d children onths)
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab							215,152	232,285	115.8		215,018	
1	Amritsar							16,193		85.3		16,193	
2	Barnala							4,938		101.5		4,938	
3	Bathinda							9,243		97.3		9,243	
4	Faridkot							4,917		107.2		4,917	
5	Fatehgarh Sahib							4,625		144.0		4,607	
6	Fazilka												
7	Firozpur							13,406		131.4		13,406	
8	Gurdaspur							17,541		102.0		17,525	
9	Hoshiarpur							12,699		121.5		12,699	
10	Jalandhar							18,579		118.1		18,579	
11	Kapurthala							6,526		114.6		6,526	
12	Ludhiana							30,705		162.2		30,705	
13	Mansa							5,641		95.4		5,641	
14	Moga							6,061		65.7		6,061	
15	Mohali SAS Nagar							5,996	232,285	113.6		5,896	
16	Muktsar							7,303		97.4		7,303	
17	Nawanshahr							5,441		150.5		5,441	
18	Pathankot												
19	Patiala							17,892		180.7		17,892	
20	Rupnagar							5,981		113.8		5,981	
21	Sangrur							12,302		116.2		12,302	
22	Tarn Taran							9,163		100.0		9,163	

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicator		√₀ t between	Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	-7.1	4.5	97,621	3,919	52.5		2.5	0.0	455		95.1	
1	Amritsar	12.3		10,419		54.9		1.0				91.6	
2	Barnala	-16.2		2,624		53.9		0.0					
3	Bathinda	-16.0		5,706		60.1		0.0					
4	Faridkot	12.0		1,775		38.7		0.0					
5	Fatehgarh Sahib	-26.5		1,865		58.1		0.0					
6	Fazilka												
7	Firozpur	2.5		4,811		47.2		48.9				91.5	
8	Gurdaspur	-14.3		10,503		61.1		0.0					
9	Hoshiarpur	-20.0		4,864		46.5		0.0					
10	Jalandhar	-11.6		4,549		28.9		0.0					
11	Kapurthala	-3.8				0.0							
12	Ludhiana	-13.7		7,319		38.7		0.0		455			
13	Mansa	-4.6		2,218		37.5		0.0				95.6	
14	Moga	4.9		3,157		34.2		0.0					
15	Mohali SAS Nagar	-5.0	4.5	4,243	3,919	80.4		0.0	0.0				
16	Muktsar	-9.0		4,607		61.5		0.0					
17	Nawanshahr	0.0		3,294		91.1		0.0					
18	Pathankot												
19	Patiala	-2.6		14,967		151.2		0.0					
20	Rupnagar	-15.5		3,515		66.9		0.0				97.7	
21	Sangrur	-9.5		5,578		52.7		0.0					
22	Tarn Taran	-15.3		1,607		17.5		0.0				99.2	

Indicator			_			2	-	2	0	2	•	3	•
		25 // Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	31.3		0.0		0.0		0.0		0.0		0.0	
1	Amritsar	0.0		0.0		0.0		0.0		0.0		0.0	
2	Barnala			0.0		0.0		0.0		0.0		0.0	
3	Bathinda												
4	Faridkot			0.0		0.9		0.5		0.5		0.0	
5	Fatehgarh Sahib			0.0		0.0		0.0		0.0		0.0	
6	Fazilka												
7	Firozpur	88.0											
8	Gurdaspur												
9	Hoshiarpur			0.0		0.0		0.0		0.0		0.0	
10	Jalandhar			0.0		0.0		0.0		0.0		0.0	
11	Kapurthala												
12	Ludhiana			0.0		0.0		0.0		0.0		0.0	
13	Mansa	0.0											
14	Moga			0.0		0.0		0.0		0.0		0.0	
15	Mohali SAS Nagar			0.0		0.0		0.0		0.0		0.0	
16	Muktsar			0.0		0.0		0.0		0.0		0.0	
17	Nawanshahr			0.0		0.0		0.0		0.0		0.0	
18	Pathankot												
19	Patiala			0.0		0.0		0.0		0.0		0.0	
20	Rupnagar	0.0		0.0		0.0		0.0		0.0		0.0	
21	Sangrur			0.0		0.0		0.0		0.0		0.0	
22	Tarn Taran	0.0		0.0		0.0		0.0		0.0		0.0	

		3	1	3	2	3	3	3	4	3	5	36	
	Indicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Years of A	Children 0-5 ge to Total Childhood	Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	0.1		98.2		1.7		580		0.7		0.0	
1	Amritsar	0.0		100.0		0.0		129		0.0		0.0	
2	Barnala	0.0		100.0		0.0		4		0.0		0.0	
3	Bathinda							3		0.0		0.0	
4	Faridkot	3.7		92.7		1.8		26		0.0		0.0	
5	Fatehgarh Sahib	0.0		100.0		0.0		8		0.0		0.0	
6	Fazilka												
7	Firozpur												
8	Gurdaspur												
9	Hoshiarpur	0.0		100.0		0.0		126		0.0		0.0	
10	Jalandhar	0.0		98.5		1.5		55		0.0		0.0	
11	Kapurthala							14		28.6		0.0	
12	Ludhiana	0.0		100.0		0.0		8		0.0		0.0	
13	Mansa							3		0.0		0.0	
14	Moga	0.0		100.0		0.0		11		0.0		0.0	
15	Mohali SAS Nagar	0.0		100.0		0.0		9		0.0		0.0	
16	Muktsar	0.0		89.5		10.5		36		0.0		0.0	
17	Nawanshahr	0.0		100.0		0.0		48		0.0		0.0	
18	Pathankot												
19	Patiala	0.0		98.7		1.3							
20	Rupnagar	0.0		100.0		0.0		11		0.0		0.0	
21	Sangrur	2.1		97.9		0.0		2		0.0		0.0	
22	Tarn Taran	0.0		100.0		0.0		87		0.0		0.0	

		3	7	3	8	3	9	4	n	4	1	4	2
	Indicator	% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	0.2		0.0		0.0		0.0		0.0		99.1	
1	Amritsar	0.0		0.0		0.0		0.0		0.0		100.0	
2	Barnala	0.0		0.0		0.0		0.0		0.0		100.0	
3	Bathinda	0.0		0.0		0.0		0.0		0.0		100.0	
4	Faridkot	0.0		0.0		0.0		0.0		0.0		100.0	
5	Fatehgarh Sahib	0.0		0.0		0.0		0.0		0.0		100.0	
6	Fazilka												
7	Firozpur												
8	Gurdaspur												
9	Hoshiarpur	0.0		0.0		0.0		0.0		0.0		100.0	
10	Jalandhar	0.0		0.0		0.0		0.0		0.0		100.0	
11	Kapurthala	7.1		0.0		0.0		0.0		0.0		64.3	
12	Ludhiana	0.0		0.0		0.0		0.0		0.0		100.0	
13	Mansa	0.0		0.0		0.0		0.0		0.0		100.0	
14	Moga	0.0		0.0		0.0		0.0		0.0		100.0	
15	Mohali SAS Nagar	0.0		0.0		0.0		0.0		0.0		100.0	
16	Muktsar	0.0		0.0		0.0		0.0		0.0		100.0	
17	Nawanshahr	0.0		0.0		0.0		0.0		0.0		100.0	
18	Pathankot												
19	Patiala												
20	Rupnagar	0.0		0.0		0.0		0.0		0.0		100.0	
21	Sangrur	0.0		0.0		0.0		0.0		0.0		100.0	
22	Tarn Taran	0.0		0.0		0.0		0.0		0.0		100.0	