| | | 1 | 1 | 2 | 2 | 3 | 3 | 4 | ı | | 5 | (| |
|----|------------|-----------------------------------|---------|-------------------------------------|---------|----------|---------|-----------------------------------|-----------------------|------------------------|---------|----------------------------------|------------|
| I | ndicator | Total nu pregnan Registered | | Number o women r within first | | Number o | | 1st Tri registratio ANC Reg | mester on to Total | JSY regis Total ANC | | Number of women rece check | ived 3 ANC |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 553,578 | 429,341 | 122,530 | 85,634 | 27,559 | 7,681 | 22.1 | 19.9 | 5.0 | 1.8 | 232,241 | 184,614 |
| 1 | Central | 72,614 | 429,341 | 4,891 | 85,634 | 3,027 | 7,681 | 6.7 | 19.9 | 4.2 | 1.8 | 4,565 | 184,614 |
| 2 | East | 50,337 | | 13,700 | | 1,326 | | 27.2 | | 2.6 | | 27,528 | |
| 3 | New Delhi | 17,990 | | 1,371 | | 1,504 | | 7.6 | | 8.4 | | 3,777 | |
| 4 | North | 34,967 | | 9,315 | | 1,991 | | 26.6 | | 5.7 | | 19,252 | |
| 5 | North East | 66,862 | | 10,119 | | 1,126 | | 15.1 | | 1.7 | | 12,427 | |
| 6 | North West | 79,767 | | 22,128 | | 3,903 | | 27.7 | | 4.9 | | 34,706 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 61,393 | | 17,766 | | 3,593 | | 28.9 | | 5.9 | | 37,185 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 79,951 | | 23,680 | | 3,148 | | 29.6 | | 3.9 | | 49,904 | |
| 11 | West | 89,697 | | 19,560 | | 7,941 | | 21.8 | | 8.9 | | 42,897 | |

| | | 7 | 7 | 8 | 3 | ģ |) | 1 | 0 | 1 | 1 | 1: | 2 |
|----|------------|-------------------------------|---------|---------|----------------------------------|---------|----------------------------------|------------------------------|------------|------------------------------------|-------------------------|--------------------------|---------|
| I | ndicator | TT2 or Boo Pregnan (num | t women | | t Woman ANC check otal ANC | | t women 1 TT2 or Total ANC | Number o women giv tab | en 100 IFA | Pregnant w 100 IFA to Regist | omen given Total ANC | Number l level<11 (te | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 148,868 | 156,455 | 42.0 | 43.0 | 26.9 | 36.4 | 266,526 | 309,664 | 48.1 | 72.1 | 151,929 | 18,442 |
| 1 | Central | 9,729 | 156,455 | 6.3 | 43.0 | 13.4 | 36.4 | 13,975 | 309,664 | 19.2 | 72.1 | 6,173 | 18,442 |
| 2 | East | 13,763 | | 54.7 | | 27.3 | | 23,207 | | 46.1 | | 10,543 | |
| 3 | New Delhi | 4,348 | | 21.0 | | 24.2 | | 677 | | 3.8 | | 2,224 | |
| 4 | North | 9,201 | | 55.1 | | 26.3 | | 14,103 | | 40.3 | | 17,543 | |
| 5 | North East | 15,224 | | 18.6 | | 22.8 | | 25,845 | | 38.7 | | 2,857 | |
| 6 | North West | 32,612 | | 43.5 | | 40.9 | | 44,508 | | 55.8 | | 23,727 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 20,559 | | 60.6 | | 33.5 | | 28,381 | | 46.2 | | 25,715 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 22,428 | | 62.4 | | 28.1 | | 53,129 | | 66.5 | | 27,698 | |
| 11 | West | 21,004 | | 47.8 | | 23.4 | | 62,701 | | 69.9 | | 35,449 | |

| _ | | | | | | | | | | | | | |
|----|------------|--|--------------|---------------|--|--|------------------------|-----------------|------------------|-----------------------|---------|---|-------------------------|
| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
| I | ndicator | Number ha anae (Hb treated at | emia o<7) | treated at in | t women re anaemia ><7) stitution to laving hb | New cases institut hypertensi ANC Reg | detected at ion for | Number deliv | of Home eries | deliveries a SBA t | | Number deliveries a Non SB <i>A</i> (trained | ttended by A trained |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 12,555 | 1,984 | 8.3 | 10.8 | 2.3 | 0.4 | 8,291 | 12,317 | 2,276 | 4,450 | 6,015 | 7,867 |
| 1 | Central | 164 | 1,984 | 2.7 | 10.8 | 0.4 | 0.4 | | 12,317 | | 4,450 | | 7,867 |
| 2 | East | 563 | | 5.3 | | 2.5 | | 72 | | 37 | | 35 | |
| 3 | New Delhi | 84 | | 3.8 | | 0.0 | | | | | | | |
| 4 | North | 510 | | 2.9 | | 5.6 | | 429 | | 33 | | 396 | |
| 5 | North East | 1,645 | | 57.6 | | 1.1 | | 317 | | 222 | | 95 | |
| 6 | North West | 832 | | 3.5 | | 2.6 | | 2,477 | | 593 | | 1,884 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 849 | | 3.3 | | 5.1 | | 947 | | 232 | | 715 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 3,273 | _ | 11.8 | | 2.5 | | 1,340 | | 820 | | 520 | |
| 11 | West | 4,635 | | 13.1 | | 1.3 | | 2,709 | _ | 339 | _ | 2,370 | _ |

| | | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
|----|------------|---|--------------------------------|-------------------------------|----------|-------------------------|---|---------------------------|---------|---|--------------------------|---|--|
| I | ndicator | SBA atten deliveries Reporte Deliv | ded home to Total d Home | Mothers incentive deliv | for home | incentive deliveries | paid JSY for home s to Total ed Home | Deliveries at Public I | | Number of d Discharged hours of d public f | 1 under 48 elivery in | Women dis less than 4 delivery Reported D public in | scharged in 8 hours of to Total deliveries at |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 27.5 | 36.1 | 7 | | 0.1 | 0.0 | 96,477 | 80,312 | 56,855 | 5,657 | 58.9 | 7.0 |
| 1 | Central | | 36.1 | | | | 0.0 | 17,266 | 80,312 | 13,208 | 5,657 | 76.5 | 7.0 |
| 2 | East | 51.4 | | | | 0.0 | | 6,569 | | 5,438 | | 82.8 | |
| 3 | New Delhi | | | | | | | 11,532 | | 9,361 | | 81.2 | |
| 4 | North | 7.7 | | | | 0.0 | | 5,079 | | 3,363 | | 66.2 | |
| 5 | North East | 70.0 | | | | 0.0 | | 9,276 | | 7,222 | | 77.9 | |
| 6 | North West | 23.9 | | 3 | | 0.1 | | 8,204 | | 6,648 | | 81.0 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 24.5 | | | | 0.0 | | 3,478 | | 691 | | 19.9 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 61.2 | | 4 | | 0.3 | | 22,684 | | 2,497 | | 11.0 | |
| 11 | West | 12.5 | | | | 0.0 | | 12,389 | | 8,427 | | 68.0 | |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|----|------------|----------------------------|------------|-----------------------------------|-----------------------|---------|------------------|-----------------------------------|--------------------------|--------------------------|---------------|---------|----------|
| I | ndicator | Institutiona (Public In | nsts.+Pvt. | Institutiona to tota regist | l Deliveries l ANC | | eported eries | Institutiona to Total Deliv | l deliveries Reported | Safe deliver Reported | ries to Total | Home de | Reported |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 108,785 | 91,085 | 19.7 | 21.2 | 117,076 | 103,402 | 92.9 | 88.1 | 94.9 | 92.4 | 7.1 | 11.9 |
| 1 | Central | 17,266 | 91,085 | 23.8 | 21.2 | 17,266 | 103,402 | 100.0 | 88.1 | 100.0 | 92.4 | 0.0 | 11.9 |
| 2 | East | 7,983 | | 15.9 | | 8,055 | | 99.1 | | 99.6 | | 0.9 | |
| 3 | New Delhi | 11,532 | | 64.1 | | 11,532 | | 100.0 | | 100.0 | | 0.0 | |
| 4 | North | 8,715 | | 24.9 | | 9,144 | | 95.3 | | 95.7 | | 4.7 | |
| 5 | North East | 9,276 | | 13.9 | | 9,593 | | 96.7 | | 99.0 | | 3.3 | |
| 6 | North West | 8,567 | | 10.7 | | 11,044 | | 77.6 | | 82.9 | | 22.4 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 7,107 | | 11.6 | | 8,054 | | 88.2 | | 91.1 | | 11.8 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 22,684 | | 28.4 | | 24,024 | | 94.4 | | 97.8 | | 5.6 | |
| 11 | West | 15,655 | _ | 17.5 | | 18,364 | | 85.2 | | 87.1 | | 14.8 | |

| _ | | | | | | | | | | | | | |
|----|------------|--|-------------|---------------------------------------|-------------|-------------------|--------------------------------|-------------------------|---|--------------------------|---|---|---|
| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
| I | ndicator | Number of deliveries co public f | onducted at | Number of deliveries co private | onducted at | to rep institu | + Pvt.) corted utional + Pvt.) | C-sections of public fa | onducted at cilities to onducted at | C-sections of Private fa | onducted at cilities to onducted at | Deliveries c Public Inst Total Ins Deliv | onducted at titutions to titutional |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 18,147 | 10,061 | 8,835 | 4,349 | 24.8 | 15.8 | 18.8 | 12.5 | 71.8 | 40.4 | 88.7 | 88.2 |
| 1 | Central | 2,839 | 10,061 | 1,151 | 4,349 | 23.1 | 15.8 | 16.4 | 12.5 | | 40.4 | 100.0 | 88.2 |
| 2 | East | 1,897 | | 1,797 | | 46.3 | | 28.9 | | 127.1 | | 82.3 | |
| 3 | New Delhi | 2,169 | | | | 18.8 | | 18.8 | | | | 100.0 | |
| 4 | North | 769 | | 1,207 | | 22.7 | | 15.1 | | 33.2 | | 58.3 | |
| 5 | North East | 3,492 | | 351 | | 41.4 | | 37.6 | | | | 100.0 | |
| 6 | North West | 1,219 | | 338 | | 18.2 | | 14.9 | | 93.1 | | 95.8 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 511 | _ | 2,044 | | 36.0 | | 14.7 | | 56.3 | | 48.9 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 2,934 | | 350 | | 14.5 | | 12.9 | | | | 100.0 | |
| 11 | West | 2,317 | | 1,597 | | 25.0 | | 18.7 | | 48.9 | | 79.1 | |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|----|------------|------------------------------|-------------------------|---------|-------------------------|-------------|-------------------------------------|---|----------------------|------------|---------|--|--|
| I | ndicator | Incentive fo at Public in | paid JSY or Delivery | | here JSY aid to ASHA | Private Ins | onducted at titutions to titutional | Women red partum o within 48 deliv | check-up hours of | between 48 | | Women rec partum o within 48 delivery Reported | ceiving post check-up s hours of to Total |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 13.6 | 5.9 | 1.8 | 1.8 | 11.3 | 11.8 | 91,291 | 41,398 | 56,288 | 26,829 | 78.0 | 40.0 |
| 1 | Central | 14.8 | 5.9 | 0.3 | 1.8 | 0.0 | 11.8 | 9,051 | 41,398 | 2,267 | 26,829 | 52.4 | 40.0 |
| 2 | East | 19.7 | | 0.6 | | 17.7 | | 8,328 | | 3,663 | | 103.4 | |
| 3 | New Delhi | 10.3 | | 0.0 | | 0.0 | | 9,361 | | 2,169 | | 81.2 | |
| 4 | North | 32.4 | | 3.0 | | 41.7 | | 7,793 | | 3,729 | | 85.2 | |
| 5 | North East | 10.0 | | 0.5 | | 0.0 | | 10,536 | | 4,878 | | 109.8 | |
| 6 | North West | 22.0 | | 6.5 | | 4.2 | | 9,607 | | 7,945 | | 87.0 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 8.1 | | 0.0 | | 51.1 | | 7,427 | | 8,072 | | 92.2 | |
| 9 | South East | | | | | | | · | | | | | |
| 10 | South West | 4.0 | | 0.8 | | 0.0 | | 17,813 | | 11,450 | | 74.1 | |
| 11 | West | 20.6 | | 6.0 | | 20.9 | | 11,375 | · | 12,115 | | 61.9 | |

| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
|----|------------|----------|--|------------------------|---------|---------|-----------------------------|----------|----------|---------------------|-----------------|---------|----------|
| I | ndicator | Women ge | 6 etting Post Checkup 6 hours and to Total | Total Nu reported l | mber of | 9/ | % orted Live to Total | Total Ni | umber of | 9/ live birth to | 6 o Reported | | Newborns |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 48.1 | 25.9 | 126,336 | 111,708 | 107.9 | 108.0 | 2,457 | 1,944 | 98.1 | 98.3 | 108,013 | 66,866 |
| 1 | Central | 13.1 | 25.9 | 17,050 | 111,708 | 98.7 | 108.0 | 335 | 1,944 | 98.1 | 98.3 | 16,112 | 66,866 |
| 2 | East | 45.5 | | 11,803 | | 146.5 | | 152 | | 98.7 | | 11,305 | |
| 3 | New Delhi | 18.8 | | 11,441 | | 99.2 | | 277 | | 97.6 | | 11,406 | |
| 4 | North | 40.8 | | 9,076 | | 99.3 | | 158 | | 98.3 | | 8,677 | |
| 5 | North East | 50.8 | | 11,092 | | 115.6 | | 314 | | 97.2 | | 9,122 | |
| 6 | North West | 71.9 | | 16,150 | | 146.2 | | 319 | | 98.1 | | 10,240 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 100.2 | | 8,249 | | 102.4 | | 59 | | 99.3 | | 6,225 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 47.7 | | 23,488 | | 97.8 | | 546 | | 97.7 | | 19,080 | |
| 11 | West | 66.0 | | 17,987 | | 97.9 | | 297 | | 98.4 | | 15,846 | |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5- | 4 |
|----|------------|-----------------------------|------------|---------------------------------|--------------|---------------------------|-----------|-------------------------|------------|-------------------------------------|----------------------------|---------|---------------------------------------|
| 1 | ndicator | % Newborns birth to l | weighed at | Number of having weig 2.5 | ht less than | weight less to Newborn | ns having | Number of Breast Fee | d within 1 | Newborns within 1 ho to Total | breast fed our of birth | | New Borns in 24 hrs of Delivery |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 85.5 | 59.9 | 22,380 | 19,229 | 20.7 | 28.8 | 66,295 | 8,844 | 52.5 | 7.9 | 1,107 | 73 |
| 1 | Central | 94.5 | 59.9 | 3,764 | 19,229 | 23.4 | 28.8 | 1,533 | 8,844 | 9.0 | 7.9 | | 73 |
| 2 | East | 95.8 | | 2,887 | | 25.5 | | 7,439 | | 63.0 | | 19 | |
| 3 | New Delhi | 99.7 | | 301 | | 2.6 | | 911 | | 8.0 | | | |
| 4 | North | 95.6 | | 1,940 | | 22.4 | | 7,025 | | 77.4 | | 127 | |
| 5 | North East | 82.2 | | 892 | | 9.8 | | 8,905 | | 80.3 | | | |
| 6 | North West | 63.4 | | 2,689 | | 26.3 | | 7,152 | | 44.3 | | 366 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 75.5 | | 1,050 | | 16.9 | | 4,434 | | 53.8 | | 133 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 81.2 | | 4,197 | | 22.0 | | 14,890 | | 63.4 | | 21 | |
| 11 | West | 88.1 | | 4,660 | | 29.4 | | 14,006 | | 77.9 | | 441 | |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|----|------------|---|--|---------------------------------------|-----------|------------------------|---------|---|---|--|---|---|---------------------------------------|
| I | Indicator | newborns vi 24hrs of ho to total rep deliv | isited within me delivery orted home | Sex Rabirth (Fe Bitt Male Birt | male Live | Complica attended t | | Pregnanci with antihype Magsulph Total Wo Obst | licated les treated n IV rtensive/ | Comp Pregnanci with antihype Magsulph Total N detecte Hyper | licated es treated i IV rtensive/ injection to ew cases ed with | Pregnanci with Blood to Total W Obst | licated ies treated Transfusion |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 13.4 | 0.6 | 868 | 897 | 28.5 | 16.3 | 7.2 | 0.7 | 17.7 | 6.1 | 21.0 | 3.9 |
| 1 | Central | | 0.6 | 924 | 897 | 21.7 | 16.3 | 0.9 | 0.7 | 12.0 | 6.1 | 15.9 | 3.9 |
| 2 | East | 26.4 | | 867 | 0 | 28.9 | | 12.1 | | 21.8 | | 15.8 | |
| 3 | New Delhi | | | 885 | 0 | 32.0 | | 0.0 | | 0.0 | | 0.0 | |
| 4 | North | 29.6 | | 908 | 0 | 22.5 | | 1.5 | | 1.5 | | 12.6 | |
| 5 | North East | 0.0 | | 632 | 0 | 69.0 | | 3.3 | | 28.3 | | 0.5 | |
| 6 | North West | 14.8 | | 898 | 0 | 39.5 | | 2.5 | | 3.9 | | 4.2 | |
| 7 | Shahdara | | | 0 | 0 | | | | | | | | |
| 8 | South | 14.0 | | 870 | 0 | 64.9 | | 2.5 | | 3.7 | | 1.4 | |
| 9 | South East | | | 0 | 0 | | | | | | | | |
| 10 | South West | 1.6 | | 892 | 0 | 4.2 | | 119.3 | | 56.4 | | 469.2 | |
| 11 | West | 16.3 | | 898 | 0 | 25.3 | | 9.0 | | 31.5 | | 15.2 | |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|----|------------|---------|--|---|---------|------------------------|----------------------------|---------|-------------------|-----------|--|--|--|
| 1 | ndicator | | Care / PNC omplications to Total | Total Nu Abor (Spont Induced) | aneous/ | Total Nu MTPs (Pub | ımber of olic) reported | | ЛТРs Abortions | Pregnancy | 12 weeks of y to Total at Public | MTPs mo weeks of Pr Total MTI Institu | re than 12 egnancy to Ps at Public |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 2.6 | 0.2 | 13,353 | 6,542 | 9,791 | 31,024 | 73.3 | 474.2 | 90.9 | 96.4 | 9.1 | 3.6 |
| 1 | Central | 0.3 | 0.2 | 3,453 | 6,542 | 1,083 | 31,024 | 31.4 | 474.2 | 96.6 | 96.4 | 3.4 | 3.6 |
| 2 | East | 5.5 | | 2,040 | | 818 | | 40.1 | | 99.4 | | 0.6 | |
| 3 | New Delhi | 0.5 | | 682 | | 556 | | 81.5 | | 93.7 | | 6.3 | |
| 4 | North | 1.7 | | 708 | | 331 | | 46.8 | | 98.5 | | 1.5 | |
| 5 | North East | 8.8 | | 447 | | 2,583 | | 577.9 | | 79.6 | | 20.4 | |
| 6 | North West | 2.4 | | 1,245 | | 1,612 | | 129.5 | | 93.4 | | 6.6 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 5.4 | | 2,051 | | 790 | | 38.5 | | 90.8 | | 9.2 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 2.0 | | 1,880 | | 1,022 | | 54.4 | | 96.4 | | 3.6 | |
| 11 | West | 1.5 | | 847 | | 996 | | 117.6 | | 93.0 | | 7.0 | |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7: | 2 |
|----|------------|-------------|------------|--------------|------------|---------|--|------------------------------------|---|----------------|---------------------------------------|-----------------------------------|-----------------|
| I | ndicator | Public Inst | nducted at | Private Inst | nducted at | (Pul | al MTPs blic) d to Total gistration | Tests con Number o STI femal | Wet Mount ducted to f new RTI/ e cases for reatment | Vasect Cond | ber of tomies lucted + Pvt.) | Numl Tubec Condi (Public | tomies ucted |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 44.9 | 95.6 | 55.1 | 4.4 | 1.8 | 7.2 | 0.7 | 0.0 | 2,769 | 2,294 | 11,673 | 13,674 |
| 1 | Central | 42.6 | 95.6 | 57.4 | 4.4 | 1.5 | 7.2 | 1.9 | 0.0 | 1,449 | 2,294 | 1,866 | 13,674 |
| 2 | East | 24.8 | | 75.2 | | 1.6 | | 0.0 | | 18 | | 1,034 | |
| 3 | New Delhi | 100.0 | | 0.0 | | 3.1 | | 2.1 | | 154 | | 1,158 | |
| 4 | North | 55.2 | | 44.8 | | 0.9 | | 0.1 | | 610 | | 440 | |
| 5 | North East | 82.4 | | 17.6 | | 3.9 | | 0.9 | | 161 | | 872 | |
| 6 | North West | 61.9 | | 38.1 | | 2.0 | | 0.7 | | 77 | | 1,350 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 19.0 | | 81.0 | | 1.3 | | 0.3 | | 66 | | 1,290 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 38.3 | | 61.7 | | 1.3 | | 0.9 | | 110 | | 1,709 | |
| 11 | West | 44.1 | | 55.9 | | 1.1 | | 1.1 | | 124 | | 1,954 | |

| | | 7. | 3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|----|------------|-------------------|---------------------|------------------------------------|---------|----------------------------|-------------|----------|----------|--------------------|---|---|--------------------|
| I | ndicator | Total Ste Cond | rilisation ucted | % Male S (Vasect to Total st | tomies) | 7 Tubectomic sterili | es to Total | ` Vasect | mies and | (Tubecto Vasect | erlisation omies and omies) d at CHC | Total Ste (Tubecto Vasecto conducted | mies and omies) |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 14,442 | 15,968 | 19.2 | 14.4 | 80.8 | 85.6 | 12 | 981 | 1,070 | 3,056 | 8,849 | 4,060 |
| 1 | Central | 3,315 | 15,968 | 43.7 | 14.4 | 56.3 | 85.6 | | 981 | | 3,056 | 2,986 | 4,060 |
| 2 | East | 1,052 | | 1.7 | | 98.3 | | | | | | | |
| 3 | New Delhi | 1,312 | | 11.7 | | 88.3 | | | | 56 | | 1,256 | |
| 4 | North | 1,050 | | 58.1 | | 41.9 | | | | | | 442 | |
| 5 | North East | 1,033 | | 15.6 | | 84.4 | | | | | | 754 | |
| 6 | North West | 1,427 | | 5.4 | | 94.6 | | | | 54 | | 608 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 1,356 | | 4.9 | | 95.1 | | | | 183 | | 124 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 1,819 | | 6.0 | | 94.0 | | 12 | | 128 | | 1,476 | |
| 11 | West | 2,078 | | 6.0 | | 94.0 | | | | 649 | | 1,203 | · |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|----|------------|---|----------------------------------|---|----------------------------------|---------|----------------------------------|---|---------------------------------|---|---------------------------------|---|---|
| I | ndicator | Total Ste (Tubecto Vasect conducted public In | mies and omies) 1 at Other | Total Ste (Tubecto Vasect conducted institu | mies and omies) at Private | Vasect | omies and omies) at PHC to | % Total S (Tubecto Vasect conducted Total Ste | mies and omies) at CHC to | % Total So (Tubecto Vasect conducted a to Total S | mies and omies) at SDH/DH | % Total So (Tubecto Vasect conducted public Insti | mies and omies) I at Other itutions to |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 1,447 | 3,648 | 670 | 87 | 0.1 | 6.1 | 7.4 | 19.1 | 61.3 | 25.4 | 10.0 | 22.8 |
| 1 | Central | | 3,648 | 78 | 87 | 0.0 | 6.1 | 0.0 | 19.1 | 90.1 | 25.4 | 0.0 | 22.8 |
| 2 | East | 269 | | 2 | | 0.0 | | 0.0 | | 0.0 | | 25.6 | |
| 3 | New Delhi | | | | | 0.0 | | 4.3 | | 95.7 | | 0.0 | |
| 4 | North | | | 498 | | 0.0 | | 0.0 | | 42.1 | | 0.0 | |
| 5 | North East | | | 68 | | 0.0 | | 0.0 | | 73.0 | | 0.0 | |
| 6 | North West | 610 | | | | 0.0 | | 3.8 | | 42.6 | | 42.7 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 460 | | 10 | | 0.0 | | 13.5 | | 9.1 | | 33.9 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 29 | | 12 | | 0.7 | | 7.0 | | 81.1 | | 1.6 | |
| 11 | West | 79 | | 2 | | 0.0 | | 31.2 | | 57.9 | | 3.8 | |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|------------|---|--|-------------------------------------|------------------------|------------------------------------|------------------------|--------------------------------------|----------------------|-----------------------------|---|---|---|
| I | ndicator | % Total Standard (Tubecton Vasecton Conducted institution Sterlis | mies and omies) at Private s to Total | Lapar sterlisation Female Ste | oscopic is to Total | Mini Lap S to Total Sterilis | terlisations Female | Post P Sterlisation Female Ste | artum is to Total | sterlisation Institution | oscopic s at Public s to Total oscopic | Mini Lap s at Public I to Total Sterilis | terlisations nstitutions Mini Lap |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 21.2 | 26.4 | 72.4 | 74.3 | 7.2 | 9.9 | 20.4 | 15.9 | 78.8 | 68.5 | 78.7 | 68.7 |
| 1 | Central | 9.9 | 26.4 | 90.6 | 74.3 | 3.3 | 9.9 | 6.1 | 15.9 | 89.8 | 68.5 | 14.8 | 68.7 |
| 2 | East | 74.4 | | 74.4 | | 11.1 | | 14.5 | | 8.6 | | 87.0 | |
| 3 | New Delhi | 0.0 | | 48.3 | | 6.6 | | 45.2 | | 100.0 | | 100.0 | |
| 4 | North | 57.9 | | 75.5 | | 6.4 | | 18.2 | | 97.3 | | 17.9 | |
| 5 | North East | 27.0 | | 34.7 | | 16.7 | | 48.5 | | 76.2 | | 61.6 | |
| 6 | North West | 10.9 | | 85.6 | | 5.3 | | 9.1 | | 88.4 | | 94.4 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 43.4 | | 80.3 | | 3.8 | | 15.9 | | 54.5 | | 79.6 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 9.6 | | 63.3 | | 8.4 | | 28.3 | | 86.0 | | 98.6 | |
| 11 | West | 7.1 | | 78.1 | | 7.4 | | 14.4 | | 94.6 | | 89.0 | |

| _ | | | | | | | | | | | | | |
|----|------------|--|---|--|--------------------|-----------|---------|------------------------|---------|-------------------------|-----------------------------|-----------------------|------------------------------|
| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
| I | ndicator | Post P sterlisation Institution Post P Sterili | artum as at Public as to Total artum | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inse | | IUCD inser (pvt. fa | | Total IUCI done(publ |) Insertions ic+private) | PP IUCD done (publ | Insertions ic facilities) |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| _ | - | | 76.2 | | 3 | 19,496 | 25,545 | 3,312 | 4,746 | 22,808 | 30,291 | | |
| 1 | Central | 76.3 | 76.2 | | 3 | 1,291 | 25,545 | 275 | 4,746 | 1,566 | 30,291 | | |
| 2 | East | 58.0 | | | | 1,763 | | 1,235 | | 2,998 | | | |
| 3 | New Delhi | 100.0 | | | | 542 | | 1 | | 543 | | | |
| 4 | North | 2.5 | | | | 1,485 | | 137 | | 1,622 | | | |
| 5 | North East | 80.4 | | | | 1,394 | | 303 | | 1,697 | | | |
| 6 | North West | 86.2 | | | | 3,627 | | 81 | | 3,708 | | | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 52.2 | | | | 3,493 | | 357 | | 3,850 | | | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 98.3 | | | | 2,697 | | 629 | | 3,326 | · | | |
| 11 | West | 83.3 | | | | 3,204 | _ | 294 | | 3,498 | | | _ |

| | | 9 | 7 | 9 | o | 9 | 0 | 10 | 10 | 10 | \1 | 10 | 22 |
|----|------------|---|---------------------------------|--|--------------------------------------|---|---|------------|---------|-----------|-----------|--------------------|-----------|
| I | ndicator | % PP IUCI (pul to Tota Insertion | O Insertions olic) 1 IUCD | % PP IUCI (pul to Total In Deliverie: | O Insertions blic) stitutional | IUCD ins public plu institution family p | ertions in us private ons to all olanning IUCD plus | Oral Pills | | Condon | n pieces | Centchro distri | man Pills |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 0.0 | 0.0 | 0.0 | 0.0 | 61.2 | 65.5 | 137,683 | 121,064 | 5,779,700 | 7,911,727 | 249 | 48,789 |
| 1 | Central | 0.0 | 0.0 | 0.0 | 0.0 | 32.1 | 65.5 | 6,517 | 121,064 | 572,623 | 7,911,727 | | 48,789 |
| 2 | East | 0.0 | | 0.0 | | 74.0 | | 13,848 | | 361,650 | | 57 | |
| 3 | New Delhi | 0.0 | | 0.0 | | 29.3 | | 1,520 | | 97,316 | | 12 | |
| 4 | North | 0.0 | | 0.0 | | 60.7 | | 6,629 | | 448,984 | | 4 | |
| 5 | North East | 0.0 | | 0.0 | | 62.2 | | 7,139 | | 338,172 | | 8 | |
| 6 | North West | 0.0 | | 0.0 | | 72.2 | | 36,233 | | 1,312,124 | | | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 0.0 | | 0.0 | | 74.0 | | 27,444 | | 957,236 | | 31 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 0.0 | | 0.0 | | 64.6 | | 19,433 | | 797,488 | | 103 | |
| 11 | West | 0.0 | | 0.0 | | 62.7 | | 18,920 | | 894,107 | | 34 | |

| | | 10 |)3 | 10 | 04 | 10 |)5 | 10 |)6 | 10 |)7 | 10 | 08 |
|----|------------|-----------------------------|---------|----------|---------|---------|------------------------|------------------------|-----------|----------|---------|----------|---------|
| I | ndicator | Number o given (Birth | OPV 0 | Number o | | | given OPV0 Reported | Newborns to Reporte | given BCG | Number o | | Number (| |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 115,497 | 86,123 | 194,032 | 194,049 | 91.4 | 77.1 | 153.6 | 173.7 | 193,077 | 190,686 | 175,210 | 165,439 |
| 1 | Central | 13,509 | 86,123 | 13,433 | 194,049 | 79.2 | 77.1 | 78.8 | 173.7 | 10,376 | 190,686 | 8,586 | 165,439 |
| 2 | East | 9,825 | | 16,753 | | 83.2 | | 141.9 | | 18,443 | | 16,318 | |
| 3 | New Delhi | 1,333 | | 2,065 | | 11.7 | | 18.0 | | 2,109 | | 1,868 | |
| 4 | North | 8,144 | | 12,489 | | 89.7 | | 137.6 | | 10,646 | | 9,907 | |
| 5 | North East | 19,342 | | 23,904 | | 174.4 | | 215.5 | | 22,328 | | 20,097 | |
| 6 | North West | 14,428 | | 36,081 | | 89.3 | | 223.4 | | 44,977 | | 41,062 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 8,507 | | 25,539 | | 103.1 | | 309.6 | | 29,782 | | 27,141 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 24,312 | | 33,623 | | 103.5 | | 143.1 | | 24,732 | | 22,349 | |
| 11 | West | 16,097 | | 30,145 | | 89.5 | | 167.6 | | 29,684 | | 27,882 | |

| | | 10 |)9 | 1 | 10 | 1 | 11 | 1: | 12 | 11 | 13 | 11 | 14 |
|----|------------|----------|---------|----------|---------|---------------------|---------|----------|---------|----------|---------|--|-------------------------------------|
| I | ndicator | Number o | | Number e | | Number given Pen | | Number (| | Number (| | Infants 0 to old who Measles v reported l | 11 months received vaccine to |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 167,016 | 152,453 | | | | | | | 168,105 | 158,975 | 133.1 | 142.3 |
| 1 | Central | 7,516 | 152,453 | | | | | | | 7,830 | 158,975 | 45.9 | 142.3 |
| 2 | East | 15,670 | | | | | | | | 16,352 | | 138.5 | |
| 3 | New Delhi | 1,801 | | | | | | | | 1,925 | | 16.8 | |
| 4 | North | 9,513 | | | | | | | | 9,650 | | 106.3 | |
| 5 | North East | 18,940 | | | | | | | | 18,083 | | 163.0 | |
| 6 | North West | 39,262 | | | | | | | | 40,311 | | 249.6 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 26,342 | | | | | | | | 26,200 | | 317.6 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 20,992 | | | | | | | | 21,080 | | 89.7 | |
| 11 | West | 26,980 | | | | | | | | 26,674 | | 148.3 | |

| | | 11 | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|----|------------|-------------------------------|------------|-------------------------|---------|-----------|------------|----------------------------------|------------|--|---------------------------|--------------------------------|------------|
| I | ndicator | Number immunize (9-11 n | d children | 9/ Drop Out BCG & | between | Vitamin - | · A dose 1 | Children g dose1 to Ro bir | iven Vit A | Children giv A Dose 9 to given Vit | ven Vitamin o Children | Adverse Following I (Oth | munisation |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 181,119 | 186,438 | 13.4 | 18.1 | 104,264 | 140,031 | 82.5 | 125.4 | 24.4 | 5.7 | 41 | 189 |
| 1 | Central | 7,830 | 186,438 | 41.7 | 18.1 | 5,574 | 140,031 | 32.7 | 125.4 | 79.3 | 5.7 | | 189 |
| 2 | East | 16,094 | | 2.4 | | 11,678 | | 98.9 | | 14.8 | | | |
| 3 | New Delhi | 1,925 | | 6.8 | | 1,340 | | 11.7 | | 24.9 | | | |
| 4 | North | 11,358 | | 22.7 | | 4,951 | | 54.6 | | 26.2 | | | |
| 5 | North East | 18,133 | | 24.4 | | 7,636 | | 68.8 | | 45.6 | | | |
| 6 | North West | 47,875 | | -11.7 | | 28,662 | | 177.5 | | 9.0 | | 17 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 30,470 | | -2.6 | | 15,895 | | 192.7 | | 32.5 | | | |
| 9 | South East | | · | | | · | | | | | | · | |
| 10 | South West | 20,757 | | 37.3 | | 14,007 | | 59.6 | | 24.6 | | 22 | _ |
| 11 | West | 26,677 | | 11.5 | | 14,521 | _ | 80.7 | | 20.8 | | 2 | _ |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|----|------------|--|---------------------------|----------------------|----------------------------------|-----------|---|-------------|----------------------------------|------------|---|---------|---|
| I | ndicator | immunisatio Held to Imm Sessions | on Sessions munisation | presei Immunisati | on Sessions HAs were nt to | 0-5 Years | n Children of Age to leported Diseases 0-5 | Childhood 1 | Children of Age to eported | Children 0 | onatorum in -5 Years of al Reported Diseases 0-5 | | Others in -5 Years of al Reported Diseases 0-5 |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 92.3 | 94.9 | 17.0 | 19.8 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Central | 85.9 | 94.9 | 2.2 | 19.8 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | East | 93.5 | | 13.4 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 3 | New Delhi | 86.6 | | 14.4 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 4 | North | 94.7 | | 7.3 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 5 | North East | 91.5 | | 39.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 6 | North West | 91.6 | | 22.9 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 93.0 | | 17.8 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 92.1 | | 18.5 | | 0.0 | | 0.0 | | 0.0 | | 0.2 | |
| 11 | West | 93.9 | | 18.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|----|------------|---------|---|---|--------------------------------------|------------|---|----------------------------|--|--|---------|------------------------------|------------|
| I | ndicator | | hildren 0-5 ge to Total Childhood | Measles in 0-5 Years Total R Childhood I | of Age to eported Diseases 0-5 | Children 0 | oea and ation in -5 Years of al Reported Diseases 0-5 | Malaria in (Years of A | 6 Children 0-5 ge to Total Childhood 0-5 Years | 9/ Adult I Inpatients Adult I | Female | % Children In Total Ir | patient to |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 0.0 | 0.0 | 0.3 | 1.0 | 98.8 | 97.0 | 0.9 | 1.9 | 62.8 | 63.9 | 24.5 | 14.9 |
| 1 | Central | 0.0 | 0.0 | 0.0 | 1.0 | 99.9 | 97.0 | 0.1 | 1.9 | 72.7 | 63.9 | 26.3 | 14.9 |
| 2 | East | 0.0 | | 0.5 | | 98.9 | | 0.6 | | 59.7 | | 23.0 | |
| 3 | New Delhi | 0.0 | | 0.1 | | 99.4 | | 0.5 | | 52.4 | | 10.9 | |
| 4 | North | 0.0 | | 0.2 | | 99.0 | | 0.7 | | 56.9 | | 17.6 | |
| 5 | North East | 0.0 | | 0.9 | | 99.1 | | 0.0 | | | | 100.0 | |
| 6 | North West | 0.0 | | 0.0 | | 99.8 | | 0.2 | | 70.8 | | 27.9 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 0.0 | | 0.1 | | 98.7 | | 1.2 | | 59.8 | | 21.2 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 0.1 | | 0.6 | | 96.5 | | 2.6 | | 56.0 | | 22.3 | |
| 11 | West | 0.0 | | 0.1 | | 99.7 | | 0.2 | | 66.3 | | 28.2 | |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 13 | 37 | 13 | 8 |
|----|------------|----------------------------------|----------------------|---------------------------|-----------|---------|---------|------------|-----------|---------|---------|-----------------|---------|
| I | ndicator | Female I Deaths (Inpatien | npatient to Total | 9/ Inpatient I Tota | Deaths to | IPD (N | umber) | OPD (N | (umber) | % IPD | to OPD | Number Opera | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 40.2 | 44.8 | 2.4 | 2.0 | 335,384 | 36,338 | 16,518,357 | 1,885,177 | 2.0 | 1.9 | 57,057 | 3,810 |
| 1 | Central | 40.5 | 44.8 | 4.7 | 2.0 | 51,495 | 36,338 | 982,056 | 1,885,177 | 5.2 | 1.9 | 6,141 | 3,810 |
| 2 | East | 41.2 | | 2.2 | | 80,317 | | 2,223,140 | | 3.6 | | 10,647 | |
| 3 | New Delhi | 52.6 | | 2.2 | | 5,388 | | 526,121 | | 1.0 | | 1,496 | |
| 4 | North | 40.2 | | 2.1 | | 53,354 | | 1,159,335 | | 4.6 | | 5,991 | |
| 5 | North East | | | 0.0 | | 3,406 | | 531,559 | | 0.6 | | 2,128 | |
| 6 | North West | 42.3 | | 1.9 | | 19,615 | | 3,727,289 | | 0.5 | | 4,375 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 37.8 | | 0.6 | | 25,907 | | 1,927,055 | | 1.3 | | 9,088 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 28.9 | | 1.1 | | 22,479 | | 2,319,753 | | 1.0 | | 3,501 | |
| 11 | West | 39.5 | | 2.7 | | 73,423 | | 3,122,049 | | 2.4 | | 13,690 | |

| | | 13 | 20 | 14 | 10 | 1. | 4 1 | 1, | 12 | 14 | 12 | 14 | 14 |
|----|------------|---------|----------|---------------|---------|---------------|---------------|--------------------------|-------------|---------|------------|---------|------------------|
| I | ndicator | Number | of Minor | % Major Op | 6 | Num Hyster | ber of ectomy | % Hyster Surgeries | 6 ectomy | | O (Number) | 9/ | 6 PD to Total |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 79,837 | 8,507 | 41.7 | 30.9 | | | 0.0 | 0.0 | 205,042 | 12,139 | 1.2 | 0.6 |
| 1 | Central | 7,532 | 8,507 | 44.9 | 30.9 | | | 0.0 | 0.0 | 37,745 | 12,139 | 3.8 | 0.6 |
| 2 | East | 13,946 | | 43.3 | | | | 0.0 | | 1,586 | | 0.1 | |
| 3 | New Delhi | 1,252 | | 54.4 | | | | 0.0 | | 45,136 | | 8.6 | |
| 4 | North | 11,928 | | 33.4 | | | | 0.0 | | 19,207 | | 1.7 | |
| 5 | North East | 611 | | 77.7 | | | | 0.0 | | 6,040 | | 1.1 | |
| 6 | North West | 10,247 | | 29.9 | | | | 0.0 | | 11,942 | | 0.3 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 5,994 | | 60.3 | | _ | | 0.0 | | 1,671 | | 0.1 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 3,491 | | 50.1 | | | | 0.0 | | 23,234 | | 1.0 | |
| 11 | West | 24,836 | | 35.5 | | _ | | 0.0 | | 58,481 | _ | 1.9 | |

| Indicator | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|-----------|------------|---------------------|---------|---------------------------|---------|-----------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 88,366 | 7,386 | 0.5 | 0.4 | 12,715 | 1,180 | 3.9 | 3.9 | 1.6 | 1.5 | 0.6 | 0.8 |
| 1 | Central | 1,098 | 7,386 | 0.1 | 0.4 | 113 | 1,180 | 8.8 | 3.9 | 4.6 | 1.5 | 0.7 | 0.8 |
| 2 | East | 15,467 | | 0.7 | | 7,819 | | 3.7 | | 1.3 | | 0.3 | |
| 3 | New Delhi | 5,519 | | 1.0 | | | | 3.0 | | 1.8 | | 0.4 | |
| 4 | North | 14,835 | | 1.3 | | 909 | | 4.1 | | 1.7 | | 0.5 | |
| 5 | North East | | | 0.0 | | | | 28.6 | | 0.0 | | 0.0 | |
| 6 | North West | 10,876 | | 0.3 | | 1,797 | | 3.8 | | 4.7 | | 1.4 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 4,703 | | 0.2 | | 428 | | 1.7 | | 0.4 | | 0.2 | |
| 9 | South East | | · | | | · | | | | | | | |
| 10 | South West | 18,346 | | 0.8 | | 384 | | 3.1 | | 1.3 | | 0.8 | |
| 11 | West | 17,522 | · | 0.6 | | 1,265 | | 2.6 | | 2.2 | | 0.5 | |

| Indicator | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | 155 | | 156 | |
|-----------|------------|---|---------|---|---------|--|---------|---|---------|--|---------|--|---------|
| | | | | | | | | | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Delhi | 0.9 | 0.9 | 0.8 | 1.8 | 0.1 | 1.6 | 1,541 | 422 | 18.8 | 4.3 | 13.1 | 3.1 |
| 1 | Central | 1.4 | 0.9 | 0.4 | 1.8 | 0.1 | 1.6 | 286 | 422 | 23.5 | 4.3 | 24.9 | 3.1 |
| 2 | East | 0.7 | | 0.9 | | 0.1 | | 485 | | 24.5 | | 4.8 | |
| 3 | New Delhi | 0.6 | | 1.2 | | 0.0 | | | | | | | |
| 4 | North | 0.9 | | 1.4 | | 0.1 | | 5 | | 40.0 | | 20.0 | |
| 5 | North East | 0.0 | | 13.9 | | 0.0 | | | | | | | |
| 6 | North West | 2.2 | | 1.1 | | 0.1 | | 121 | | 25.2 | | 31.9 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 0.3 | | 0.2 | | 0.0 | | 16 | | 0.0 | | 6.3 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 1.0 | | 1.9 | | 0.3 | | 115 | | 7.0 | | 17.4 | |
| 11 | West | 1.0 | | 0.8 | | 0.2 | | 513 | | 10.9 | | 7.1 | |

| Indicator | | 157 % Deaths due to LBW to Total Reported Infant Deaths | | 158 % Deaths due to Pneumonia to Total Reported Infant Deaths | | 159 % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | 162 % Deaths due to Other Causes to Total Reported Infant Deaths | |
|-----------|------------|--|--------|--|-----|--|-----|---|-----|---|-----|---|------|
| | | | | | | | | | | | | | |
| | | | _Delhi | 16.1 | 1.9 | 11.4 | 2.6 | 3.7 | 0.7 | 1.4 | 0.0 | 0.1 | 0.0 |
| 1 | Central | 22.8 | 1.9 | 5.3 | 2.6 | 2.5 | 0.7 | 1.1 | 0.0 | 0.0 | 0.0 | 20.0 | 87.4 |
| 2 | East | 4.5 | | 20.2 | | 3.4 | | 0.9 | | 0.0 | | 41.7 | |
| 3 | New Delhi | | | | | | | | | | | | |
| 4 | North | 0.0 | | 20.0 | | 20.0 | | 0.0 | | 0.0 | | 0.0 | |
| 5 | North East | | | | | | | | | | | | |
| 6 | North West | 7.6 | | 4.2 | | 5.0 | | 4.2 | | 0.8 | | 21.0 | |
| 7 | Shahdara | | | | | | | | | | | | |
| 8 | South | 6.3 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 87.5 | |
| 9 | South East | | | | | | | | | | | | |
| 10 | South West | 7.0 | | 4.3 | | 5.2 | | 3.5 | | 0.0 | | 55.7 | |
| 11 | West | 30.0 | | 10.4 | | 4.1 | | 0.8 | | 0.0 | | 36.6 | |