		1		2		3	3	4		5		6		
1	ndicator	Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		Newborns at birth	Number of Infants given OPV 0 (Birth Dose)		
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	
	_Delhi	234,663	213,782	98.9	99.7	4,621	3,992	98.1	98.2	221,050	187,570	217,192	198,862	
1	Central	43,509	44,591	99.4	99.9	898	878	98.0	98.1	42,778	43,642	38,198	38,528	
2	East	10,890	9,834	99.3	98.8	156	138	98.6	98.6	9,898	9,200	9,774	8,871	
3	New Delhi	39,716	40,118	98.0	98.0	1,069	1,065	97.4	97.4	39,360	39,403	39,010	43,083	
4	North	10,553	9,488	105.6	103.7	146	135	98.6	98.6	8,505	7,116	10,231	9,680	
5	North East	5,310	5,418	101.0	103.0	56	80	99.0	98.5	4,864	4,503	5,008	5,068	
6	North West	31,515	28,258	98.9	100.2	690	651	97.9	97.7	29,944	15,782	28,756	24,874	
7	Shahdara	31,974	26,186	97.9	98.7	742	383	97.7	98.6	30,854	24,274	32,048	24,772	
8	South	11,591	8,204	100.9	100.4	73	25	99.4	99.7	9,717	6,206	9,428	6,561	
9	South East	8,026	5,782	101.4	100.3	49	40	99.4	99.3	6,631	4,949	6,349	5,430	
10	South West	11,697	10,027	99.2	100.5	148	102	98.8	99.0	10,428	8,584	10,749	8,938	
11	West	29,882	25,876	96.3	99.9	594	495	98.1	98.1	28,071	23,911	27,641	23,057	

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns	% Newborns given BCG to Reported live birth		of Infants DPT1	Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	288,886	269,680	92.6	93.0	123.1	126.1	275,593	265,933	260,521	244,590	247,249	231,584
1	Central	43,028	44,492	87.8	86.4	98.9	99.8	30,781	31,304	27,146	26,692	25,467	24,548
2	East	16,049	14,895	89.8	90.2	147.4	151.5	18,112	18,000	17,688	16,901	16,834	16,017
3	New Delhi	33,939	37,253	98.2	107.4	85.5	92.9	18,330	19,948	16,321	17,486	15,876	17,060
4	North	20,640	17,991	96.9	102.0	195.6	189.6	26,503	21,357	25,209	20,555	23,939	19,126
5	North East	12,251	11,835	94.3	93.5	230.7	218.4	22,049	20,860	20,426	19,122	18,832	17,699
6	North West	39,383	34,971	91.2	88.0	125.0	123.8	32,173	29,833	31,499	27,497	28,850	26,737
7	Shahdara	35,316	27,537	100.2	94.6	110.5	105.2	24,794	25,246	22,685	23,031	21,109	20,837
8	South	17,099	14,556	81.3	80.0	147.5	177.4	18,792	17,380	18,076	16,709	17,521	15,927
9	South East	14,738	14,271	79.1	93.9	183.6	246.8	21,411	20,338	20,570	18,212	19,868	17,470
10	South West	16,029	14,763	91.9	89.1	137.0	147.2	22,241	20,772	21,870	19,735	21,067	18,792
11	West	40,414	37,116	92.5	89.1	135.2	143.4	40,407	40,895	39,031	38,650	37,886	37,371

		1	3	1	4	1	.5	1	6	1	7	18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received raccine to live births	Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi							238,547	218,236	101.7	102.1	228,444	207,423
1	Central							25,814	24,233	59.3	54.3	24,971	23,663
2	East							16,865	15,313	154.9	155.7	16,003	14,784
3	New Delhi							14,723	15,901	37.1	39.6	13,238	11,852
4	North							22,058	17,717	209.0	186.7	22,355	18,261
5	North East							17,807	17,323	335.3	319.7	17,491	16,592
6	North West							27,268	24,365	86.5	86.2	25,852	23,565
7	Shahdara							19,034	18,876	59.5	72.1	18,755	17,516
8	South							17,809	15,960	153.6	194.5	17,102	16,041
9	South East							19,554	16,772	243.6	290.1	17,930	15,712
10	South West							21,010	17,706	179.6	176.6	19,353	16,568
11	West							36,605	34,070	122.5	131.7	35,394	32,869

Performance of Key HMIS Indicators for Delhi ( Across Districts) Financial Year: 2012-13

Provisional Figures for the Period April to March

		19		2	0	2	% Children given Vit A dose1 to Reported live birth		2	2	3	24		
I	ndicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R			ven Vitamin o Children t A dose1	Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned		
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	
	_Delhi	17.4	19.1	92,177	129,226	39.3	60.4	39.4	26.2	51	82	92.5	92.8	
1	Central	40.0	45.5	10,297	12,728	23.7	28.5	18.7	23.6	0	3	92.2	92.5	
2	East	-5.1	-2.8	5,555	9,282	51.0	94.4	35.5	28.8	0	0	93.4	94.4	
3	New Delhi	56.6	57.3	6,113	13,122	15.4	32.7	87.0	44.9	0	4	92.7	92.1	
4	North	-6.9	1.5	5,210	8,406	49.4	88.6	58.4	14.3	0	0	88.0	82.8	
5	North East	-45.4	-46.4	7,771	11,533	146.3	212.9	45.7	26.0	17	14	89.7	98.6	
6	North West	30.8	30.3	8,395	12,388	26.6	43.8	56.7	14.8	0	4	91.9	90.6	
7	Shahdara	46.1	31.5	14,303	14,973	44.7	57.2	45.8	31.0	0	0	94.0	96.0	
8	South	-4.2	-9.6	6,913	6,829	59.6	83.2	32.3	24.6	11	31	99.1	94.4	
9	South East	-32.7	-17.5	5,851	8,676	72.9	150.1	26.6	12.5	12	7	95.5	95.3	
10	South West	-31.1	-19.9	7,232	10,881	61.8	108.5	10.7	14.0	2	0	90.1	90.9	
11	West	9.4	8.2	14,537	20,408	48.6	78.9	31.6	35.6	9	19	92.3	94.1	

Performance of Key HMIS Indicators for Delhi ( Across Districts) Financial Year: 2012-13

Provisional Figures for the Period April to March

Indicator		25  // Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		2	6	27		2	8	2	9	30	
				Diptheria i 0-5 Years Total R Childhood I	% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	24.4	22.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Central	8.6	8.8	0.0	0.0	0.0	0.0	0.0	0.5	0.1	0.0	0.0	0.0
2	East	26.0	20.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	New Delhi	25.3	13.9	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.2	0.0	0.0
4	North	26.1	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	North East	32.6	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
6	North West	16.4	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Shahdara	15.2	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	South	23.3	30.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	South East	9.6	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	South West	51.4	37.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West	35.5	32.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Delhi ( Across Districts) Financial Year: 2012-13

Provisional Figures for the Period April to March

		3	1	32		3	3	3	4	3	5	36	
I	ndicator	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in O Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		6 to Sepsis to rted Infant tths	%  Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	0.2	1.6	98.5	96.9	1.2	1.5	2,375	1,271	22.3	20.5	10.8	6.7
1	Central	0.3	0.4	93.7	96.1	5.8	2.8	364	272	24.0	27.0	14.3	12.5
2	East	0.6	0.2	98.3	97.5	1.1	2.4	382	359	19.4	21.2	5.8	2.6
3	New Delhi	0.2	0.2	97.6	97.1	1.9	2.3	1,005	216	25.8	19.3	9.3	3.6
4	North	0.1	3.9	99.5	95.4	0.4	0.7	47	20	21.9	0.0	9.4	30.8
5	North East	0.1	4.4	99.4	94.9	0.4	0.6	2		0.0		0.0	
6	North West	0.2	0.2	98.4	97.7	1.4	2.1	268	99	22.0	21.3	27.5	21.3
7	Shahdara	0.5	0.4	98.3	96.1	1.2	3.4	51	28	5.0	11.8	15.0	0.0
8	South	0.1	0.4	98.9	96.9	0.9	2.7	13	4	7.7	50.0	7.7	25.0
9	South East	0.4	0.8	99.1	99.0	0.5	0.2	41	4	0.0	0.0	0.0	0.0
10	South West	0.0	0.1	99.5	98.9	0.5	0.9	18	20	17.6	5.3	5.9	0.0
11	West	0.2	0.1	99.3	99.6	0.5	0.3	184	249	18.2	15.0	3.9	3.2

Indicator		3	7	3	8	3	9	4	0	4	1	42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Delhi	13.9	12.1	11.2	15.4	1.8	1.9	5.0	4.8	0.0	0.1	34.9	38.5
1	Central	19.1	20.2	7.7	8.1	0.3	1.6	0.3	0.8	0.0	0.0	34.3	29.8
2	East	8.9	0.9	20.0	25.5	1.1	2.0	1.1	0.6	0.0	0.3	43.6	47.0
3	New Delhi	7.0	4.2	10.6	13.0	2.6	1.6	9.9	19.8	0.0	0.0	34.8	38.5
4	North	37.5	23.1	6.3	7.7	0.0	0.0	3.1	0.0	0.0	0.0	21.9	38.5
5	North East	0.0		0.0		0.0		0.0		0.0		100.0	
6	North West	23.9	17.3	6.9	18.7	0.5	2.7	2.8	6.7	0.0	0.0	16.5	12.0
7	Shahdara	15.0	0.0	12.5	17.6	2.5	5.9	7.5	23.5	0.0	0.0	42.5	41.2
8	South	15.4	25.0	38.5	0.0	15.4	0.0	0.0	0.0	0.0	0.0	15.4	0.0
9	South East	4.9	0.0	4.9	33.3	0.0	0.0	0.0	0.0	0.0	0.0	90.2	66.7
10	South West	17.6	0.0	5.9	21.1	17.6	0.0	5.9	10.5	0.0	0.0	29.4	63.2
11	West	33.7	29.4	9.9	7.5	2.2	2.1	1.1	0.0	0.0	0.0	30.9	42.8