

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	82,793	79,043	98.4	97.9	1,899	1,912	97.8	97.6	70,073	65,266	38,778	36,693
1	East Garo Hills	6,690	6,110	102.1	98.1	135	99	98.0	98.4	4,823	4,364	2,944	3,047
2	East Jaintia Hills												
3	East Khasi Hills	27,308	27,012	97.3	97.2	759	836	97.3	97.0	24,093	23,579	18,532	17,619
4	North Garo Hills												
5	Ri Bhoi	5,658	5,815	99.7	99.6	54	51	99.1	99.1	3,820	3,559	2,137	2,201
6	South Garo Hills	2,684	2,375	98.9	99.2	32	30	98.8	98.8	2,276	1,942	665	772
7	South West Garo Hills	4		100.0		0		100.0		4		4	
8	South West Khasi Hills												
9	West Garo Hills	17,314	16,789	98.2	97.9	432	430	97.6	97.5	17,119	16,516	6,484	5,724
10	West Jaintia Hills	12,477	11,509	98.5	98.0	320	312	97.5	97.4	10,106	8,980	4,332	3,959
11	West Khasi Hills	10,658	9,433	98.7	98.7	167	154	98.5	98.4	7,832	6,326	3,680	3,371

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Meghalaya	87,530	84,723	46.8	46.4	105.7	107.2	85,011	83,231	80,568	79,170	76,760	73,845
1	East Garo Hills	7,949	7,273	44.0	49.9	118.8	119.0	8,002	7,979	7,475	7,348	7,150	7,005
2	East Jaintia Hills												
3	East Khasi Hills	26,069	25,030	67.9	65.2	95.5	92.7	20,370	20,434	18,607	18,897	17,610	17,562
4	North Garo Hills												
5	Ri Bhoi	6,012	6,554	37.8	37.9	106.3	112.7	7,172	7,537	6,625	6,942	6,221	6,310
6	South Garo Hills	3,491	3,288	24.8	32.5	130.1	138.4	3,925	3,682	3,844	3,691	3,519	3,216
7	South West Garo Hills	3		100.0		75.0		2		2		4	
8	South West Khasi Hills												
9	West Garo Hills	17,633	17,105	37.4	34.1	101.8	101.9	17,717	17,033	17,525	17,102	17,192	16,470
10	West Jaintia Hills	13,959	13,771	34.7	34.4	111.9	119.7	14,434	13,936	13,806	13,161	12,993	12,195
11	West Khasi Hills	12,414	11,702	34.5	35.7	116.5	124.1	13,389	12,630	12,684	12,029	12,071	11,087

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	1		0		0		72,182	69,499	87.2	87.9	68,383	64,855
1	East Garo Hills	1		0		0		6,457	6,714	96.5	109.9	6,095	6,222
2	East Jaintia Hills												
3	East Khasi Hills	0		0		0		16,595	15,948	60.8	59.0	16,048	15,173
4	North Garo Hills												
5	Ri Bhoi							5,991	5,883	105.9	101.2	5,386	5,420
6	South Garo Hills							3,125	2,959	116.4	124.6	2,733	2,352
7	South West Garo Hills							0		0.0		0	
8	South West Khasi Hills												
9	West Garo Hills	0		0		0		16,653	16,254	96.2	96.8	15,961	15,299
10	West Jaintia Hills							12,374	11,463	99.2	99.6	11,759	10,738
11	West Khasi Hills	0		0		0		10,987	10,278	103.1	109.0	10,401	9,651

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	Meghalaya	17.5	18.0	12,120	48,947	14.6	61.9	13.2	28.3	103	367	82.0	80.0
1	East Garo Hills	18.8	7.7	575	4,347	8.6	71.1	36.7	53.0	0	0	76.3	76.7
2	East Jaintia Hills												
3	East Khasi Hills	36.3	36.3	9,572	11,976	35.1	44.3	8.0	12.5	0	2	92.9	92.0
4	North Garo Hills												
5	Ri Bhoi	0.3	10.2	146	4,627	2.6	79.6	7.5	11.3	0	0	83.5	81.7
6	South Garo Hills	10.5	10.0	254	2,214	9.5	93.2	38.2	40.6	0	0	78.7	76.9
7	South West Garo Hills	100.0		0		0.0				0		100.0	
8	South West Khasi Hills												
9	West Garo Hills	5.6	5.0	630	8,762	3.6	52.2	45.2	44.1	0	0	81.0	80.3
10	West Jaintia Hills	11.4	16.8	426	9,899	3.4	86.0	13.6	33.1	0	1	89.8	88.9
11	West Khasi Hills	11.5	12.2	517	7,122	4.9	75.5	33.1	21.1	103	364	67.9	61.2

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	60.8	60.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	68.7	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	63.2	63.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	53.8	55.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	70.1	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills	0.0		0.0		0.0		0.0		0.0		0.0	
8	South West Khasi Hills												
9	West Garo Hills	75.9	74.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	39.4	40.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	48.2	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	0.6	0.5	94.2	95.1	5.2	4.4	2,148	2,200	5.4	4.8	9.6	6.3
1	East Garo Hills	1.2	2.0	68.5	70.2	30.2	27.7	126	121	1.7	0.8	6.6	3.4
2	East Jaintia Hills												
3	East Khasi Hills	0.3	0.1	99.2	99.5	0.4	0.4	900	799	5.6	6.0	13.3	8.8
4	North Garo Hills												
5	Ri Bhoi	0.4	1.2	93.0	97.3	6.6	1.6	93	86	2.6	1.3	5.2	0.0
6	South Garo Hills	0.7	1.2	76.9	74.2	22.4	24.5	86	97	0.0	0.0	0.0	0.0
7	South West Garo Hills	0.0		100.0		0.0							
8	South West Khasi Hills												
9	West Garo Hills	0.9	0.8	93.6	91.0	5.5	8.2	384	543	2.5	1.6	3.8	4.7
10	West Jaintia Hills	0.7	0.1	98.2	99.2	1.1	0.7	308	294	12.6	15.5	16.7	13.4
11	West Khasi Hills	0.5	0.3	95.7	96.1	3.8	3.6	251	260	5.0	1.9	4.0	0.9

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2013-14
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13	2013-14	2012-13
	_Meghalaya	6.8	7.1	14.3	14.0	4.6	3.9	12.5	12.5	0.0	0.1	46.7	51.3
1	East Garo Hills	3.3	4.2	22.3	14.4	0.8	0.8	22.3	13.6	0.0	0.8	43.0	61.9
2	East Jaintia Hills												
3	East Khasi Hills	3.7	3.6	9.9	10.0	2.4	1.2	5.0	4.8	0.0	0.0	60.0	65.6
4	North Garo Hills												
5	Ri Bhoi	16.9	15.8	11.7	11.8	5.2	6.6	20.8	14.5	0.0	0.0	37.7	50.0
6	South Garo Hills	1.3	2.4	13.0	12.0	3.9	2.4	36.4	20.5	0.0	0.0	45.5	62.7
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	5.6	6.3	29.7	25.5	1.3	2.3	23.8	23.7	0.0	0.0	33.4	35.9
10	West Jaintia Hills	15.6	18.1	10.4	8.8	8.1	4.6	2.2	4.2	0.0	0.0	34.4	35.3
11	West Khasi Hills	7.9	6.6	7.4	8.0	15.3	15.5	16.3	15.0	0.0	0.0	44.1	52.1