

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	79,043	76,672	97.9	98.2	1,912	2,002	97.6	97.5	65,266	60,994	36,693	35,819
1	East Garo Hills	6,110	5,667	98.1	97.5	99	151	98.4	97.4	4,364	3,524	3,047	3,096
2	East Jaintia Hills												
3	East Khasi Hills	27,012	26,016	97.2	98.0	836	779	97.0	97.1	23,579	22,334	17,619	17,233
4	North Garo Hills												
5	Ri Bhoi	5,815	5,731	99.6	99.0	51	73	99.1	98.7	3,559	2,970	2,201	1,763
6	South Garo Hills	2,375	2,177	99.2	99.6	30	34	98.8	98.5	1,942	1,531	772	910
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	16,789	16,015	97.9	98.4	430	427	97.5	97.4	16,516	15,557	5,724	5,446
10	West Jaintia Hills	11,509	12,033	98.0	97.4	312	401	97.4	96.8	8,980	9,453	3,959	4,039
11	West Khasi Hills	9,433	9,033	98.7	98.9	154	137	98.4	98.5	6,326	5,625	3,371	3,332

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	84,723	82,887	46.4	46.7	107.2	108.1	83,231	79,960	79,170	74,248	73,845	67,929
1	East Garo Hills	7,273	7,634	49.9	54.6	119.0	134.7	7,979	7,915	7,348	7,586	7,005	6,390
2	East Jaintia Hills												
3	East Khasi Hills	25,030	24,114	65.2	66.2	92.7	92.7	20,434	19,293	18,897	17,413	17,562	16,007
4	North Garo Hills												
5	Ri Bhoi	6,554	6,433	37.9	30.8	112.7	112.2	7,537	7,116	6,942	6,536	6,310	5,966
6	South Garo Hills	3,288	3,431	32.5	41.8	138.4	157.6	3,682	3,677	3,691	3,449	3,216	2,868
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	17,105	16,830	34.1	34.0	101.9	105.1	17,033	16,298	17,102	15,640	16,470	14,725
10	West Jaintia Hills	13,771	13,544	34.4	33.6	119.7	112.6	13,936	13,620	13,161	12,532	12,195	11,636
11	West Khasi Hills	11,702	10,901	35.7	36.9	124.1	120.7	12,630	12,041	12,029	11,092	11,087	10,337

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya							69,499	62,851	87.9	82.0	64,855	58,630
1	East Garo Hills							6,714	6,144	109.9	108.4	6,222	5,879
2	East Jaintia Hills												
3	East Khasi Hills							15,948	14,295	59.0	54.9	15,173	13,570
4	North Garo Hills												
5	Ri Bhoi							5,883	5,715	101.2	99.7	5,420	5,343
6	South Garo Hills							2,959	3,060	124.6	140.6	2,352	2,282
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							16,254	14,601	96.8	91.2	15,299	13,927
10	West Jaintia Hills							11,463	9,815	99.6	81.6	10,738	9,216
11	West Khasi Hills							10,278	9,221	109.0	102.1	9,651	8,413

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	Meghalaya	18.0	24.2	48,947	60,389	61.9	78.8	28.3	32.7	367	13	80.0	79.3
1	East Garo Hills	7.7	19.5	4,347	5,180	71.1	91.4	53.0	68.8	0	1	76.7	76.7
2	East Jaintia Hills												
3	East Khasi Hills	36.3	40.7	11,976	15,070	44.3	57.9	12.5	12.0	2	6	92.0	90.4
4	North Garo Hills												
5	Ri Bhoi	10.2	11.2	4,627	6,218	79.6	108.5	11.3	14.9	0	0	81.7	81.9
6	South Garo Hills	10.0	10.8	2,214	2,439	93.2	112.0	40.6	44.1	0	0	76.9	75.7
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	5.0	13.2	8,762	13,304	52.2	83.1	44.1	47.6	0	0	80.3	79.3
10	West Jaintia Hills	16.8	27.5	9,899	10,535	86.0	87.6	33.1	44.2	1	0	88.9	87.7
11	West Khasi Hills	12.2	15.4	7,122	7,643	75.5	84.6	21.1	18.6	364	6	61.2	60.8

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	60.3	59.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	70.0	72.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	63.8	59.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	55.4	57.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	67.1	65.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	74.8	72.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	40.5	45.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	43.0	41.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	0.5	1.0	95.1	93.6	4.4	5.3	2,200	1,485	4.8	4.0	6.3	8.8
1	East Garo Hills	2.0	4.3	70.2	65.6	27.7	30.2	121	21	0.8	0.0	3.4	0.0
2	East Jaintia Hills												
3	East Khasi Hills	0.1	0.5	99.5	99.0	0.4	0.5	799	700	6.0	5.3	8.8	11.6
4	North Garo Hills												
5	Ri Bhoi	1.2	0.6	97.3	97.4	1.6	2.0	86	84	1.3	1.6	0.0	3.1
6	South Garo Hills	1.2	2.7	74.2	76.7	24.5	20.6	97	46	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	0.8	1.7	91.0	84.7	8.2	13.6	543	287	1.6	2.5	4.7	13.1
10	West Jaintia Hills	0.1	0.6	99.2	98.2	0.7	1.2	294	197	15.5	5.5	13.4	4.1
11	West Khasi Hills	0.3	0.6	96.1	97.2	3.6	2.2	260	150	1.9	1.7	0.9	0.0

Performance of Key HMIS Indicators for Meghalaya ( Across Districts)  
Financial Year: 2012-13  
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Meghalaya	7.1	5.0	14.0	14.2	3.9	2.9	12.5	10.9	0.1	0.1	51.3	54.1
1	East Garo Hills	4.2	0.0	14.4	11.1	0.8	22.2	13.6	55.6	0.8	0.0	61.9	11.1
2	East Jaintia Hills												
3	East Khasi Hills	3.6	2.8	10.0	10.3	1.2	2.4	4.8	5.0	0.0	0.0	65.6	62.8
4	North Garo Hills												
5	Ri Bhoi	15.8	10.9	11.8	4.7	6.6	4.7	14.5	18.8	0.0	0.0	50.0	56.3
6	South Garo Hills	2.4	4.7	12.0	4.7	2.4	0.0	20.5	20.9	0.0	0.0	62.7	69.8
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	6.3	9.7	25.5	24.5	2.3	1.7	23.7	21.1	0.0	0.0	35.9	27.4
10	West Jaintia Hills	18.1	5.5	8.8	26.9	4.6	4.8	4.2	7.6	0.0	0.7	35.3	44.8
11	West Khasi Hills	6.6	2.5	8.0	5.0	15.5	4.2	15.0	10.9	0.0	0.0	52.1	75.6