		1	l	2		3	3	4		5		6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	78,389	78,374	99.2	100.2	976	821	98.8	99.0	74,089	71,591	27,333	18,829
1	Bilaspur	5,085	5,167	99.5	101.4	51	31	99.0	99.4	5,082	4,836	1,533	1,282
2	Chamba	5,550	5,921	99.2	98.9	74	83	98.7	98.6	5,222	5,485	1,509	1,004
3	Hamirpur	5,625	6,146	99.0	98.0	73	55	98.7	99.1	5,579	6,141	2,933	3,632
4	Kangra	17,159	14,064	99.0	102.3	196	152	98.9	98.9	16,595	13,939	6,070	2,841
5	Kinnaur	710	806	98.7	101.1	9	5	98.7	99.4	388	753	88	15
6	Kullu	5,406	5,805	99.2	100.9	48	24	99.1	99.6	5,307	5,640	1,971	1,485
7	Lahul Spiti	173	149	98.3	100.0	3		98.3	100.0	173	132	117	81
8	Mandi	10,592	11,338	99.5	99.4	106	122	99.0	98.9	10,081	10,931	3,144	2,059
9	Shimla	10,589	10,289	98.5	99.0	235	157	97.8	98.5	8,905	7,556	4,965	3,228
10	Sirmaur	5,376	5,627	99.2	100.7	50	53	99.1	99.1	5,226	4,947	1,025	631
11	Solan	6,294	6,596	100.0	99.8	75	74	98.8	98.9	6,083	6,273	1,798	784
12	Una	5,830	6,466	99.7	101.1	56	65	99.0	99.0	5,448	4,958	2,180	1,787

		7	7	8	3	9	9	1	0	1	1	12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth			% given BCG ed live birth	Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	97,961	98,386	34.9	24.0	125.0	125.5	91,163	92,885	88,910	92,019	88,981	94,073
1	Bilaspur	6,309	5,974	30.1	24.8	124.1	115.6	5,300	5,402	5,103	5,293	5,138	5,303
2	Chamba	7,509	7,605	27.2	17.0	135.3	128.4	7,867	7,812	7,452	7,519	7,094	7,417
3	Hamirpur	6,634	7,432	52.1	59.1	117.9	120.9	5,826	6,612	5,664	6,697	5,834	6,955
4	Kangra	21,658	20,128	35.4	20.2	126.2	143.1	19,067	19,135	18,877	19,450	19,341	19,991
5	Kinnaur	1,059	1,077	12.4	1.9	149.2	133.6	1,154	1,184	1,134	1,158	1,080	1,164
6	Kullu	6,569	6,616	36.5	25.6	121.5	114.0	5,932	6,237	5,941	6,136	5,965	6,144
7	Lahul Spiti	279	269	67.6	54.4	161.3	180.5	352	345	367	332	382	285
8	Mandi	13,288	13,650	29.7	18.2	125.5	120.4	13,076	12,942	12,771	13,014	12,835	13,448
9	Shimla	12,805	13,106	46.9	31.4	120.9	127.4	10,726	11,117	10,333	10,515	10,207	10,561
10	Sirmaur	7,265	7,267	19.1	11.2	135.1	129.1	7,595	7,527	7,319	7,591	7,160	7,721
11	Solan	7,423	7,952	28.6	11.9	117.9	120.6	7,463	7,677	7,342	7,589	7,242	7,998
12	Una	7,163	7,310	37.4	27.6	122.9	113.1	6,805	6,895	6,607	6,725	6,703	7,086

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts) Financial Year: 2010-11

Provisional Figures for the Period April to December

			3	1	4	1	15	1	6	1	7	1	8
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh							89,592	93,845	114.3	119.7	89,393	93,446
1	Bilaspur							5,079	5,135	99.9	99.4	5,065	5,119
2	Chamba							6,735	7,225	121.4	122.0	6,720	7,171
3	Hamirpur							6,101	6,870	108.5	111.8	6,101	6,862
4	Kangra							19,986	20,485	116.5	145.7	19,981	20,429
5	Kinnaur							1,065	1,045	150.0	129.7	1,004	1,044
6	Kullu							5,726	6,067	105.9	104.5	5,698	6,005
7	Lahul Spiti							348	344	201.2	230.9	308	328
8	Mandi							12,911	13,500	121.9	119.1	12,911	13,492
9	Shimla							10,361	10,705	97.8	104.0	10,325	10,687
10	Sirmaur							6,995	7,611	130.1	135.3	6,995	7,603
11	Solan							7,632	7,827	121.3	118.7	7,632	7,806
12	Una	_						6,653	7,031	114.1	108.7	6,653	6,900

	Indicator		9	2	20		21		2	23		24	
			% Drop Out between BCG & Measles		Vitamin - A dose 1		given Vit A eported live	% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	8.5	4.6	88,778	93,907	113.3	119.8	135.0	139.4	96		98.3	98.2
1	Bilaspur	19.5	14.0	5,079	5,123	99.9	99.1	141.2	113.8			99.0	95.8
2	Chamba	10.3	5.0	6,703	7,164	120.8	121.0	145.8	152.0			96.7	95.3
3	Hamirpur	8.0	7.6	6,096	6,866	108.4	111.7	138.5	129.8			99.4	99.4
4	Kangra	7.7	-1.8	19,987	20,515	116.5	145.9	130.7	134.4			98.4	98.5
5	Kinnaur	-0.6	3.0	1,055	1,423	148.6	176.6	112.1	143.3			91.0	98.0
6	Kullu	12.8	8.3	5,650	6,068	104.5	104.5	142.6	190.9	2		99.0	99.6
7	Lahul Spiti	-24.7	-27.9	362	372	209.2	249.7	107.5	121.8			93.9	92.4
8	Mandi	2.8	1.1	12,889	13,507	121.7	119.1	170.1	164.3			99.1	98.7
9	Shimla	19.1	18.3	10,021	10,659	94.6	103.6	91.2	106.8	92		98.7	98.1
10	Sirmaur	3.7	-4.7	6,969	7,357	129.6	130.7	113.9	87.6			97.0	97.5
11	Solan	-2.8	1.6	7,344	7,828	116.7	118.7	105.1	115.5	1		98.9	101.6
12	Una	7.1	3.8	6,623	7,025	113.6	108.6	180.9	206.8	1		98.9	98.2

		2	5	2	6	2	7	28		2	9	3	0
Indicator		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis in 0-5 Years Total R Childhood I	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Bilaspur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Chamba	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Hamirpur	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Kangra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Kinnaur	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kullu	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Lahul Spiti	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Mandi	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Shimla	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	Sirmaur	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	Solan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	Una	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Himachal Pradesh (Across Districts) Financial Year: 2010-11

Provisional Figures for the Period April to December

		31		2	2	3	2		34		35		36	
		3	31		32		3	34		33		30		
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	
	_Himachal Pradesh	0.4	0.4	99.5	98.5	0.1	1.1	820	323	8.7	3.6	13.0	13.1	
1	Bilaspur	0.1	0.0	99.9	100.0	0.0	0.0	55	26	2.6	7.1	5.3	35.7	
2	Chamba	0.5	0.0	99.5	100.0	0.0	0.0	99	91	5.7	6.7	19.5	10.0	
3	Hamirpur	0.0	0.0	99.7	100.0	0.2	0.0	24	11	6.7	0.0	33.3	40.0	
4	Kangra	0.7	0.1	99.3	95.2	0.0	4.8	336	50	12.6	0.0	12.2	7.7	
5	Kinnaur	0.0	0.0	100.0	96.1	0.0	1.1	10	5	0.0	0.0	0.0	0.0	
6	Kullu	0.7	0.0	98.8	99.8	0.5	0.2	43	6	13.6	0.0	18.2	16.7	
7	Lahul Spiti	0.5	0.1	99.5	99.9	0.0	0.0							
8	Mandi	0.3	0.0	99.7	100.0	0.0	0.0	34	59	3.7	0.0	11.1	22.4	
9	Shimla	0.4	0.5	99.2	98.9	0.4	0.7	49	5	0.0	0.0	0.0	0.0	
10	Sirmaur	0.5	2.7	99.4	97.3	0.0	0.0	80	31	5.1	0.0	0.0	0.0	
11	Solan	0.6	0.1	99.4	99.9	0.0	0.0	46	10	7.9	0.0	23.7	0.0	
12	Una	0.4	0.0	99.6	100.0	0.0	0.0	44	29	4.0	15.8	20.0	15.8	

	-		37		38		39		40		1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe	a to Total d Infant	% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Himachal Pradesh	18.4	20.1	6.1	6.2	1.5	1.8	2.8	4.0	0.0	0.0	49.5	51.1
1	Bilaspur	36.8	35.7	7.9	0.0	0.0	0.0	0.0	7.1	0.0	0.0	47.4	14.3
2	Chamba	3.4	7.8	4.6	12.2	4.6	2.2	4.6	5.6	0.0	0.0	57.5	55.6
3	Hamirpur	20.0	60.0	0.0	0.0	0.0	0.0	6.7	0.0	0.0	0.0	33.3	0.0
4	Kangra	19.8	17.9	3.6	7.7	0.4	2.6	0.4	7.7	0.0	0.0	51.1	56.4
5	Kinnaur	16.7	60.0	0.0	0.0	0.0	0.0	16.7	0.0	0.0	0.0	66.7	40.0
6	Kullu	27.3	33.3	0.0	0.0	9.1	0.0	0.0	0.0	0.0	0.0	31.8	50.0
7	Lahul Spiti												
8	Mandi	37.0	29.3	18.5	0.0	3.7	3.4	3.7	0.0	0.0	0.0	22.2	44.8
9	Shimla	0.0	20.0	23.1	0.0	0.0	0.0	0.0	20.0	0.0	0.0	76.9	60.0
10	Sirmaur	18.6	8.0	11.9	4.0	0.0	0.0	8.5	4.0	0.0	0.0	55.9	84.0
11	Solan	18.4	12.5	0.0	25.0	0.0	0.0	7.9	0.0	0.0	0.0	42.1	62.5
12	Una	8.0	36.8	20.0	0.0	4.0	0.0	4.0	0.0	0.0	0.0	40.0	31.6