

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	55,862	50,603	98.3	97.9	1,465	1,151	97.4	97.8	44,415	35,372	26,536	21,993
1	East Garo Hills	4,135	3,273	97.7	100.0	121	33	97.2	99.0	2,454	1,642	2,318	2,020
2	East Jaintia Hills												
3	East Khasi Hills	19,306	15,971	98.2	96.7	572	498	97.1	97.0	16,651	12,168	13,016	9,888
4	North Garo Hills												
5	Ri Bhoi	4,165	3,841	99.0	99.1	52	43	98.8	98.9	2,146	1,434	1,281	1,222
6	South Garo Hills	1,585	1,491	99.7	100.0	26	14	98.4	99.1	1,106	712	691	955
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	11,394	11,514	98.5	98.2	315	223	97.3	98.1	11,050	10,820	3,944	3,495
10	West Jaintia Hills	8,751	8,373	97.4	97.9	284	234	96.9	97.3	6,940	5,307	2,934	2,837
11	West Khasi Hills	6,526	6,140	98.9	98.5	95	106	98.6	98.3	4,068	3,289	2,352	1,576

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	60,060	59,206	47.5	43.5	107.5	117.0	57,788	58,275	54,189	54,204	49,754	49,601
1	East Garo Hills	5,761	6,805	56.1	61.7	139.3	207.9	5,929	7,057	5,843	6,728	4,909	5,888
2	East Jaintia Hills												
3	East Khasi Hills	17,933	14,715	67.4	61.9	92.9	92.1	13,954	12,214	12,597	11,121	11,643	10,086
4	North Garo Hills												
5	Ri Bhoi	4,647	4,925	30.8	31.8	111.6	128.2	5,238	5,344	4,838	4,943	4,441	4,756
6	South Garo Hills	2,440	2,766	43.6	64.1	153.9	185.5	2,674	2,921	2,578	2,644	2,157	2,301
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	11,665	12,497	34.6	30.4	102.4	108.5	11,513	12,577	10,913	12,348	10,203	11,418
10	West Jaintia Hills	9,749	9,634	33.5	33.9	111.4	115.1	9,857	9,448	9,324	8,567	8,742	7,768
11	West Khasi Hills	7,865	7,864	36.0	25.7	120.5	128.1	8,623	8,714	8,096	7,853	7,659	7,384

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya							44,468	46,422	79.6	91.7	41,752	42,352
1	East Garo Hills							4,325	5,245	104.6	160.3	4,253	4,006
2	East Jaintia Hills												
3	East Khasi Hills							10,392	8,632	53.8	54.0	9,840	8,369
4	North Garo Hills												
5	Ri Bhoi							4,237	4,146	101.7	107.9	3,989	3,842
6	South Garo Hills							2,121	2,175	133.8	145.9	1,682	1,682
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills							9,697	11,065	85.1	96.1	9,280	10,187
10	West Jaintia Hills							7,003	7,933	80.0	94.7	6,542	7,381
11	West Khasi Hills							6,693	7,226	102.6	117.7	6,166	6,885

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	Meghalaya	26.0	21.6	40,764	53,824	73.0	106.4	34.7	29.3	7	12	78.7	81.9
1	East Garo Hills	24.9	22.9	3,563	3,617	86.2	110.5	78.1	84.2	1		77.0	83.8
2	East Jaintia Hills												
3	East Khasi Hills	42.1	41.3	10,707	12,113	55.5	75.8	12.4	9.2	6	12	90.0	93.8
4	North Garo Hills												
5	Ri Bhoi	8.8	15.8	4,433	4,922	106.4	128.1	14.7	6.2	0		80.9	86.8
6	South Garo Hills	13.1	21.4	1,626	2,172	102.6	145.7	44.1	35.7	0		74.6	68.4
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	16.9	11.5	8,382	11,526	73.6	100.1	55.1	49.2	0		78.1	80.9
10	West Jaintia Hills	28.2	17.7	7,148	11,606	81.7	138.6	43.1	32.4	0		88.3	89.0
11	West Khasi Hills	14.9	8.1	4,905	7,868	75.2	128.1	19.9	14.2	0		59.9	62.2

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	58.7	62.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East Garo Hills	72.9	72.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	East Jaintia Hills												
3	East Khasi Hills	57.4	64.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	North Garo Hills												
5	Ri Bhoi	55.8	61.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	South Garo Hills	63.7	58.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	70.7	78.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	West Jaintia Hills	47.0	48.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	West Khasi Hills	41.4	44.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	1.1	1.0	93.1	89.1	5.8	9.9	1,160	1,655	4.2	5.6	8.7	8.7
1	East Garo Hills	5.0	1.5	62.5	56.3	32.5	42.1	15	30	0.0	28.6	0.0	14.3
2	East Jaintia Hills												
3	East Khasi Hills	0.6	0.6	98.8	98.6	0.6	0.8	559	785	5.2	5.0	10.2	9.2
4	North Garo Hills												
5	Ri Bhoi	0.5	1.7	96.9	92.8	2.6	5.5	63	48	2.2	2.3	4.3	4.7
6	South Garo Hills	2.0	1.8	77.2	57.8	20.8	40.4	36	40	0.0	0.0	0.0	0.0
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	1.8	2.6	82.1	70.3	16.0	27.2	203	334	3.7	3.3	17.4	7.9
10	West Jaintia Hills	0.7	0.3	97.8	99.1	1.5	0.5	154	229	5.7	12.7	3.3	14.2
11	West Khasi Hills	0.7	0.2	97.6	96.0	1.7	3.8	130	189	1.0	0.0	0.0	2.3

Performance of Key HMIS Indicators for Meghalaya (Across Districts)
Financial Year: 2011-12
Provisional Figures for the Period April to December

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11	2011-12	2010-11
	_Meghalaya	4.2	5.8	14.7	13.1	2.7	3.0	10.7	12.3	0.1	0.2	54.8	51.3
1	East Garo Hills	0.0	0.0	20.0	0.0	0.0	3.6	60.0	21.4	0.0	0.0	20.0	32.1
2	East Jaintia Hills												
3	East Khasi Hills	2.4	3.5	11.8	11.4	2.4	1.8	5.4	4.2	0.0	0.2	62.6	64.8
4	North Garo Hills												
5	Ri Bhoi	8.7	4.7	2.2	9.3	4.3	7.0	15.2	23.3	0.0	0.0	63.0	48.8
6	South Garo Hills	5.9	6.3	5.9	9.4	0.0	0.0	23.5	15.6	0.0	0.0	64.7	68.8
7	South West Garo Hills												
8	South West Khasi Hills												
9	West Garo Hills	8.1	10.5	23.0	21.7	1.9	1.6	19.3	27.6	0.0	0.0	26.7	27.3
10	West Jaintia Hills	4.9	9.4	27.9	10.4	3.3	5.2	9.0	3.3	0.8	0.5	45.1	44.3
11	West Khasi Hills	2.0	0.0	6.1	9.2	5.1	6.9	12.1	18.5	0.0	0.0	73.7	63.1