		1		2	2	27	3	4	ı	5		6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	8,072	6,821	99.3	117.9	165	279	98.0	96.1	6,355	5,486	6,318	5,049
1	East	4,630	3,075	97.1	137.5	89	77	98.1	97.6	3,370	1,918	4,561	3,303
2	North	407	479	98.5	146.5	12	140	97.1	77.4	401	457	281	429
3	South	1,584	1,606	108.0	104.6	25	26	98.4	98.4	1,520	1,611	441	414
4	West	1,451	1,661	97.8	98.6	39	36	97.4	97.9	1,064	1,500	1,035	903

		7		8	3	Ģ	)	1	0	11		12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	8,899	8,045	78.3	74.0	110.2	117.9	8,801	8,708	8,694	8,655	8,921	8,811
1	East	4,735	3,543	98.5	107.4	102.3	115.2	4,324	3,614	4,103	3,585	4,203	3,619
2	North	445	559	69.0	89.6	109.3	116.7	545	703	549	739	573	734
3	South	1,923	2,017	27.8	25.8	121.4	125.6	2,053	2,243	2,058	2,172	2,160	2,284
4	West	1,796	1,926	71.3	54.4	123.8	116.0	1,879	2,148	1,984	2,159	1,985	2,174

		13		1	4	1	5	1	6	17		18	
In	dicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim							8,814	8,590	109.2	125.9	8,730	8,078
1	East							4,029	3,535	87.0	115.0	4,029	3,267
2	North							595	623	146.2	130.1	567	292
3	South							2,150	2,248	135.7	140.0	2,094	2,335
4	4 West						2,040	2,184	140.6	131.5	2,040	2,184	

		19		2	0	2	1	2	2	23		24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	1.0	-6.8	2,721	8,478	33.7	124.3	130.2	89.8			93.0	94.2
1	East	14.9	0.2	1,288	3,559	27.8	115.7	79.8	62.3			97.6	91.3
2	North	-33.7	-11.4	178	604	43.7	126.1	14.6	40.4			94.2	91.2
3	South	-11.8	-11.5	546	2,157	34.5	134.3	174.9	96.4			100.0	92.1
4	West	-13.6	-13.4	709	2,158	48.9	129.9	216.2	142.2			82.9	99.7

Indicator		25  '%  Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	89.0	89.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	81.3	80.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	91.9	85.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	80.5	90.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	102.2	100.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		31		3	2	3	3	3	4	3	5	36	
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		%  Deaths due to Sepsis to  Total Reported Infant  Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	3.9	2.1	96.1	97.2	0.0	0.7	99	37	4.1	20.7	10.8	3.4
1	East	6.1	4.2	93.9	94.3	0.0	1.5	53	15	7.9	20.0	21.1	0.0
2	North	3.5	0.7	96.5	99.3	0.0	0.0	9	2	0.0	0.0	0.0	0.0
3	South	0.0	0.0	100.0	100.0	0.0	0.0	17	3	0.0	0.0	0.0	33.3
4	West	3.8	0.8	96.2	99.2	0.0	0.0	20	17	0.0	26.7	0.0	0.0

Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		41  % Deaths due to Measles to Total Reported Infant Deaths		9% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Sikkim	12.2	13.8	10.8	6.9	2.7	0.0	2.7	3.4	0.0	0.0	56.8	51.7
1	East	15.8	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	50.0	80.0
2	North	0.0	100.0	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.0	0.0
3	South	5.9	33.3	29.4	0.0	11.8	0.0	0.0	0.0	0.0	0.0	52.9	33.3
4	West	13.3	13.3	13.3	13.3	0.0	0.0	0.0	6.7	0.0	0.0	73.3	40.0