		1		2		3	3	4	4		5	6	
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	7,505	8,055	100.9	100.2	97	186	98.7	97.7	7,105	7,565	6,647	6,790
1	East	3,834	4,540	101.2	99.5	24	102	99.4	97.8	3,673	4,363	4,225	4,806
2	North	349	505	100.0	105.0	7	20	98.0	96.2	299	425	284	385
3	South	1,899	1,519	100.2	98.1	36	41	98.1	97.4	1,826	1,440	1,133	661
4	West	1,423	1,491	101.2	102.9	30	23	97.9	98.5	1,307	1,337	1,005	938

		7		8		9	9	1	0	1	1	12	
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	8,179	8,941	88.6	84.3	109.0	111.0	8,056	8,854	8,184	8,951	8,326	9,023
1	East	4,415	5,049	110.2	105.9	115.2	111.2	3,533	4,129	3,554	4,172	3,701	4,090
2	North	360	493	81.4	76.2	103.2	97.6	583	654	596	666	623	728
3	South	1,642	1,625	59.7	43.5	86.5	107.0	1,974	2,062	2,035	2,048	2,043	2,100
4	West	1,762	1,774	70.6	62.9	123.8	119.0	1,966	2,009	1,999	2,065	1,959	2,105

Performance of Key HMIS Indicators for Sikkim (Across Districts) Financial Year: 2012-13 Provisional Figures for the Period April to March

		13		1	14		5	1	6	17		18	
Indicator		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim							8,543	8,990	113.8	111.6	8,400	8,667
1	East							3,853	4,322	100.5	95.2	3,905	4,137
2	North							634	701	181.7	138.8	547	647
3	South							2,033	1,930	107.1	127.1	1,965	1,840
4	West							2,023	2,037	142.2	136.6	1,983	2,043

		19		20		2	1	22		23		24	
Indicator		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Imunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	-4.5	-0.5	8,703	6,461	116.0	80.2	81.1	103.1	68	69	97.9	98.4
1	East	12.7	14.4	3,927	3,128	102.4	68.9	70.8	89.6	1	0	97.6	98.3
2	North	-76.1	-42.2	625	546	179.1	108.1	67.8	62.1	0	0	93.9	95.2
3	South	-23.8	-18.8	2,066	1,385	108.8	91.2	97.1	162.0	67	69	98.7	100.1
4	West	-14.8	-14.8	2,085	1,402	146.5	94.0	88.8	90.9	0	0	99.5	98.7

Indicator		25 '% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		9% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	87.7	90.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	East	79.7	76.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	North	87.1	92.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	South	96.8	98.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	West	94.8	104.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		34 Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		36 % Deaths due to Asphyxia to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	0.6	2.4	99.4	96.3	0.0	1.3	7	6	0.0	0.0	0.0	0.0
1	East	0.5	0.9	99.4	97.0	0.1	2.1		2		0.0		0.0
2	North	2.2	3.7	97.8	92.7	0.0	3.4	2		0.0		0.0	
3	South	0.3	1.8	99.7	98.1	0.0	0.1						
4	West	0.4	5.1	99.6	94.8	0.0	0.1	5	4	0.0	0.0	0.0	0.0

Performance of Key HMIS Indicators for Sikkim (Across Districts) Financial Year: 2012-13 Provisional Figures for the Period April to March

Indicator		37 % Deaths due to LBW to Total Reported Infant Deaths		38 ** Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		40 % Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12	2012-13	2011-12
	_Sikkim	40.0	20.0	0.0	40.0	0.0	0.0	40.0	20.0	0.0	0.0	20.0	20.0
1	East		0.0		100.0		0.0		0.0		0.0		0.0
2	North	50.0		0.0		0.0		0.0		0.0		50.0	
3	South												
4	West	33.3	25.0	0.0	25.0	0.0	0.0	66.7	25.0	0.0	0.0	0.0	25.0