

Performance of Key HMIS Indicators for Sikkim ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim	5,810		133.5	0.0	85		98.6		3,730		3,769	
1	East	3,322		156.8	0.0	25		99.3		1,447		2,333	
2	North	430		137.8		15		96.6		357		676	
3	South	762		127.6		15		98.1		694		215	
4	West	1,296		97.8		30		97.7		1,232		545	

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim	6,040	8,234	64.9		104.0		7,214		7,942	12,861	7,844	7,771
1	East	3,014	8,234	70.2		90.7		4,021		4,630	12,861	4,583	7,771
2	North	414		157.2		96.3		470		478		487	
3	South	1,098		28.2		144.1		1,137		1,150		1,089	
4	West	1,514		42.1		116.8		1,586		1,684		1,685	

Performance of Key HMIS Indicators for Sikkim ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim							7,824	8,168	134.7		5,550	
1	East							4,169	8,168	125.5		1,985	
2	North							500		116.3		500	
3	South							1,388		182.2		1,298	
4	West							1,767		136.3		1,767	

Performance of Key HMIS Indicators for Sikkim ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim	-29.5	0.8	7,573	4,283	130.3		0.7	0.0			61.8	
1	East	-38.3	0.8	4,184	4,283	125.9		0.0	0.0				
2	North	-20.8		441		102.6		11.6					
3	South	-26.4		1,196		157.0		0.0					
4	West	-16.7		1,752		135.2		0.0				48.3	

Performance of Key HMIS Indicators for Sikkim ( Across Districts)  
 Financial Year: 2008-09  
 Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	36.7		0.3		0.0		0.0		0.0		0.0	
1	East			0.0		0.0		0.0		0.0		0.0	
2	North			4.7		0.0		0.0		0.0		0.0	
3	South			0.0		0.0		0.0		0.0		0.0	
4	West	36.7		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Sikkim ( Across Districts)  
 Financial Year: 2008-09  
 Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	0.6		98.9		0.1		6		0.0		0.0	
1	East	0.3		99.7		0.0							
2	North	0.8		93.1		1.4		4					
3	South	0.0		100.0		0.0		2		0.0		0.0	
4	West	1.9		98.1		0.0							

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	0.0		0.0		0.0		0.0		0.0		100.0	
1	East												
2	North												
3	South	0.0		0.0		0.0		0.0		0.0		100.0	
4	West												