			1	2	2		3	4	4	!	5	(5
	Indicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	Number o	of Women under JSY	9 1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	ration to	Number of women re ANC cho	eceived 3
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	16,478	19,541	10,002	11,659	16,476	18,348	60.6	59.6	100.0	93.9	14,246	17,107
1	Babai	1,818	2,072	1,173	1,427	1,817	2,072	64.5	68.9	99.9	100.0	1,837	1,969
2	Bankhedi	1,938	2,078	1,216	1,121	1,938	2,068	62.7	53.9	100.0	99.5	1,620	1,718
3	Dolaria	1,373	1,432	736	852	1,372	1,432	53.6	59.5	99.9	100.0	1,204	1,514
4	Dolaria Block												
5	Hoshangabad	1,456	2,720	700	1,300	1,456	1,537	48.1	47.8	100.0	56.5	1,137	2,282
6	Kesla	2,523	2,920	1,471	1,661	2,523	2,920	58.3	56.9	100.0	100.0	2,164	2,536
7	Pipariya	2,586	2,983	1,650	1,817	2,586	2,983	63.8	60.9	100.0	100.0	1,844	2,126
8	Seoni-Malwa	2,461	2,813	2,050	2,231	2,461	2,813	83.3	79.3	100.0	100.0	2,150	2,393
9	Sohagpur	2,323	2,523	1,006	1,250	2,323	2,523	43.3	49.5	100.0	100.0	2,290	2,569

		7	7	8	3		9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai		Pregnant received 3 ups to To Registr	Woman ANC check otal ANC	Pregnant received Booster to	d TT2 or	Number of women give	en 100 IFA	Pregnant given 100 I ANC Reg	women FA to Total	Number h leve (tested	l<11
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	13,517	16,826	86.4	87.5	82.0	86.1	16,531	22,102	100.3	113.1	9,513	11,426
1	Babai	1,595	1,805	101.0	95.0	87.7	87.1	1,820	2,099	100.1	101.3	707	889
2	Bankhedi	1,751	1,826	83.6	82.7	90.4	87.9	1,938	2,085	100.0	100.3	1,275	1,122
3	Dolaria	1,216	1,262	87.7	105.7	88.6	88.1	1,393	1,699	101.5	118.6	686	627
4	Dolaria Block												
5	Hoshangabad	965	2,823	78.1	83.9	66.3	103.8	1,431	4,761	98.3	175.0	542	2,025
6	Kesla	2,419	2,782	85.8	86.8	95.9	95.3	2,534	3,038	100.4	104.0	1,701	1,914
7	Pipariya	1,534	1,775	71.3	71.3	59.3	59.5	2,605	2,990	100.7	100.2	1,730	2,333
8	Seoni-Malwa	2,136	2,394	87.4	85.1	86.8	85.1	2,469	2,813	100.3	100.0	1,617	1,731
9	Sohagpur	1,901	2,159	98.6	101.8	81.8	85.6	2,341	2,617	100.8	103.7	1,255	785

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha ana (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/N	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	399	537	4.2	4.7	3.5	3.4	666	713	70	139	596	574
1	Babai	37	29	5.2	3.3	1.5	3.0	73	49	41	20	32	29
2	Bankhedi	101	23	7.9	2.0	4.4	2.6	79	95	14	92	65	3
3	Dolaria			0.0	0.0	5.3	0.0	10	17	6	4	4	13
4	Dolaria Block												
5	Hoshangabad	80	325	14.8	16.0	1.3	8.8						
6	Kesla	30	67	1.8	3.5	5.2	3.2	135	143	0	1	135	142
7	Pipariya	18	61	1.0	2.6	0.0	1.2	141	133	1	0	140	133
8	Seoni-Malwa	0	29	0.0	1.7	3.8	4.4	215	235	0	0	215	235
9	Sohagpur	133	3	10.6	0.4	6.5	1.8	13	41	8	22	5	19

		1	9	2	0	2	:1	2	2	2	3	2	4
	Indicators	SBA attended deliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliverie Reporte	paid JSY for home s to Total d Home eries	Deliveries of at Public In		Number of Discharged hours of c public f	l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries
	2016-17 2015-16		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	10.5	19.4	17	13	2.6	1.8	13,983	15,157	3	23	0.0	0.1
1	Babai	56.2	40.8	4	0	5.5	0.0	890	996	2	0	0.2	0.0
2	Bankhedi	17.7	96.8	0	0	0.0	0.0	1,432	1,523	1	10	0.1	0.7
3	Dolaria	60.0	23.5	0	0	0.0	0.0	131	123	0	7	0.0	5.7
4	Dolaria Block												
5	Hoshangabad							4,593	4,523	0	0	0.0	0.0
6	Kesla	0.0	0.7	0	0	0.0	0.0	2,171	2,409	0	6	0.0	0.2
7	Pipariya	0.7	0.0	0	0	0.0	0.0	2,406	3,261	0	0	0.0	0.0
8	Seoni-Malwa	0.0	0.0	0	0	0.0	0.0	1,192	1,090	0	0	0.0	0.0
9	Sohagpur	61.5	53.7	13	13	100.0	31.7	1,168	1,232		0	0.0	0.0

		2	5	2	6	2	.7	2	8	2	9	3	0
	Indicators	Institu deliv (Public Ir Ins	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv	eported veries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	eported	Home del Total Re Deliv	iveries to eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	17,584	18,684	106.7	95.6	18,250	19,397	96.4	96.3	96.7	97.0	3.6	3.7
1	Babai	890	996	49.0	48.1	963	1,045	92.4	95.3	96.7	97.2	7.6	4.7
2	Bankhedi	1,432	1,523	73.9	73.3	1,511	1,618	94.8	94.1	95.7	99.8	5.2	5.9
3	Dolaria	131	123	9.5	8.6	141	140	92.9	87.9	97.2	90.7	7.1	12.1
4	Dolaria Block												
5	Hoshangabad	8,194	8,050	562.8	296.0	8,194	8,050	100.0	100.0	100.0	100.0	0.0	0.0
6	Kesla	2,171	2,409	86.0	82.5	2,306	2,552	94.1	94.4	94.1	94.4	5.9	5.6
7	Pipariya	2,406	3,261	93.0	109.3	2,547	3,394	94.5	96.1	94.5	96.1	5.5	3.9
8	Seoni-Malwa	1,192	1,090	48.4	38.7	1,407	1,325	84.7	82.3	84.7	82.3	15.3	17.7
9	Sohagpur	1,168	1,232	50.3	48.8	1,181	1,273	98.9	96.8	99.6	98.5	1.1	3.2

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators		C-section conducted facilities	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In Deliv	conducted nstitutions stitutional
		2016-17 2015-16 Hoshangabad 2,029 2,16		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	2,029	2,166	1,640	2,199	20.8	23.3	14.5	14.3	45.5	62.3	79.5	81.1
1	Babai	0				0.0	0.0	0.0	0.0			100.0	100.0
2	Bankhedi	0	0			0.0	0.0	0.0	0.0			100.0	100.0
3	Dolaria	0	0			0.0	0.0	0.0	0.0			100.0	100.0
4	Dolaria Block												
5	Hoshangabad	1,504	1,556	1,640	2,199	38.4	46.6	32.7	34.4	45.5	62.3	56.1	56.2
6	Kesla	484	524	_		22.3	21.8	22.3	21.8			100.0	100.0
7	Pipariya	41	86			1.7	2.6	1.7	2.6			100.0	100.0
8	Seoni-Malwa	0	0			0.0	0.0	0.0	0.0			100.0	100.0
9	Sohagpur	0				0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In	nstitutions	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	eiving post heck-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	99.6	99.5	57.9	56.9	20.5	18.9	16,893	17,798	9,132	8,282	92.6	91.8
1	Babai	98.3	99.7	97.9	99.7	0.0	0.0	950	1,043	883	909	98.7	99.8
2	Bankhedi	100.0	100.0	100.0	100.0	0.0	0.0	1,467	1,593	142	52	97.1	98.5
3	Dolaria	70.2	87.0	71.0	78.0	0.0	0.0	136	138	688	419	96.5	98.6
4	Dolaria Block												
5	Hoshangabad	100.0	98.6	7.0	6.3	43.9	43.8	7,341	6,671	2,898	2,471	89.6	82.9
6	Kesla	100.0	100.0	72.7	76.5	0.0	0.0	2,010	2,430	1,624	1,712	87.2	95.2
7	Pipariya	100.0	100.0	69.6	68.8	0.0	0.0	2,476	3,377	468	960	97.2	99.5
8	Seoni-Malwa	100.0	100.0	80.4	49.7	0.0	0.0	1,397	1,320	1,444	1,070	99.3	99.6
9	Sohagpur	100.2	100.1	99.7	88.9	0.0	0.0	1,116	1,226	985	689	94.5	96.3

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48	Checkup 3 hours and to Total	Total Nu		Total Repo		Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
	2016-17 2015-16		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	50.0	42.7	18,057	19,145	98.9	98.7	255	275	98.6	98.6	18,051	18,703
1	Babai	91.7	87.0	953	1,037	99.0	99.2	12	11	98.8	99.0	954	1,034
2	Bankhedi	9.4	3.2	1,494	1,489	98.9	92.0	21	24	98.6	98.4	1,494	1,484
3	Dolaria	487.9	299.3	140	138	99.3	98.6	1	2	99.3	98.6	140	137
4	Dolaria Block												
5	Hoshangabad	35.4	30.7	8,126	8,022	99.2	99.7	113	117	98.6	98.6	8,121	7,601
6	Kesla	70.4	67.1	2,288	2,527	99.2	99.0	25	30	98.9	98.8	2,287	2,516
7	Pipariya	18.4	28.3	2,501	3,356	98.2	98.9	46	63	98.2	98.2	2,501	3,356
8	Seoni-Malwa	102.6	80.8	1,396	1,311	99.2	98.9	15	15	98.9	98.9	1,394	1,310
9	Sohagpur	83.4	54.1	1,159	1,265	98.1	99.4	22	13	98.1	99.0	1,160	1,265

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns v	weighed at	Number of having we than 2			wborns	Number of Breast Fed	d within 1	Newborns within 1 ho to Total l	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	100.0	97.7	2,569	2,428	14.2	12.9	18,046	18,044	99.9	94.2	625	653
1	Babai	100.1	99.7	62	67	6.5	6.5	954	1,035	100.1	99.8	71	47
2	Bankhedi	100.0	99.7	191	85	12.8	5.7	1,494	1,485	100.0	99.7	77	95
3	Dolaria	100.0	99.3	11	4	7.9	2.9	140	137	100.0	99.3	0	12
4	Dolaria Block												
5	Hoshangabad	99.9	94.8	950	1,215	11.7	16.0	8,121	6,943	99.9	86.5		
6	Kesla	100.0	99.6	432	272	18.9	10.8	2,282	2,520	99.7	99.7	114	109
7	Pipariya	100.0	100.0	549	519	22.0	15.5	2,501	3,356	100.0	100.0	136	133
8	Seoni-Malwa	99.9	99.9	154	100	11.0	7.6	1,394	1,310	99.9	99.9	214	232
9	Sohagpur	100.1	100.0	220	166	19.0	13.1	1,160	1,258	100.1	99.4	13	25

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	rs of home to total	Sex Ra birth (Fe Bitr Male Birtl	male Live ths/	cases of women with Complica attended to	tions and	Compl Pregnanci witl antihype Magsulph i Total Wo Obst Compli attel	icated es treated IV rtensive/ njection to men with etric cations	Compl Pregnancie with antihype Magsulph ii Total Ne detecte Hypert	icated es treated IV rtensive/ njection to ew cases ed with	Compl Pregnancie with Transfusio Wome Obst Compli attel	icated es treated Blood n to Total n with etric cations
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	93.8	91.5	915	909	27.7	23.2	67.4	20.8	563.5	137.5	18.2	18.1
1	Babai	97.3	95.9	981	942	7.2	6.8	100.0	98.5	228.6	108.1	0.0	0.0
2	Bankhedi	97.5	100.0	966	861	13.1	8.0	9.0	57.4	19.8	127.3	0.0	0.0
3	Dolaria	0.0	70.6	918	971	2.3	4.9	0.0	0.0	0.0		0.0	0.0
4	Dolaria Block			0	0								
5	Hoshangabad			885	908	39.2	33.3	88.6	21.4	4984.2	239.2	23.5	21.7
6	Kesla	84.4	76.2	931	926	41.9	41.1	13.0	6.4	89.4	67.0	14.4	19.6
7	Pipariya	96.5	100.0	925	901	10.6	6.0	39.2	66.3		351.4	0.0	0.0
8	Seoni-Malwa	99.5	98.7	864	862	0.0	0.0			0.0	0.0		
9	Sohagpur	100.0	61.0	1,040	973	21.0	23.1	56.7	0.4	91.4	2.2	0.0	4.2

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC	cations to Total	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo		% <i>N</i> (Public) to		MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of P to Total Public Ins	e than 12 Pregnancy MTPs at
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	1.4	1.6	738	1,085	489	663	66.3	61.1	94.1	92.5	5.9	7.5
1	Babai	0.0	0.0	49	114	48	101	98.0	88.6	68.8	71.3	31.3	28.7
2	Bankhedi	3.6	4.0	44	74	112	28	254.5	37.8	100.0	100.0	0.0	0.0
3	Dolaria	0.7	0.0	3	11	0	10	0.0	90.9		100.0		0.0
4	Dolaria Block												
5	Hoshangabad	0.0	0.3	367	431	22	29	6.0	6.7	100.0	100.0	0.0	0.0
6	Kesla	0.7	0.8	49	79	42	74	85.7	93.7	100.0	100.0	0.0	0.0
7	Pipariya	7.1	5.8	83	225	89	225	107.2	100.0	91.0	99.1	9.0	0.9
8	Seoni-Malwa	0.0	0.0	68	64	0	9	0.0	14.1		100.0		0.0
9	Sohagpur	0.0	0.2	75	87	176	187	234.7	214.9	96.6	89.8	3.4	10.2

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at tutions to	MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	blic) I to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	tomies	Numb Tubect Condu (Public	tomies
			2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	52.1	63.0	47.9	37.0	3.0	3.4	0.0	0.0	39	40	3,658	3,089
1	Babai	100.0	100.0	0.0	0.0	2.6	4.9	0.0	0.0	1	0	429	352
2	Bankhedi	100.0	100.0	0.0	0.0	5.8	1.3			1	0	410	278
3	Dolaria		100.0		0.0	0.0	0.7		0.0	4	0	238	0
4	Dolaria Block												
5	Hoshangabad	4.7	6.9	95.3	93.1	1.5	1.1	0.0	0.0	15	22	503	790
6	Kesla	100.0	100.0	0.0	0.0	1.7	2.5	0.0	0.0	16	9	752	438
7	Pipariya	100.0	100.0	0.0	0.0	3.4	7.5	0.0	0.0	1	6	563	767
8	Seoni-Malwa		100.0		0.0	0.0	0.3	0.0	0.0	1	3	497	454
9	Sohagpur	100.0	100.0	0.0	0.0	7.6	7.4	0.0	0.0	0	0	266	10

		7	3	7	' 4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Condo		% Male St (Vasect to Total st	tomies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasecti conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	3,697	3,129	1.0	1.2	98.9	98.7	473	0	1,840	1,646	1,259	1,241
1	Babai	430	352	0.2	0.0	99.8	100.0	231	0	199	352		
2	Bankhedi	411	278	0.2	0.0	99.8	100.0	0	0	411	278		
3	Dolaria	242	0	1.7		98.3		242	0				
4	Dolaria Block												
5	Hoshangabad	518	812	2.9	2.7	97.1	97.3		0			393	570
6	Kesla	768	447	2.1	2.0	97.9	98.0	0	0	427	156	341	291
7	Pipariya	564	773	0.2	0.8	99.8	99.2	0	0	39	393	525	380
8	Seoni-Malwa	498	457	0.2	0.7	99.8	99.3	0	0	498	457		
9	Sohagpur	266	10	0.0	0.0	100.0	100.0	0	0	266	10		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasecto conducted public Ins	mies and omies) I at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total St (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasect conducted public Insti Total Ste	mies and omies) I at Other tutions to
	2016		2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad			0	8	12.8	0.0	49.8	52.6	34.1	39.7	0.0	0.0
1	Babai					53.7	0.0	46.3	100.0	0.0	0.0	0.0	0.0
2	Bankhedi					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3	Dolaria					100.0		0.0		0.0		0.0	
4	Dolaria Block												
5	Hoshangabad			0	8	0.0	0.0	0.0	0.0	75.9	70.2	0.0	0.0
6	Kesla					0.0	0.0	55.6	34.9	44.4	65.1	0.0	0.0
7	Pipariya					0.0	0.0	6.9	50.8	93.1	49.2	0.0	0.0
8	Seoni-Malwa					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
9	Sohagpur					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasecto conducted institutions Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic is to Total	Mini Lap St to Total Sterilis	Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations estitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	3.4	7.7	87.7	67.3	8.1	24.8	4.1	7.9	100.0	98.5	57.9	83.0
1	Babai	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
2	Bankhedi	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
3	Dolaria	0.0		66.4		7.6		26.1		100.0		100.0	
4	Dolaria Block												
5	Hoshangabad	24.1	29.8	72.6	12.4	27.0	75.8	0.4	11.8	100.0	68.4	8.1	78.3
6	Kesla	0.0	0.0	72.2	32.9	16.4	32.9	11.4	34.2	100.0	100.0	100.0	100.0
7	Pipariya	0.0	0.0	97.9	97.1	2.1	2.9	0.0	0.0	100.0	100.0	100.0	100.0
8	Seoni-Malwa	0.0	0.0	98.8	99.3	1.2	0.0	0.0	0.7	100.0	100.0	100.0	
9	Sohagpur	0.0	0.0	98.5	100.0	0.8	0.0	0.8	0.0	100.0	100.0	100.0	

		9	1	9	2	9	3	9	4	9	5	9	6
In	ndicators	Post P sterlisation Institution Post P Sterili	artum ns at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n (Male +	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	100.0	70.3	0	0	5,390	5,721	0	82	5,390	5,803	2,033	2,070
1	Babai			0		668	502			668	502	137	75
2	Bankhedi			0	0	1,039	981			1,039	981	376	187
3	Dolaria	100.0		0	0	354	449			354	449	20	0
4	Dolaria Block												
5	Hoshangabad	100.0	21.5	0	0	91	304	0	82	91	386	86	289
6	Kesla	100.0	100.0	0	0	939	902			939	902	211	372
7	Pipariya			0	0	1,125	1,368			1,125	1,368	437	557
8	Seoni-Malwa		100.0	0	0	459	591			459	591	221	184
9	Sohagpur	100.0		0	0	715	624			715	624	545	406

		9	7	9	8	9	9	10	00	10)1	10	02
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie:	olic) stitutional	IUCD inse public plu institution	us private ons to all blanning IUCD plus	Oral Pills d	listributed	Condom distril		Centchro distril	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	37.7	36.1	14.5	13.6	59.3	64.9	92,214	96,678	1,199,260	987,100	0	10
1	Babai	20.5	14.9	15.4	7.5	60.8	58.8	8,229	9,276	93,123	100,433	0	
2	Bankhedi	36.2	19.1	26.3	12.3	71.7	77.9	11,389	8,760	114,176	63,469		0
3	Dolaria	5.6	0.0	15.3	0.0	59.4	100.0	7,925	6,832	116,848	68,510	0	10
4	Dolaria Block												
5	Hoshangabad	94.5	95.1	1.9	6.4	14.9	32.2	3,089	6,292	53,437	74,423	0	0
6	Kesla	22.5	41.2	9.7	15.4	55.0	66.9	17,084	15,771	291,884	303,124	0	0
7	Pipariya	38.8	40.7	18.2	17.1	66.6	63.9	16,510	19,123	253,569	267,549	0	0
8	Seoni-Malwa	48.1	31.1	18.5	16.9	48.0	56.4	10,622	10,258	192,660	50,128	0	
9	Sohagpur	76.2	65.1	46.7	33.0	72.9	98.4	17,366	20,366	83,563	59,464		

		10	03	10)4	10	05	10	06	10	07	10	08
	Indicators	Number o given (Birth	OPV 0	Number o	of Infants BCG	Newborns g at birth to live	given OPV0	Newborns to Repo	given BCG rted live	Number o		Number o	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	14,668	15,788	15,807	18,405	81.2	82.5	87.5	96.1	4	203	4	125
1	Babai	947	1,050	960	1,068	99.4	101.3	100.7	103.0	4	0	4	0
2	Bankhedi	1,425	1,822	1,572	2,002	95.4	122.4	105.2	134.5	0	2	0	3
3	Dolaria	119	97	152	172	85.0	70.3	108.6	124.6	0	0	0	0
4	Dolaria Block												
5	Hoshangabad	5,277	4,909	5,564	6,385	64.9	61.2	68.5	79.6	0	196	0	121
6	Kesla	2,306	2,408	2,466	2,606	100.8	95.3	107.8	103.1	0	0	0	0
7	Pipariya	2,359	3,222	2,479	3,406	94.3	96.0	99.1	101.5	0	0	0	0
8	Seoni-Malwa	1,148	1,054	1,527	1,504	82.2	80.4	109.4	114.7	0	5	0	1
9	Sohagpur	1,087	1,226	1,087	1,262	93.8	96.9	93.8	99.8		0		0

		10)9	11	10	11	11	11	12	11	13	11	14
	Indicators	Number o		Number o		Number o	of Infants tavalent 2	Number o		Number o	of Infants Measles	Infants months received vaccine to live b	0 to 11 old who I Measles
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	4	162	15,788	16,779	15,340	16,177	15,460	16,660	16,163	17,604	89.5	91.9
1	Babai	4	0	1,685	1,863	1,653	1,778	1,728	1,738	1,793	1,821	188.1	175.6
2	Bankhedi	0	8	1,798	1,852	1,712	1,642	1,676	1,662	1,729	1,818	115.7	122.1
3	Dolaria	0	0	1,234	1,321	1,249	1,368	1,291	1,359	1,291	1,314	922.1	952.2
4	Dolaria Block												
5	Hoshangabad	0	127	1,639	1,646	1,528	1,374	1,574	1,923	1,869	2,126	23.0	26.5
6	Kesla	0	1	2,765	2,982	2,682	2,889	2,680	2,857	2,772	2,972	121.2	117.6
7	Pipariya	0	6	2,375	2,633	2,306	2,678	2,243	2,651	2,428	2,825	97.1	84.2
8	Seoni-Malwa	0	6	2,360	2,319	2,337	2,325	2,341	2,390	2,265	2,459	162.2	187.6
9	Sohagpur		14	1,932	2,163	1,873	2,123	1,927	2,080	2,016	2,269	173.9	179.4

		11	15	11	16	1	17	11	18	11	19	12	20
	Indicators	Number immunize (9-11 n	d children	9 Drop Out BCG & <i>I</i>	between	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A	Childre Vitamin A	given Vit A	Adverse Following I (Oth	munisation
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	16,254	16,221	-2.3	4.4	16,637	17,078	92.1	89.2	137.3	181.3	53	0
1	Babai	1,791	1,826	-86.8	-70.5	1,741	1,818	182.7	175.3	60.9	111.9	0	0
2	Bankhedi	1,729	904	-10.0	9.2	1,722	1,803	115.3	121.1	78.6	141.9	46	0
3	Dolaria	1,291	1,308	-749.3	-664.0	1,283	1,331	916.4	964.5	134.1	79.4	2	0
4	Dolaria Block												
5	Hoshangabad	1,888	1,745	66.4	66.7	1,795	1,524	22.1	19.0	66.1	547.7	0	0
6	Kesla	2,824	2,931	-12.4	-14.0	3,274	3,135	143.1	124.1	240.5	236.1	0	0
7	Pipariya	2,458	2,825	2.1	17.1	2,483	2,825	99.3	84.2	132.1	96.6	0	0
8	Seoni-Malwa	2,263	2,459	-48.3	-63.5	2,268	2,481	162.5	189.2	207.9	195.6	5	0
9	Sohagpur	2,010	2,223	-85.5	-79.8	2,071	2,161	178.7	170.8	80.1	91.8	0	0

		13	21	12	22	12	23	12	24	12	25	13	26
	Indicators	immunisati Held to Imi Sessions	on Sessions munisation	Immunisatio where ASI preser Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood	n Children of Age to eported	Pertusis ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported (Diseases (eonatorum 1 0-5 Years 10 Total Childhood	Tetanus (Children 0- Age to Tota Childhood 0-5)	Others in -5 Years of I Reported I Diseases
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	98.5	97.6	92.5	84.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Babai	97.3	99.5	92.5	97.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bankhedi	100.0	99.0	98.8	94.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Dolaria	97.9	100.0	97.0	97.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	98.6	100.0	77.3	41.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kesla	99.6	98.4	96.3	77.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Pipariya	95.9	97.4	78.1	77.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Seoni-Malwa	98.1	91.1	94.5	83.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Sohagpur	100.0	99.3	97.2	91.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported Diseases	ildren 0-5 ge to Total	Measles in 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydra Children O Age to Tota Childhood	-5 Years of Il Reported	Malaria in C Years of Ag Reported Diseases	Children 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	emale to Total	9 Children In Total In	patient to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	0.0	0.0	0.0	0.0	99.2	96.7	0.8	3.3	55.7	60.9	19.4	20.3
1	Babai	0.0	0.0	0.0	0.0	100.0	99.9	0.0	0.1	69.6	72.6	23.5	26.7
2	Bankhedi	0.0	0.0	0.0	0.0	100.0	79.7	0.0	20.3	66.2	72.8	8.4	6.8
3	Dolaria	0.0	0.0	0.0	0.0	100.0	84.2	0.0	15.8	56.2	83.3	6.8	3.3
4	Dolaria Block												
5	Hoshangabad	0.0	0.0	0.0	0.0	97.3	89.2	2.7	10.8	46.4	55.4	31.5	37.3
6	Kesla	0.0	0.0	0.0	0.4	97.8	91.3	2.2	8.3	48.8	51.9	12.0	9.1
7	Pipariya	0.0	0.0	0.0	0.0	99.1	98.8	0.9	1.2	61.3	62.7	14.3	13.1
8	Seoni-Malwa	0.0	0.0	0.0	0.0	100.0	98.8	0.0	1.2	60.6	72.6	12.8	13.4
9	Sohagpur	0.0	0.0	3.2	0.0	96.8	52.9	0.0	47.1	52.9	54.5	18.1	28.4

		13	33	13	34	1:	35	13	36	13	37	13	38
1	Indicators	Female I Deaths t Inpatien	to Total	% Inpatient [Tota	Deaths to	IPD (No	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	36.5	33.3	0.3	0.3	85,922	90,717	812,139	773,247	10.6	11.7	2,141	2,647
1	Babai			0.0	0.0	2,963	2,843	53,456	53,359	5.5	5.3	0	0
2	Bankhedi	34.8	36.4	0.2	0.1	9,670	7,615	69,850	54,692	13.8	13.9	0	0
3	Dolaria			0.0	0.0	1,085	1,023	27,485	32,787	3.9	3.1	0	0
4	Dolaria Block												
5	Hoshangabad	45.0		0.1	0.0	28,441	24,686	177,225	135,848	16.0	18.2	1,512	1,844
6	Kesla	36.1	29.3	0.5	0.6	11,337	11,752	164,988	171,470	6.9	6.9	588	713
7	Pipariya	33.9	35.1	0.5	0.5	24,063	31,163	151,488	186,124	15.9	16.7	41	86
8	Seoni-Malwa			0.0	0.0	3,923	3,594	90,580	63,227	4.3	5.7	0	4
9	Sohagpur			0.0	0.0	4,440	8,041	77,067	75,740	5.8	10.6	0	0

		1:	39	14	40	1-	41	14	42	14	43	14	14
	Indicators	Number Opera	of Minor	% Major Ope Total Op	rations to	Hyster	per of ectomy eries	Hystere Surgeries Major Op	ectomy	Ayush OPD	(Number)	AYUSH OP	D to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	7,676	7,710	21.8	25.6	779	979	36.3	36.9	29,157	35,870	3.5	4.6
1	Babai	84	420	0.0	0.0	0	0			0	28	0.0	0.1
2	Bankhedi	345	157	0.0	0.0	0	0			6,101	8,170	8.7	14.9
3	Dolaria	266	512	0.0	0.0	0	0			6,108	22	22.2	0.1
4	Dolaria Block												
5	Hoshangabad	556	828	73.1	69.0	662	968	43.8	52.5	0	0	0.0	0.0
6	Kesla	1,093	935	35.0	43.3	117	11	19.9	1.5	5,742	6,737	3.5	3.9
7	Pipariya	4,293	4,081	0.9	2.1	0	0	0.0	0.0	232	15,027	0.2	8.1
8	Seoni-Malwa	516	456	0.0	0.9	0	0		0.0	25	1	0.0	0.0
9	Sohagpur	523	321	0.0	0.0	0	0			10,949	5,885	14.2	7.8

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	1,605	2,792	0.2	0.4	1,135	789	3.8	2.5	0.3	1.9	0.4	0.6
1	Babai	0	0	0.0	0.0	0	157	3.6	3.9	0.0		0.0	0.0
2	Bankhedi	0	0	0.0	0.0	0	0	5.2	3.4	0.0	0.0	0.0	0.0
3	Dolaria	0	0	0.0	0.0	249	28	1.3	0.2	0.0	0.0	11.1	0.2
4	Dolaria Block												
5	Hoshangabad	0	684	0.0	0.5	0	253	7.4	2.8	0.6	0.4	0.1	0.2
6	Kesla	0	0	0.0	0.0	867	286	1.1	3.2	0.0	12.5	0.0	5.8
7	Pipariya	1,605	2,108	1.1	1.1	0	0	1.6	1.9	0.2	0.7	0.1	0.1
8	Seoni-Malwa	0	0	0.0	0.0	19	28	1.2	1.0	0.0	0.0	0.0	0.0
9	Sohagpur	0	0	0.0	0.0	0	37	1.5	1.4	0.0	0.9	0.0	0.1

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	0.3	0.9	0.5	0.9	0.3	0.6	308	350	6.7	6.8	4.9	5.8
1	Babai	0.0	0.0	0.8	0.9	0.1	0.1	48	71	9.1	5.9	3.0	0.0
2	Bankhedi	0.0	0.0	0.9	0.8	0.4	0.4	47	38	0.0	0.0	0.0	2.7
3	Dolaria	9.7	0.2	0.1	0.3	0.0	0.1		10		0.0		0.0
4	Dolaria Block												
5	Hoshangabad	0.3	0.2	1.1	2.4	0.3	1.1	120	77	11.6	21.1	9.8	17.5
6	Kesla	0.0	7.9	0.3	0.5	0.2	0.3	35	38	0.0	0.0	0.0	0.0
7	Pipariya	0.1	0.3	0.5	1.0	0.3	0.7	17	35	11.8	15.2	5.9	18.2
8	Seoni-Malwa	0.0	0.0	0.4	0.9	0.5	1.6	37	56	0.0	0.0	0.0	0.0
9	Sohagpur	0.0	0.1	0.2	1.2	0.3	0.7	4	25	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Hoshangabad	12.7	11.2	3.7	4.4	0.4	0.3	1.9	3.1	0.0	0.0	69.8	68.5
1	Babai	18.2	9.8	6.1	2.0	0.0	0.0	3.0	9.8	0.0	0.0	60.6	72.5
2	Bankhedi	2.3	2.7	9.1	8.1	0.0	0.0	0.0	2.7	0.0	0.0	88.6	83.8
3	Dolaria		0.0		0.0		0.0		0.0		0.0		100.0
4	Dolaria Block												
5	Hoshangabad	17.9	14.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	60.7	45.6
6	Kesla	13.8	14.7	0.0	8.8	0.0	2.9	0.0	0.0	0.0	0.0	86.2	73.5
7	Pipariya	17.6	33.3	17.6	0.0	5.9	0.0	23.5	6.1	0.0	0.0	17.6	27.3
8	Seoni-Malwa	0.0	0.0	3.4	7.8	0.0	0.0	0.0	0.0	0.0	0.0	96.6	92.2
9	Sohagpur	0.0	13.6	0.0	9.1	0.0	0.0	0.0	0.0	0.0	0.0	100.0	77.3