		1	I	2	2	:	3	4	4	!	5		5
	Indicators	Total nu pregnant Registered	women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC ch	eceived 3
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	43,173	44,993	29,249	28,012	35,515	37,657	67.7	62.2	82.3	83.7	41,889	40,413
1	Berasia	6,212	5,990	3,328	2,976	6,209	5,923	53.6	49.7	100.0	98.9	4,433	4,151
2	Phanda (Bhopal)	36,961	39,003	25,921	25,036	29,306	31,734	70.1	64.2	79.3	81.4	37,456	36,262

	Indicators _Bhopal	7	7	8	3	ç	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registr	ANC check otal ANC	Pregnant received Booster to Regist	TT2 or Total ANC	Number of women give		Pregnant given 100 I ANC Reg	FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	34,040	37,323	97.0	89.8	78.8	82.9	49,705	52,627	115.1	116.9	19,064	42,696
1	Berasia	4,303	4,183	71.4	69.3	69.3	69.8	6,460	5,684	104.0	94.9	3,214	7,911
2	Phanda (Bhopal)	29,737	33,140	101.3	93.0	80.5	85.0	43,245	46,943	117.0	120.4	15,850	34,785

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	(Hb	emia <7)	Pregnant having seve (Hb treated at to women leve	ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	ution for on to Total	Number deliv	of Home eries	Number deliveries a SBA tr (Doctor/No	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
			2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	1,748	2,068	9.2	4.8	10.9	10.2	1,167	1,277	285	465	882	812
1	Berasia	68	79	2.1	1.0	17.2	12.8	309	375	82	146	227	229
2	Phanda (Bhopal)	1,680	1,989	10.6	5.7	9.9	9.8	858	902	203	319	655	583

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attend deliveries Reporte Deliv	ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte Deliv	for home to Total d Home	Deliveries (l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	8 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	24.4	36.4	9	20	0.8	1.6	25,125	25,487	323	5,955	1.2	23.3
1	Berasia	26.5	38.9	2	2	0.6	0.5	3,156	3,453	189	121	6.0	3.5
2	Phanda (Bhopal)	23.7	35.4	7	18	0.8	2.0	21,969	22,034	134	5,834	0.6	26.5

	Indicators _Bhopal Berasia	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliveries ANC regi	tional s to total	Total re deliv	eported eries	Institu deliveries Reported	to Total	Safe deli Total Re Deliv	eported	Home del Total Re Deliv	eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	35,061	34,493	81.2	76.6	36,228	35,770	96.8	96.4	97.6	97.7	3.2	3.6
1	Berasia	3,156	3,453	50.8	57.6	3,465	3,828	91.1	90.2	93.4	94.0	8.9	9.8
2	Phanda (Bhopal)	31,905	31,040	86.3	79.6	32,763	31,942	97.4	97.2	98.0	98.2	2.6	2.8

	Indicators _Bhopal Berasia	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	% C-section (Public to rep institu (Public deliv	+ Pvt.) orted tional + Pvt.)	C-sections at public for Deliveries at public	acilities to conducted	C-sections at Private f Deliveries at private	acilities to conducted	Deliveries of at Public Into Total Ins	nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	5,278	5,069	5,580	4,507	30.9	27.7	21.0	19.9	56.2	50.0	71.7	73.9
1	Berasia	66	121			2.1	3.5	2.1	3.5			100.0	100.0
2	Phanda (Bhopal)	5,212	4,948	5,580	4,507	33.8	30.5	23.7	22.5	56.2	50.0	68.9	71.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Total Delive	or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst Total Public	e paid to Delivery at	Deliveries at Private I to Total In: Deliv	nstitutions stitutional	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	theck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	90.9	91.3	28.1	37.1	28.3	26.1	35,744	34,543	34,116	23,122	98.7	96.6
1	Berasia	96.5	92.1	70.0	74.2	0.0	0.0	3,365	3,354	3,107	2,856	97.1	87.6
2	Phanda (Bhopal)	90.1	91.2	22.1	31.3	31.1	29.0	32,379	31,189	31,009	20,266	98.8	97.6

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48 14 days Deliv	tting Post Checkup I hours and to Total	Total Nu reported l		7 Total Repo Births t Deliv	o Total	Total Nu reported S		9 live birth to Bir		Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	94.2	64.6	35,621	35,241	98.3	98.5	867	797	97.6	97.8	35,254	34,502
1	Berasia	89.7	74.6	3,425	3,794	98.8	99.1	71	81	98.0	97.9	3,314	3,559
2	Phanda (Bhopal)	94.6	63.4	32,196	31,447	98.3	98.5	796	716	97.6	97.8	31,940	30,943

	Indicators _Bhopal Berasia	4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	s than 2.5 wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total I	our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	99.0	97.9	4,327	4,479	12.2	12.9	33,550	33,530	94.1	95.1	882	979
1	Berasia	96.8	93.8	416	518	12.6	14.6	3,129	3,483	91.4	91.8	173	252
2	Phanda (Bhopal)	99.2	98.4	3,911	3,961	12.2	12.8	30,421	30,047	94.5	95.5	709	727

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	rs visited rs of home to total	•	male Live ths/	cases of women with Complica attended to	tions and	Compl Pregnanci wit antihype Magsulph i Total Wo Obst Compli	% icated es treated h IV rtensive/ njection to men with etric cations nded	Compl Pregnancio witl antihype Magsulph ii	es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnanci with Transfusio Wome Obst Compli atter	icated es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	75.5	76.6	948	920	22.1	25.5	14.2	11.0	23.3	21.2	25.5	18.8
1	Berasia	56.0	67.2	957	875	24.5	23.1	11.5	12.7	8.3	13.2	0.8	0.1
2	Phanda (Bhopal)	82.6	80.6	947	925	21.9	25.8	14.5	10.9	27.7	22.8	28.3	20.7

		6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNC compli attended Deliv	Natal C maternal cations to Total	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTPs Institu	ancy to s at Public	MTPs more weeks of P to Total Public Ins	Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.8	0.4	5,800	5,193	1,419	1,311	24.5	25.2	99.0	97.3	1.0	2.7
1	Berasia	0.1	0.2	464	435	425	333	91.6	76.6	99.5	99.1	0.5	0.9
2	Phanda (Bhopal)	0.9	0.4	5,336	4,758	994	978	18.6	20.6	98.8	96.6	1.2	3.4

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at tutions to	9 MTPs Con Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	blic) I to Total	Number of Tests cond Number of STI female which tr initi	ducted to f new RTI/ e cases for	Condi	comies	Numb Tubect Condu (Public	tomies
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	27.9	28.9	72.1	71.1	3.3	2.9	2.4	2.0	837	241	10,271	9,219
1	Berasia	100.0	100.0	0.0	0.0	6.8	5.6	5.0	0.0	5	0	761	669
2	Phanda (Bhopal)	21.4	23.2	78.6	76.8	2.7	2.5	2.3	2.1	832	241	9,510	8,550

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ster		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	11,108	9,460	7.5	2.5	92.5	97.5	0	18	1,254	1,147	3,209	3,539
1	Berasia	766	669	0.7	0.0	99.3	100.0	0	18	766	651		
2	Phanda (Bhopal)	10,342	8,791	8.0	2.7	92.0	97.3	0	0	488	496	3,209	3,539

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubector Vasector conducted public Ins	mies and omies) I at Other	Total Ste (Tubector Vasector conducted institu	mies and omies) at Private	% Total Sto (Tubecto Vasecto conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	0.0	mies and omies) I at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal			579	66	0.0	0.2	11.3	12.1	28.9	37.4	0.0	0.0
1	Berasia					0.0	2.7	100.0	97.3	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)			579	66	0.0	0.0	4.7	5.6	31.0	40.3	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Ste (Tubector Vasector conducted institutions Sterlis	mies and omies) at Private s to Total	% Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	at Public Ins to Total A Sterilisa 2015-16 12.4	stitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	59.8	50.3	43.0	51.8	22.5	27.1	34.4	21.0	56.2	56.1	12.4	25.7
1	Berasia	0.0	0.0	89.0	90.9	4.6	5.4	6.4	3.7	100.0	100.0	100.0	100.0
2	Phanda (Bhopal)	64.3	54.1	39.3	48.8	23.9	28.8	36.7	22.4	48.3	49.7	11.0	24.6

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institutions Post P Sterilis	artum s at Public s to Total artum	Total cases follo Sterlisatio Fem	wing n (Male +	IUCD Inseri (public f		IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	40.5	62.0	0	0	6,683	4,446	3,681	1,302	10,364	5,748	4,647	2,125
1	Berasia	100.0	100.0	0	0	603	449			603	449	80	40
2	Phanda (Bhopal)	39.7	61.5	0	0	6,080	3,997	3,681	1,302	9,761	5,299	4,567	2,085

		9	7	9	8	9	9	10	00	10)1	10	02
	Indicators	% PP IUCD (pub to Tota Insertions	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie:	olic) stitutional	IUCD inse public plu institutio family p methods (perma	ertions in us private ons to all planning IUCD plus	Oral Pills c	distributed	Condom distril	•	Centchro distril	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	69.5	47.7	18.4	8.3	48.2	37.7	76,542	56,408	382,458	451,301	0	0
1	Berasia	13.3	8.9	2.5	1.2	44.0	40.2	7,774	8,067	12,326	18,985	0	0
2	Phanda (Bhopal)	75.1	52.2	20.8	9.5	48.6	37.6	68,768	48,341	370,132	432,316	0	0

		10)3	10)4	10	05	10	06	10	07	10	08
Indicators Bhopal 1 Berasia	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	Reported	Newborns to Repo		Number o		Number o		
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	32,131	32,034	35,464	34,800	90.2	90.9	99.6	98.7	2,103	24,335	1,919	27,928
1	Berasia	2,924	3,248	3,270	3,661	85.4	85.6	95.5	96.5	226	2,960	228	3,381
2	Phanda (Bhopal)	29,207	28,786	32,194	31,139	90.7	91.5	100.0	99.0	1,877	21,375	1,691	24,547

		10)9	11	10	11	11	1	12	1	13	11	14
	Indicators	Number o		Number o		Number o		Number o		Number o	of Infants Neasles	Infants months received vaccine to live b	0 to 11 old who Measles reported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	2,186	29,334	28,634	6,273	27,441	2,261	27,073	12	31,081	31,866	87.2	90.4
1	Berasia	273	3,646	3,569	670	3,544	226	3,446	12	3,514	3,713	102.6	97.9
2	Phanda (Bhopal)	1,913	25,688	25,065	5,603	23,897	2,035	23,627	0	27,567	28,153	85.6	89.5

		11	15	11	16	11	17	11	18	1	19	12	20
	Indicators	Number immunized (9-11 m	d children	9 Drop Out BCG & <i>I</i>	between	Vitamin -	A dose 1	Children g dose1 to live	Reported	Childre Vitamin A	given Vit A	Adverse Following I	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	30,451	30,900	12.4	8.4	31,034	32,161	87.1	91.3	41.1	30.7	94	44
1	Berasia	2,400	3,209	-7.5	-1.4	3,497	3,827	102.1	100.9	106.0	77.2	57	9
2	Phanda (Bhopal)	28,051	27,691	14.4	9.6	27,537	28,334	85.5	90.1	32.9	24.4	37	35

	Indicators _Bhopal Berasia Phanda (Bhopal)	12	21	12	22	12	23	12	24	12	25	12	26
		immunisatio Held to Imr Sessions	munisation	lmmunisatio where ASI preser Immunisatio Plan	HAs were nt to on Sessions	Diptheria i 0-5 Years Total Re Childhood 0-5 Y	of Age to eported I Diseases	0-5 Years	eported I Diseases	Tetanus Ne in Children of Age t Reported Diseases	n 0-5 Years to Total Childhood	Tetanus (Children 0- Age to Tota Childhood 0-5)	-5 Years of I Reported I Diseases
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	98.1	97.2	77.5	62.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Berasia	96.3	96.4	82.9	79.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	98.5	97.4	76.4	58.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported (Diseases (ildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota Childhood	bea and ation in -5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported (Diseases	Children 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	emale to Total	% Children In _I Total In	patient to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.0	0.0	0.1	0.0	95.7	94.1	4.2	5.8	59.7	59.4	17.7	17.9
1	Berasia	0.0	0.0	0.2	0.0	92.9	94.5	6.9	5.5	94.4	94.0	8.0	4.8
2	Phanda (Bhopal)	0.0	0.0	0.1	0.0	95.7	94.1	4.2	5.9	58.9	58.3	17.9	18.2

		13	33	13	34	13	35	13	36	1:	37	13	38
	Indicators	Female I Deaths t Inpatien	npatient to Total	% Inpatient [Tota	Deaths to	IPD (Nu	ımber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
	Indicators _Bhopal	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	40.4	38.9	1.1	1.1	230,328	174,964	3,794,202	3,072,375	6.1	5.7	39,126	34,560
1	Berasia	0.0	50.0	0.0	0.0	4,506	4,804	110,800	109,301	4.1	4.4	64	466
2	Phanda (Bhopal)	40.4	38.9	1.2	1.1	225,822	170,160	3,683,402	2,963,074	6.1	5.7	39,062	34,094

		13	39	14	10	14	41	14	12	14	13	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surg		Hystere Surgeries Major Op		Ayush OPD	(Number)	AYUSH OP	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	42,031	31,395	48.2	52.4	2,989	2,177	7.6	6.2	48,242	44,058	1.2	1.4
1	Berasia	1,265	612	4.8	43.2	6	19	9.4	4.1	14,270	14,758	12.9	13.5
2	Phanda (Bhopal)	40,766	30,783	48.9	52.6	2,983	2,158	7.6	6.3	33,972	29,300	0.9	1.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	33,219	26,750	0.9	0.9	9,400	4,638	3.9	4.5	0.3	0.6	0.1	0.1
1	Berasia	0	0	0.0	0.0	410	114	2.6	2.8	0.0	0.0	0.0	0.0
2	Phanda (Bhopal)	33,219	26,750	0.9	0.9	8,990	4,524	4.0	4.6	0.3	0.6	0.1	0.1

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	0.1	0.2	1.8	1.5	0.5	0.7	959	335	21.9	23.0	18.5	23.0
1	Berasia	0.0	0.0	0.7	0.3	0.0	0.0	72	47	0.0	0.0	1.8	0.0
2	Phanda (Bhopal)	0.1	0.2	2.5	2.2	0.8	1.1	887	288	24.3	26.9	20.4	26.9

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhopal	6.7	11.8	2.6	2.6	1.1	0.6	1.1	1.0	0.0	0.0	48.1	38.0
1	Berasia	3.5	13.3	3.5	0.0	0.0	0.0	5.3	2.2	0.0	0.0	86.0	84.4
2	Phanda (Bhopal)	7.1	11.6	2.5	3.0	1.2	0.7	0.6	0.7	0.0	0.0	43.9	30.2