		1	2	3	4	5	6	7	8	9	10	11	12	13
	Indicators	Total number of pregnant women Registere d for ANC	Number of Pregnant women registere d within first trimester	% 1st Trimeste r registrati on to Total ANC Registrati ons	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons	% Pregnant women received TT2+ TT Booster to Total ANC Registrati on	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registrati on	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio n	% Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	29,840	16,325	54.7	19,605	21,628	3,599	65.7	84.5	28,311	94.8	22,323	1,411	57.6
1	Ater	3,430	1,651	48.1	2,457	3,182	285	71.6	101.1	3,347	97.6	2,953	179	100.0
2	Bhind (Phoop)	8,130	3,187	39.2	4,924	4,070	2,120	60.6	76.1	7,358	90.5	8,640	444	63.6
3	Gohad	5,168	2,946	57.0	3,244	4,095	426	62.8	87.5	4,821	93.3	3,762	361	39.8
4	Lahar	3,864	1,770	45.8	2,887	3,420	68	74.7	90.3	3,529	91.3	3,049	50	30.1
5	Mehgaon	5,120	3,235	63.2	3,135	4,848	289	61.2	100.3	5,120	100.0	2,230	121	87.1
6	Mihona(Ron)	4,128	3,536	85.7	2,958	2,013	411	71.7	58.7	4,136	100.2	1,689	256	71.1

		14	15	16	17	18	19	20	21	22	23	24	25	26
	Indicators	% New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	1.4	1,284	17	1,267	1.3	19,818	1,067	5.3	1,585	0	0.0	21,403	71.7
1	Ater	0.8	174	0	174	0.0	755	2	0.3				755	22.0
2	Bhind (Phoop)	0.7	117	0	117	0.0	8,551	0	0.0	1,371	0	0.0	9,922	122.0
3	Gohad	0.7	225	0	225	0.0	3,355	32	1.0	214	0	0.0	3,569	69.1
4	Lahar	0.7	522	10	512	1.9	2,683	1,032	38.5				2,683	69.4
5	Mehgaon	2.6	86	0	86	0.0	2,884	1	0.0				2,884	56.3
6	Mihona(Ron)	3.4	160	7	153	4.4	1,590	0	0.0				1,590	38.5

		27	28	29	30	31	32	33	34	35	36	37	38	39
	Indicators	Total reported deliveries	% Institutio nal deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducte d at public facilities	Number of C-section deliveries conducte d at private facilities	% C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries	% C-section s conducte d at public facilities to Deliveries conducte d at public facilities	% C-section s conducte d at Private facilities to Deliveries conducte d at private facilities	% Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries	% Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	22,687	94.3	94.4	5.7	212	355	2.6	1.1	22.4	92.6	7.4	1,083	3,433
1	Ater	929	81.3	81.3	18.7	0		0.0	0.0		100.0	0.0	0	173
2	Bhind (Phoop)	10,039	98.8	98.8	1.2	203	355	5.6	2.4	25.9	86.2	13.8	418	1,273
3	Gohad	3,794	94.1	94.1	5.9	9	0	0.3	0.3	0.0	94.0	6.0	445	513
4	Lahar	3,205	83.7	84.0	16.3	0		0.0	0.0		100.0	0.0	28	31
5	Mehgaon	2,970	97.1	97.1	2.9	0		0.0	0.0		100.0	0.0	82	54
6	Mihona(Ron)	1,750	90.9	91.3	9.1	0		0.0	0.0		100.0	0.0	110	1,389

		40	41	42	43	44	45	46	47	48	49	50	51	52
lı	ndicators	% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	84.3	15.1	22,290	98.3	265	98.8	22,013	98.8	3,372	15.3	21,429	96.1	911
1	Ater	0.0	18.6	906	97.5	25	97.3	905	99.9	27	3.0	905	99.9	787
2	Bhind (Phoop)	357.3	12.7	9,765	97.3	120	98.8	9,758	99.9	1,735	17.8	9,196	94.2	910
3	Gohad	197.8	13.5	3,777	99.6	20	99.5	3,565	94.4	231	6.5	3,565	94.4	915
4	Lahar	5.4	1.0	3,209	100.1	37	98.9	3,168	98.7	424	13.4	3,151	98.2	925
5	Mehgaon	95.3	1.8	2,928	98.6	42	98.6	2,922	99.8	682	23.3	2,922	99.8	930
6	Mihona(Ron)	68.8	79.4	1,705	97.4	21	98.8	1,695	99.4	273	16.1	1,690	99.1	914

		53	54	55	56	57	58	59	60	61	62	63	64	65
ı	Indicators	% cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries	% Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrati on	Number of PW given one Albendaz ole tablet after 1st trimester	% Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on	Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrati on	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	3.2	41.8	26,743	89.6	22,358	74.9	0	0.0	6	0.0	10,323	0	34.6
1	Ater	0.0		3,357	97.9	3,121	91.0	0	0.0	0	0.0	88	0	2.6
2	Bhind (Phoop)	6.0	48.7	7,291	89.7	5,677	69.8	0	0.0	0	0.0	3,618	0	44.5
3	Gohad	2.4	20.0	3,562	68.9	3,188	61.7	0	0.0	0	0.0	663	0	12.8
4	Lahar	0.3	0.0	3,291	85.2	2,829	73.2	0	0.0	0	0.0	12	0	0.3
5	Mehgaon	0.0		5,116	99.9	4,184	81.7	0	0.0	0	0.0	5,109	0	99.8
6	Mihona(Ron)	2.4	0.0	4,126	100.0	3,359	81.4	0	0.0	6	0.1	833	0	20.2

		66	67	68	69	70	71	72	73	74	75	76	77	78
	Indicators	% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenita I Syphilis to babies total diagnosed with Congenit al Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontan eous) Reported	Total Number of MTPs (Public) conducte d	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns	% MTPs Conducte d at Public Institutio ns to Total MTPs	% MTPs Conducte d at Private Institutio ns to Total MTPs	% Total MTPs (Public) Conducte d to Total ANC Registrati on	Number of Vasectom ies Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	0.0		29	0	219	281	61.6	99.3	0.7	79.8	20.2	0.9	10
1	Ater	0.0		1	0	77	0	0.0					0.0	1
2	Bhind (Phoop)	0.0		15	0	116	141	58.0	98.6	1.4	88.1	11.9	1.7	2
3	Gohad	0.0		2	0	4	140	98.0	100.0	0.0	72.9	27.1	2.7	1
4	Lahar	0.0		3		6	0	0.0					0.0	0
5	Mehgaon	0.0		6	0	1	0	0.0					0.0	6
6	Mihona(Ron)	0.0		2	0	15	0	0.0					0.0	0

		79	80	81	82	83	84	85	86	87	88	89	90	91
	Indicators	Number of Tubecto mies Conducte d	Total Sterilisati on Conducte d	% Male Sterlisati on (Vasecto mies) to Total sterilisati on	% Female Serlisatio n (Tubecto mies) to Total sterilisati on	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterilisati on	% Laparosc opic sterlisati ons to Total Female Sterilisati ons
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	3,190	3,200	0.3	99.7					0	3,200	0.0	100.0	98.7
1	Ater	533	534	0.2	99.8						534	0.0	100.0	98.3
2	Bhind (Phoop)	598	600	0.3	99.7						600	0.0	100.0	95.5
3	Gohad	463	464	0.2	99.8					0	464	0.0	100.0	100.0
4	Lahar	786	786	0.0	100.0						786	0.0	100.0	99.6
5	Mehgaon	524	530	1.1	98.9						530	0.0	100.0	99.8
6	Mihona(Ron)	286	286	0.0	100.0						286	0.0	100.0	100.0

		92	93	94	95	96	97	98	99	100	101	102	103	104
In	ndicators	% Mini Lap Sterlisati ons to Total Female Sterilisati ons	% Post Partum Sterlisati ons to Total Female Sterilisati ons	% Post Abortion Sterlisati ons to Total Female Sterilisati ons	% Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterlisati on (Male + Female)	Total cases of deaths following Male Sterlisati on	Total cases of deaths following Female Sterlisati on	Total cases of failure following Male Sterlisati on	Total cases of failure following Female Sterlisati on	Total cases of complicat ion following Male Sterlisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	0.3	0.8	0.1	100.0	100.0	100.0	100.0	0	0	0	0	0	0
1	Ater	1.5	0.0	0.2	100.0	100.0		100.0	0	0	0	0	0	0
2	Bhind (Phoop)	0.0	4.5	0.0	100.0		100.0		0	0	0	0	0	0
3	Gohad	0.0	0.0	0.0	100.0				0	0	0	0	0	0
4	Lahar	0.0	0.0	0.4	100.0			100.0	0	0	0	0	0	0
5	Mehgaon	0.0	0.2	0.0	100.0		100.0		0	0	0	0	0	0
6	Mihona(Ron)	0.0	0.0	0.0	100.0				0	0	0	0	0	0

		105	106	107	108	109	110	111	112	113	114	115	116	117
	Indicators	Total cases of complicat ion following Female Sterlisati on	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutio nal Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permane nt)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combine d Oral Pills distribute d	Emergenc y pills distribute d	Condom pieces distribute d	Centchro man (weekly pills) distribute d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	2	10,548	0	27.4	14.5	76.7	7,651	2,893	4	46,051	844	71,339	0
1	Ater	2	1,304		5.0	8.6	70.9	1,239	65	0	7,034	0	13,100	0
2	Bhind (Phoop)	0	1,730		48.4	9.8	74.2	891	837	2	12,940	586	16,626	0
3	Gohad	0	1,605	0	23.6	11.3	77.6	1,225	378	2	3,477	12	4,720	0
4	Lahar	0	1,671		31.6	19.7	68.0	1,143	528	0	3,651	245	6,155	0
5	Mehgaon	0	3,151		20.3	22.2	85.6	2,512	639	0	11,681	0	16,218	0
6	Mihona(Ron)	0	1,087		41.0	28.1	79.2	641	446	0	7,268	1	14,520	0

		118	119	120	121	122	123	124	125	126	127	128	129	130
	Indicators	Number of beneficia ries given 1st dose of Injectabl e (Antara Program)	Number of beneficia ries given 2nd dose of Injectabl e (Antara Program)	Number of beneficia ries given 3rd dose of Injectabl e (Antara Program)	Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program)	Pregnanc y testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	120	0	0	0	16,041	22,474	22,301	21,508	100.8	100.0	96.5	212	40
1	Ater	0	0	0	0	3,901	905	905	747	99.9	99.9	82.5	0	0
2	Bhind (Phoop)	120	0	0	0	5,745	10,048	9,735	10,011	102.9	99.7	102.5	180	7
3	Gohad	0	0	0	0	2,622	3,717	3,760	3,264	98.4	99.5	86.4	0	0
4	Lahar	0	0	0	0	1,005	3,062	3,131	3,049	95.4	97.6	95.0	32	33
5	Mehgaon	0	0	0	0	1,181	3,072	3,074	2,845	104.9	105.0	97.2	0	0
6	Mihona(Ron)	0	0	0	0	1,587	1,670	1,696	1,592	97.9	99.5	93.4	0	0

		131	132	133	134	135	136	137	138	139	140	141	142	143
	Indicators	Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Imunisati on (Abcess)	Adverse Events Following Imunisati on (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	34	24,939	22,819	21,444	23,773	0	106.6	24,145	-6.6	112.7	85.5	29	0
1	Ater	0	2,855	2,682	2,520	3,022	0	333.6	3,022	-233.9	328.9	0.8	0	0
2	Bhind (Phoop)	2	7,353	6,514	5,845	6,795	0	69.6	7,199	30.2	75.4	141.3	0	0
3	Gohad	0	4,396	3,875	3,847	4,151	0	109.9	4,123	-10.4	110.0	0.1	27	0
4	Lahar	32	3,264	2,995	2,829	3,117	0	97.1	3,120	0.4	99.4	107.4	1	0
5	Mehgaon	0	4,896	4,685	4,484	4,645	0	158.6	4,645	-51.1	158.6	128.8	1	0
6	Mihona(Ron)	0	2,175	2,068	1,919	2,043	0	119.8	2,036	-20.5	163.5	58.4	0	0

		144	145	146	147	148	149	150	151	152	153	154	155	156
	Indicators	Adverse Events Following Imunisati on (Others)	% immunisa tion Sessions Held to Immunisa tion Sessions Planned	% Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned	Pneumoni a in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheri a in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonator um in Children 0-5 Years of Age	Tubercul osis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	0	99.5	87.0	975	118	62	0	0	1	4	4	23	975
1	Ater	0	100.0	99.0	0	0	0	0	0	0	0	0	0	0
2	Bhind (Phoop)	0	99.3	85.9	354	0	1	0	0	1	1	1	19	354
3	Gohad	0	99.9	79.2	5	2	0	0	0	0	1	1	0	5
4	Lahar	0	98.8	84.7	5	0	0	0	0	0	1	1	4	5
5	Mehgaon	0	99.0	84.3	12	0	0	0	0	0	1	1	0	12
6	Mihona(Ron)	0	99.9	93.0	599	116	61	0	0	0	0	0	0	599

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3nd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	6,415	1,484	0	23,821	19,907	19,907	19,606	0	65.7	18.2	39.8	0.5	66,461
1	Ater	3,442	42	0	2,847	2,668	2,668	2,613	0	100.0	0.0		0.0	913
2	Bhind (Phoop)	1,319	1,043	0	7,261	6,110	6,110	5,309	0	62.7	17.0	39.8	0.7	47,538
3	Gohad	23	5	0	3,690	2,637	2,637	3,527	0	78.0	7.2		0.0	5,269
4	Lahar	336	0	0	3,199	2,538	2,538	2,414	0	48.5	43.0		0.0	7,163
5	Mehgaon	787	36	0	4,659	3,890	3,890	3,971	0	89.8	2.3		0.0	3,321
6	Mihona(Ron)	508	358	0	2,165	2,064	2,064	1,772	0	75.5	21.1		0.0	2,257

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathi c)	Ayush OPD (Number)	OPD (Ayush+Al lopathic)	% IPD to OPD	Number of Major Operatio ns	Number of Minor Operatio ns	% Major Operatio ns to Total Operatio n	Number of Hysterect omy Surgeries	% Hysterect omy Surgeries to Total Major Operatio ns	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducte d
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	879,163	21,590	900,753	7.4	426	6,159	6.5	0	0.0	2.3	6,098	0.7	3.7
1	Ater	59,556	1,549	61,105	1.5	0	2,336	0.0	0		2.5	2	0.0	3.0
2	Bhind (Phoop)	392,902	10,366	403,268	11.8	396	2,931	11.9	0	0.0	2.6	4,980	1.2	5.7
3	Gohad	161,610	5,116	166,726	3.2	0	348	0.0	0		3.1	18	0.0	1.4
4	Lahar	120,670	1,193	121,863	5.9	30	92	24.6	0	0.0	1.0	208	0.2	1.9
5	Mehgaon	99,793	12	99,805	3.3	0	399	0.0	0		0.0	98	0.1	1.6
6	Mihona(Ron)	44,632	3,354	47,986	4.7	0	53	0.0	0		7.0	792	1.7	5.6

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Bhind	2.0	9.5	0.5	1.0	1.3	0.0	593	3.7	2.9	4.0	0.5	3.7	0.0
1	Ater		0.0			0.3	0.0	92	0.0	1.1	14.1	0.0	5.4	0.0
2	Bhind (Phoop)	3.2	17.7	0.9	1.7	0.5	0.0	186	10.2	6.5	2.7	0.0	2.2	0.0
3	Gohad	0.0	4.4	0.0	0.0	2.5	0.0	103	0.0	3.9	0.0	1.9	11.7	0.0
4	Lahar	0.0	9.4	0.0	0.0	0.6	0.0	49	4.1	0.0	12.2	0.0	0.0	0.0
5	Mehgaon		0.0			2.2	0.0	139	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	0.0	19.4	0.1	0.1	2.2	0.2	24	4.2	0.0	0.0	4.2	4.2	0.0

		196	197	198		
1	ndicators	Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH	Institutio nal Deliveries at District Hospitals	Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH		
		2017-18	2017-18	2017-18		
	_Bhind	7,236				
1	Ater					
2	Bhind (Phoop)	1,947				
3	Gohad	3,366	·			
4	Lahar	1,923				
5	Mehgaon					
6	Mihona(Ron)		·			