

## Performance of Key HMIS Indicators for Bihar ( Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Bihar	212,059	188,235	81.3	101.7	5,040	4,497	97.7	97.7	182,863	136,613	300,115	262,842
1	Araria	4,444	3,884	68.7	92.5	170		96.3	100.0	3,866	3,879	10,025	5,815
2	Arwal	1,418	1,354	98.3	89.7	28	25	98.1	98.2	1,386	1,348	2,511	2,353
3	Aurangabad	4,067	5,530	57.3	112.7	143	75	96.6	98.7	4,466	3,747	9,181	6,485
4	Banka	5,439	4,535	85.6	96.4	158	168	97.2	96.4	4,771	4,535	6,033	5,857
5	Begusarai	6,416	6,250	73.1	139.3	110	25	98.3	99.6	5,401	3,107	10,118	7,194
6	Bhagalpur	4,651	6,889	80.6	97.7	152	139	96.8	98.0	4,751	2,876	8,766	10,697
7	Bhojpur	3,786	4,008	52.1	88.6	138	45	96.5	98.9	5,406	3,454	8,052	4,249
8	Buxar	2,445	2,171	99.6	99.3	119	16	95.4	99.3	1,838	1,431	1,876	1,991
9	Darbhanga	3,373	5,826	44.7	94.8	139		96.0	100.0	2,991	5,826	7,852	9,781
10	East Champaran	7,970	20,383	85.7	176.6	111		98.6	100.0	7,586	17,583	9,550	18,417
11	Gaya	6,319	7,607	51.4	98.3	684	128	90.2	98.3	6,323	7,367	9,771	8,697
12	Gopalganj	4,655	4,996	59.0	64.1	229	80	95.3	98.4	3,018	4,582	7,720	2,935
13	Jamui	3,933	3,490	91.4	296.3	135	51	96.7	98.6	3,218	1,784	5,808	3,403
14	Jehanabad	3,746		99.5	0.0	84		97.8		3,746		4,483	4,259
15	Kaimur Bhabua	3,078	3,230	80.4	105.7	68	13	97.8	99.6	2,918	3,230	4,409	3,771
16	Katihar	5,185	2,645	86.3	127.2	140	176	97.4	93.8	2,778	1,166	7,988	4,924
17	Khagaria	5,328	5,158	98.7	96.7	79	104	98.5	98.0	5,081	4,880	4,689	6,606
18	Kishanganj	4,390	3,090	109.3	307.5	329	194	93.0	94.1	3,753	2,963	5,786	4,289
19	Lakhisarai	2,055	1,820	82.3	120.5	57	43	97.3	97.7	1,073	1,757	2,481	1,592
20	Madhepura	6,371	3,000	100.0	99.6	145	60	97.8	98.0	3,439	2,295	8,296	8,115
21	Madhubani	9,817	9,049	86.0	87.8	43	2	99.6	100.0	9,949	6,077	15,279	12,493
22	Munger	4,042	3,132	98.4	98.1	70	63	98.3	98.0	3,660	2,936	4,679	4,936
23	Muzaffarpur	8,035		76.2	0.0	180		97.8		4,294		9,843	
24	Nalanda	7,722	2,839	81.6	55.3	131	1,533	98.3	64.9	7,722		7,914	4,966
25	Nawada	3,403		80.4	0.0	41	81	98.8	0.0	3,122		5,065	6,193
26	Patna	9,505	3,821	100.0	127.0	6	332	99.9	92.0	9,505	2,084	12,389	7,887
27	Purnia	9,823	9,144	84.9	686.5	308	183	97.0	98.0	9,314	9,143	14,201	11,975
28	Rohtas	6,314	6,259	98.8	99.5	80	33	98.7	99.5	5,804	6,259	9,746	7,714
29	Saharsa	2,516	5,010	82.3	98.1	59	95	97.7	98.1	2,167	5,009	4,129	6,152
30	Samastipur	13,147	13,247	81.9	87.4	251	231	98.1	98.3	12,616	8,934	14,214	5,604
31	Saran	4,248	8,745	67.0	99.4	30	57	99.3	99.4	3,938		9,714	11,839
32	Sheikhpura	2,360	2,044	91.6	99.8	36	18	98.5	99.1	2,360	2,025	2,785	3,336
33	Sheohar	869	343	106.4	60.9	25	24	97.2	93.5	808	343	1,924	1,215
34	Sitamarhi	5,147	3,633	86.2		40	6	99.2	99.8	4,669	1,172	2,873	8,361
35	Siwan	4,336	4,148	56.5	70.4	165	119	96.3	97.2	3,587	2,680	12,562	14,542
36	Supaul	6,154	4,999	97.3	153.2	169	149	97.3	97.1	5,437		7,887	10,093

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to June

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Bihar	428,881	466,293	141.5	139.6	202.2	247.7	465,941	559,763	503,165	635,370	505,553	646,181
1	Araria	11,994	5,818	225.6	149.7	269.9	149.8	13,559	5,805	15,137	6,092	14,676	5,871
2	Arwal	2,578	2,566	177.1	173.8	181.8	189.5	2,867	3,235	3,341	4,141	3,568	4,554
3	Aurangabad	10,045	9,407	225.7	117.3	247.0	170.1	10,429	11,990	13,067	16,121	14,093	18,096
4	Banka	8,836	9,557	110.9	129.2	162.5	210.7	8,634	11,122	9,503	12,998	13,373	14,772
5	Begusarai	11,605	10,222	157.7	115.1	180.9	163.6	14,032	13,310	14,691	15,687	14,331	15,105
6	Bhagalpur	11,770	16,229	188.5	155.3	253.1	235.6	13,555	18,819	14,597	21,761	15,501	23,239
7	Bhojpur	11,626	6,943	212.7	106.0	307.1	173.2	10,901	5,973	12,567	6,379	12,899	7,455
8	Buxar	5,382	7,730	76.7	91.7	220.1	356.1	5,462	9,538	5,847	11,038	5,978	11,208
9	Darbhanga	14,383	20,251	232.8	167.9	426.4	347.6	14,730	23,627	16,883	26,364	16,686	25,239
10	East Champaran	21,961	25,196	119.8	90.4	275.5	123.6	23,789	25,832	24,138	25,154	22,281	24,465
11	Gaya	16,225	19,132	154.6	114.3	256.8	251.5	18,247	21,443	19,604	25,404	19,665	26,716
12	Gopalganj	10,343	12,445	165.8	58.7	222.2	249.1	11,674	14,981	13,207	18,466	13,244	19,495
13	Jamui	7,724	10,401	147.7	97.5	196.4	298.0	7,858	15,013	8,122	10,366	8,137	9,666
14	Jehanabad	5,079	5,099	119.7		135.6		5,043	5,455	5,611	6,632	6,258	7,267
15	Kaimur Bhabua	5,612	6,256	143.2	116.7	182.3	193.7	6,478	7,857	7,189	9,861	7,602	10,118
16	Katihar	14,473	11,822	154.1	186.2	279.1	447.0	16,035	14,442	16,829	16,579	16,121	14,612
17	Khagaria	7,955	9,815	88.0	128.1	149.3	190.3	10,748	11,640	12,063	13,372	11,524	13,533
18	Kishanganj	8,081	9,389	131.8	138.8	184.1	303.9	8,187	10,185	8,146	9,725	7,380	8,756
19	Lakhisarai	3,458	3,229	120.7	87.5	168.3	177.4	4,086	3,870	4,592	4,253	4,602	4,075
20	Madhepura	9,714	10,519	130.2	270.5	152.5	350.6	10,804	14,678	11,975	17,436	12,537	17,713
21	Madhubani	20,199	20,636	155.6	138.1	205.8	228.0	24,103	23,602	25,888	28,639	28,126	32,795
22	Munger	5,546	6,168	115.8	157.6	137.2	196.9	5,934	6,914	6,162	7,979	6,493	8,829
23	Muzaffarpur	22,937	33,068	122.5		285.5		25,828	35,413	26,960	37,161	25,899	35,953
24	Nalanda	10,923	10,798	102.5	174.9	141.5	380.3	12,517	13,510	14,104	16,292	14,641	17,786
25	Nawada	8,877	10,820	148.8		260.9		9,964	13,063	10,922	15,694	10,831	15,173
26	Patna	15,328	12,373	130.3	206.4	161.3	323.8	16,489	14,554	17,479	16,804	18,094	17,892
27	Purnia	18,060	16,737	144.6	131.0	183.9	183.0	20,772	20,252	22,855	24,908	22,661	26,315
28	Rohtas	11,463	11,982	154.4	123.2	181.5	191.4	12,168	14,368	13,946	17,109	14,431	17,251
29	Saharsa	5,972	5,010	164.1	122.8	237.4	100.0	6,343	11,605	6,862	14,670	7,357	14,608
30	Samastipur	22,896	13,691	108.1	42.3	174.2	103.4	23,293	21,944	25,482	25,390	24,568	26,651
31	Saran	12,340	25,380	228.7	135.4	290.5	290.2	14,539	28,635	15,466	31,953	15,722	30,305
32	Sheikhpura	3,291	3,809	118.0	163.2	139.4	186.4	3,142	3,948	3,242	4,711	3,558	5,226
33	Sheohar	3,397	3,211	221.4	354.2	390.9	936.2	3,615	3,040	3,927	4,235	3,304	3,480
34	Sitamarhi	4,371	14,930	55.8	230.1	84.9	411.0	4,897	18,612	5,296	20,619	5,390	19,692
35	Siwan	14,858	15,823	289.7	350.6	342.7	381.5	16,702	23,380	17,907	26,649	18,318	27,110
36	Supaul	12,002	12,919	128.2	201.9	195.0	258.4	12,590	13,584	13,215	17,171	13,098	17,351

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar							442,046	479,101	208.5	254.5	653,657	565,312
1	Araria							13,314	6,363	299.6	163.8	26,696	6,363
2	Arwal							3,237	3,417	228.3	252.4	4,417	3,417
3	Aurangabad							12,333	11,432	303.2	206.7	14,535	7,067
4	Banka							8,928	7,342	164.1	161.9	9,127	10,760
5	Begusarai							14,182	10,106	221.0	161.7	12,094	42,361
6	Bhagalpur							13,458	17,947	289.4	260.5	13,615	35,374
7	Bhojpur							10,526	7,560	278.0	188.6	19,199	7,560
8	Buxar							4,429	7,597	181.1	349.9	4,429	7,597
9	Darbhanga							14,609	19,437	433.1	333.6	30,565	19,437
10	East Champaran							15,434	25,929	193.7	127.2	29,070	26,096
11	Gaya							17,465	18,532	276.4	243.6	30,673	22,452
12	Gopalganj							9,916	14,383	213.0	287.9	34,472	14,201
13	Jamui							8,899	9,772	226.3	280.0	8,133	17,096
14	Jehanabad							5,498	5,704	146.8		5,498	
15	Kaimur Bhabua							6,190	6,378	201.1	197.5	6,020	6,378
16	Katihar							12,630	9,274	243.6	350.6	32,665	15,220
17	Khagaria							7,618	10,291	143.0	199.5	9,574	24,454
18	Kishanganj							5,681	5,980	129.4	193.5	13,655	16,457
19	Lakhisarai							3,766	1,699	183.3	93.4	4,615	702
20	Madhepura							10,673	12,816	167.5	427.2	10,218	12,575
21	Madhubani							21,811	25,755	222.2	284.6	21,667	25,493
22	Munger							5,029	5,991	124.4	191.3	5,188	5,743
23	Muzaffarpur							21,475	29,053	267.3		59,416	29,053
24	Nalanda							20,489	13,023	265.3	458.7	20,489	13,023
25	Nawada							8,682	11,278	255.1		11,597	11,278
26	Patna							14,434	12,301	151.9	321.9	18,411	25,827
27	Purnia							19,400	17,577	197.5	192.2	19,400	17,332
28	Rohtas							16,323	12,164	258.5	194.3	16,194	12,164
29	Saharsa							7,348	11,505	292.1	229.6	5,463	4,956
30	Samastipur							20,548	18,049	156.3	136.2	15,524	8,803
31	Saran							11,831	22,799	278.5	260.7	46,219	
32	Sheikhpura							3,470	4,411	147.0	215.8	4,140	34,932
33	Sheohar							2,533	1,521	291.5	443.4	809	1,719
34	Sitamarhi							4,103	13,043	79.7	359.0	9,628	13,043
35	Siwan							15,338	20,138	353.7	485.5	30,224	32,324
36	Supaul							11,197	13,658	181.9	273.2	10,319	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to June

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	Bihar	-3.1	-2.7	296,303	298,022	139.7	158.3	9.1	7.7	168	3,655	94.2	95.1
1	Araria	-11.0	-9.4	11,956	6,031	269.0	155.3	2.4	0.0			84.2	99.2
2	Arwal	-25.6	-33.2	2,842	2,228	200.4	164.5	0.4	0.0	85		105.1	97.0
3	Aurangabad	-22.8	-21.5	8,945	8,488	219.9	153.5	0.0	0.0			100.0	89.0
4	Banka	-1.0	23.2	6,106	6,535	112.3	144.1	2.1	0.0			96.8	100.0
5	Begusarai	-22.2	1.1	14,182	1,943	221.0	31.1	1.6	36.5			97.0	109.6
6	Bhagalpur	-14.3	-10.6	7,646	9,935	164.4	144.2	0.0	0.0			92.6	97.8
7	Bhojpur	9.5	-8.9	6,078	1,906	160.5	47.6	0.1	5.6			94.8	72.5
8	Buxar	17.7	1.7	868	5,052	35.5	232.7	0.0	0.0			95.0	99.0
9	Darbhanga	-1.6	4.0	6,997	8,328	207.4	142.9	13.8	6.8			92.1	94.5
10	East Champaran	29.7	-2.9	13,563	7,919	170.2	38.9	0.7	56.1			73.5	
11	Gaya	-7.6	3.1	11,000	14,117	174.1	185.6	13.0	5.5			87.8	94.0
12	Gopalganj	4.1	-15.6	6,632	12,766	142.5	255.5	0.0	0.0			112.6	
13	Jamui	-15.2	6.0	4,249	1,240	108.0	35.5	19.9	13.8			80.4	46.1
14	Jehanabad	-8.2	-11.9	4,780	4,692	127.6		0.1	0.0			100.0	
15	Kaimur Bhabua	-10.3	-2.0	1,723	6,378	56.0	197.5	0.0	0.0			99.6	99.5
16	Katihar	12.7	21.6	7,126	4,344	137.4	164.2	72.5	1.3			74.8	79.7
17	Khagaria	4.2	-4.8	1,166	3,569	21.9	69.2	0.0	2.6			96.5	105.7
18	Kishanganj	29.7	36.3	4,693	4,392	106.9	142.1	0.4	0.0			78.5	86.4
19	Lakhisarai	-8.9	47.4	1,970	970	95.9	53.3	0.0	0.0			91.8	52.2
20	Madhepura	-9.9	-21.8	19,273	10,509	302.5	350.3	41.4	14.3			98.4	98.5
21	Madhubani	-8.0	-24.8	7,738	19,746	78.8	218.2	2.4	0.0			98.5	95.5
22	Munger	9.3	2.9	3,790	4,216	93.8	134.6	0.9	0.0			98.5	98.6
23	Muzaffarpur	6.4	12.1	15,363	25,208	191.2		12.2	0.0	1		95.0	
24	Nalanda	-87.6	-20.6	10,714	4,343	138.7	153.0	0.0	0.0	80	3,655	98.4	109.9
25	Nawada	2.2	-4.2	6,873	6,783	202.0		0.0	0.0	2		103.1	
26	Patna	5.8	0.6	8,716	7,124	91.7	186.4	18.8	14.2			98.2	94.0
27	Purnia	-7.4	-5.0	17,167	11,227	174.8	122.8	0.5	0.0			95.9	94.3
28	Rohtas	-42.4	-1.5	10,453	11,396	165.6	182.1	17.7	0.0			98.9	99.3
29	Saharsa	-23.0	-129.6	5,552	11,505	220.7	229.6	0.0	0.0			102.4	
30	Samastipur	10.3	-31.8	13,162	9,935	100.1	75.0	0.3	0.0			96.5	89.4
31	Saran	4.1	10.2	10,374	18,962	244.2	216.8	10.5	56.2			92.2	
32	Sheikhpura	-5.4	-15.8	2,601	2,939	110.2	143.8	0.0	0.0			97.4	95.3
33	Sheohar	25.4	52.6	1,019	1,439	117.3	419.5	9.6	8.5			98.0	100.0
34	Sitamarhi	6.1	12.6	901	7,192	17.5	198.0	6.2	0.0			128.2	90.5
35	Siwan	-3.2	-27.3	13,761	15,077	317.4	363.5	11.3	9.5			95.7	92.3
36	Supaul	6.7	-5.7	9,426		153.2	0.0	0.6				91.7	90.8

(Continued)

## Performance of Key HMIS Indicators for Bihar ( Across Districts)

Financial Year: 2010-11

Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	69.5	62.7	0.4	3.2	0.1	0.0	0.1	1.1	0.4	0.1	0.0	0.1
1	Araria	69.9	0.0	0.0		0.0		0.0		0.0		0.0	
2	Arwal	80.7	89.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Aurangabad	85.2	83.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Banka	73.3	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Begusarai	70.1	60.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
6	Bhagalpur	97.7	0.0	0.0		0.0		0.0		0.0		0.0	
7	Bhojpur	75.3	31.9	0.0		0.0		0.0		0.0		0.0	
8	Buxar	75.1	76.4	0.0		0.0		8.0		13.0		0.0	
9	Darbhanga	60.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
10	East Champaran	47.5		0.0		0.0		0.0		0.0		0.0	
11	Gaya	58.8	90.8	1.8	0.0	0.0	0.0	0.4	0.0	0.1	7.0	0.0	0.0
12	Gopalganj	66.8		0.0		0.0		0.0		0.0		0.0	
13	Jamui	65.4	67.2	0.0	47.7	0.0	0.0	0.0	25.1	0.0	0.0	0.0	0.0
14	Jehanabad	53.7											
15	Kaimur Bhabua	93.5	96.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	Katihar	56.3	41.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	Khagaria	58.8	82.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
18	Kishanganj	66.4	70.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	Lakhisarai	21.7	41.4	0.0	98.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	Madhepura	67.0	70.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
21	Madhubani	56.4	98.1	0.3		0.0		0.3		6.8		0.0	
22	Munger	69.4	32.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	Muzaffarpur	65.1		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	Nalanda	80.9	88.8	0.0		0.0		0.0		0.0		0.0	
25	Nawada	69.8		0.0		0.0		0.0		0.0		0.0	
26	Patna	98.2	54.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	Purnia	90.2	61.2	0.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0
28	Rohtas	68.5	60.5	0.0		0.0		0.0		0.0		0.0	
29	Saharsa	32.3		0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0
30	Samastipur	73.8	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	Saran	48.5		0.0		0.0		0.0		0.0		0.0	
32	Sheikhpura	96.0	63.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	Sheohar	62.0	715.4	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0
34	Sitamarhi	82.0	90.5	0.0		0.0		0.0		0.0		0.0	
35	Siwan	45.4	46.2	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
36	Supaul	74.6	90.8	0.0		0.0		0.0		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to June

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	13.6	18.1	74.7	69.0	10.6	8.3	338	30	54.1	0.0	0.5	4.2
1	Araria	14.6		71.1		14.4							
2	Arwal	0.0	16.7	100.0	41.7	0.0	41.7	18	14		0.0		0.0
3	Aurangabad	0.0	2.1	100.0	10.0	0.0	87.9	1					
4	Banka	20.0	0.0	80.0	91.3	0.0	8.7						
5	Begusarai	23.3	68.6	74.9	24.1	1.9	7.2	3					
6	Bhagalpur	95.6		4.4		0.0							
7	Bhojpur	0.0		100.0		0.0							
8	Buxar	34.0		42.0		3.0		2		0.0		0.0	
9	Darbhanga	0.0	0.0	100.0	84.5	0.0	14.7						
10	East Champaran	30.9		67.3		1.7		28		0.0		0.0	
11	Gaya	15.2	47.7	64.7	45.2	17.8	0.0	71		24.0		0.0	
12	Gopalganj	0.0		0.0		100.0		6					
13	Jamui	0.0	7.0	100.0	18.5	0.0	1.7						
14	Jehanabad												
15	Kaimur Bhabua	0.0	0.0	0.0	17.5	100.0	82.5	41		0.0		0.0	
16	Katihar	4.0	18.3	94.0	66.7	2.0	15.0	9		0.0		0.0	
17	Khagaria	0.0	3.0	100.0	94.8	0.0	1.8						
18	Kishanganj	0.8	0.0	99.2	78.8	0.0	21.2						
19	Lakhisarai	57.1	0.0	32.1	1.3	10.7	0.0	2					
20	Madhepura	0.0	5.5	95.2	94.1	4.4	0.0						
21	Madhubani	4.0		88.5		0.0							
22	Munger	2.6	0.0	95.9	100.0	1.5	0.0	3	7		0.0		16.7
23	Muzaffarpur	14.7	10.9	84.7	89.1	0.6	0.0	101		100.0		0.0	
24	Nalanda	3.2		88.6		8.2							
25	Nawada	27.0		73.0		0.0		5					
26	Patna	36.7	29.9	56.7	67.8	6.7	2.3		1		0.0		0.0
27	Purnia	0.4	0.0	30.3	100.0	68.1	0.0	24	1	0.0	0.0	0.0	0.0
28	Rohtas	0.0		2.0		98.0		2	2	0.0	0.0	50.0	0.0
29	Saharsa	0.0	0.0	95.0	99.6	5.0	0.0						
30	Samastipur	26.1	42.0	63.2	58.0	6.5	0.0	1		0.0		0.0	
31	Saran	0.7		97.9		1.4							
32	Sheikhpura	0.0	0.0	99.0	100.0	1.0	0.0						
33	Sheohar	1.2	33.2	95.8	66.8	1.8	0.0	3	5				
34	Sitamarhi	0.0		58.1		41.9							
35	Siwan	0.0	67.9	73.4	18.7	26.6	13.1	11					
36	Supaul	44.5		55.5		0.0		6		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to June

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
	_Bihar	9.7	0.0	15.3	0.0	2.0	0.0	6.1	0.0	0.0	0.0	12.2	95.8
1	Araria												
2	Arwal		0.0		0.0		0.0		0.0		0.0		100.0
3	Aurangabad												
4	Banka												
5	Begusarai												
6	Bhagalpur												
7	Bhojpur												
8	Buxar	0.0		0.0		100.0		0.0		0.0		0.0	
9	Darbhanga												
10	East Champaran	100.0		0.0		0.0		0.0		0.0		0.0	
11	Gaya	16.0		40.0		0.0		0.0		0.0		20.0	
12	Gopalganj												
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua	0.0		0.0		0.0		0.0		0.0		100.0	
16	Katihar	0.0		0.0		0.0		100.0		0.0		0.0	
17	Khagaria												
18	Kishanganj												
19	Lakhisarai												
20	Madhepura												
21	Madhubani												
22	Munger		0.0		0.0		0.0		0.0		0.0		83.3
23	Muzaffarpur	0.0		0.0		0.0		0.0		0.0		0.0	
24	Nalanda												
25	Nawada												
26	Patna		0.0		0.0		0.0		0.0		0.0		100.0
27	Purnia	0.0	0.0	83.3	0.0	4.2	0.0	4.2	0.0	0.0	0.0	8.3	100.0
28	Rohtas	0.0	0.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	0.0	0.0	100.0
29	Saharsa												
30	Samastipur	0.0		0.0		0.0		0.0		0.0		100.0	
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi												
35	Siwan												
36	Supaul	0.0		0.0		33.3		66.7		0.0		0.0	

(Continued)

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to June

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	10,311	8,596	99.4	98.9	96	116	99.1	98.7	8,585	8,596	14,810	15,967
38	West Champaran	15,241	7,360	98.4	117.4	92	113	99.4	98.5	7,517	3,545	14,706	8,139



Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	17,781	20,213	143.6	185.7	172.4	235.1	19,165	23,919	20,120	25,653	19,991	25,550
38	West Champaran	19,796	16,699	96.5	110.6	129.9	226.9	16,762	20,605	16,223	21,904	12,615	22,259

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
 Financial Year: 2010-11  
 Provisional Figures for the Period April to June

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali							16,736	19,153	162.3	222.8	16,736	18,354
38	West Champaran							22,513	15,723	147.7	213.6	22,963	15,701

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	5.9	5.2	12,677	14,631	122.9	170.2	6.0	5.1			97.1	94.7
38	West Champaran	-13.7	5.8	4,221	4,957	27.7	67.4	8.5	11.3			88.3	98.9

Performance of Key HMIS Indicators for Bihar ( Across Districts)  
Financial Year: 2010-11  
Provisional Figures for the Period April to June

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diphtheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	92.9	88.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	West Champaran	65.2	46.6	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali	100.0	0.0	0.0	93.7	0.0	6.3	1					
38	West Champaran	4.0	72.1	81.0	23.2	13.0	4.8						

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10	2010-11	2009-10
37	Vaishali												
38	West Champaran												