	Indicators _Bhopal Berasia	1	I	2	2	3	3	4	4		5	(5
	Indicators	Total nu pregnant Registered	women	Number of women re within first	egistered	1st Trii registratio ANC Regi	n to Total	Number of women red more ANC	eived 4 or	TT2 given t	-	TT Booste Pregnant (num	women
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	15,751	13,347	10,715	8,663	68.0	64.9	17,163	10,688	9,583	8,037	2,791	3,097
1	Berasia	2,007	2,167	892	931	44.4	43.0	1,572	1,327	1,230	1,108	356	334
2	Phanda (Bhopal)	13,744	11,180	9,823	7,732	71.5	69.2	15,591	9,361	8,353	6,929	2,435	2,763

	Indicators _Bhopal Berasia	7	7	8	3	9	9	1	0	1	1	1	2
Indicators		Pregnant received 4 ups to To Registr	ANC check otal ANC	Pregnant receive TT Booste ANC Regi	d TT2+ r to Total	Number of women giv tab	-	Pregnant given 180 l ANC Regi	FA to Total	Number of Women h leve (tested	aving Hb l<11		ving severe emia v<7)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	108.9	80.0	78.5	83.4	23,753	14,180	150.8	106.2	10,284	5,937	663	582
1	Berasia	78.3	61.2	79.0	66.5	2,076	2,150	103.4	99.2	1,285	1,126	5	58
2	Phanda (Bhopal)	113.4	83.7	78.5	86.7	21,677	12,030	157.7	107.6	8,999	4,811	658	524

		1	3	1	4	1	5	1	6	1	7	1	8
	Pregnant womer having severe anae (Hb<7) treated at instituti to women having level<7		t women ere anaemia <7) institution having hb	New cases of Women de institut hypertension	ion for on to Total	Number deliv	of Home eries	deliveries a SBA tr	of home attended by rained urse/ANM)	Non SBA	of home attended by a trained I TB/Dai)	SBA atten deliveries Reporte Deliv	to Total d Home
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	79.5	88.9	4.4	5.8	239	295	31	56	208	239	12.9	18.9
1	Berasia	15.6	57.4	3.1	1.2	64	61	17	4	47	57	26.6	6.6
2	Phanda (Bhopal)	82.0	94.6	4.6	6.7	175	234	14	52	161	182	8.0	22.2

	Indicators _Bhopal Berasia	1	9	2	0	2	.1	2	2	2	3	2	4
	Indicators	Deliveries of at Public In		Number of Discharged hours of d public fo	l under 48 lelivery in	less than 4 delivery	Deliveries	Deliveries (d under 48 delivery in	Women dis less than 4 delivery Reported I at private i	8 hours of to Total Deliveries
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	7,248	7,218	1,766	109	24.3	1.5	2,999	3,267	229	481	7.6	14.7
1	Berasia	944	939	40	32	4.2	3.4						
2	Phanda (Bhopal)	6,304	6,279	1,726	77	27.4	1.2	2,999	3,267	229	481	7.6	14.7

		2	5	2	6	2	7	2	8	2	9	3	0
Indicators		Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	tional s to total	Total re deliv	eported Peries	Institu deliveries Reported	to Total	Safe deli Total Re Deliv	eported	Home del Total Re Deliv	eported
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	10,247	10,485	65.0	78.5	10,486	10,780	97.7	97.3	98.0	97.8	2.3	2.7
1	Berasia	944	939	47.0	43.3	1,008	1,000	93.7	93.9	95.3	94.3	6.3	6.1
2	Phanda (Bhopal)	9,303	9,546	67.7	85.4	9,478	9,780	98.2	97.6	98.3	98.1	1.8	2.4

	Indicators _Bhopal Berasia	3	1	3	2	3	3	3	4	3	5	3	6
		Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.)	C-sections at public f Deliveries at public	acilities to conducted		facilities to conducted	Deliveries at Public In to Total In: Deliv	nstitutions stitutional
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	1,939	1,629	1,748	1,694	35.9	31.6	26.8	22.6	58.3	51.9	70.7	68.8
1	Berasia	29	9			3.1	1.0	3.1	1.0			100.0	100.0
2	Phanda (Bhopal)	1,910	1,620	1,748	1,694	39.3	34.7	30.3	25.8	58.3	51.9	67.8	65.8

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Deliveries at Private I to Total In	conducted nstitutions stitutional	Women re post partun within 48 home d	n check-up hours of	between 48	n check up	Women go post partun within 4e home de Total Repo	n check-up hours of livery to rted Home	Women ge Post Partui between 48 14 days Reported	n Checkup 3 hours and to Total	Total Nu reported l	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	29.3	31.2	88	217	246	418	36.8	73.6	2.3	3.9	10,345	10,595
1	Berasia	0.0	0.0	44	94	64	59	68.8	154.1	6.3	5.9	1,050	981
2	Phanda (Bhopal)	32.2	34.2	44	123	182	359	25.1	52.6	1.9	3.7	9,295	9,614

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Live Birth Deliv	s to Total	Total Nu reported S		live birth to		Number of weighed		Newborns birth to I	weighed at	Number of having we than 2	eight less
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	98.7	98.3	270	242	97.5	97.8	10,296	10,563	99.5	99.7	1,524	1,381
1	Berasia	104.2	98.1	19	16	98.2	98.4	1,006	977	95.8	99.6	144	126
2	Phanda (Bhopal)	98.1	98.3	251	226	97.4	97.7	9,290	9,586	99.9	99.7	1,380	1,255

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborn weight les kg to Ne weighed	ns having s than 2.5 ewborns	Number of Breast Fec ho	within 1	Newborns within 1 ho	% breast fed our of birth live birth	birth (Fe Birt Male Liv	atio at male Live ths/ re Births 100)	cases of women with Complica attended to deliv	Pregnant h Obstetric tions and	Compl Pregnancie with Transfusio Women Obst Complie	icated es treated Blood n to Total n with etric cations
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	14.8	13.0	9,095	9,656	87.9	91.1	861	959	31.2	32.8	20.4	25.2
1	Berasia	14.3	12.9	961	976	91.5	99.5	878	950	12.1	4.6	0.0	0.0
2	Phanda (Bhopal)	14.9	13.1	8,134	8,680	87.5	90.3	859	960	33.3	35.7	21.2	25.5

	Indicators _Bhopal Berasia	5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	Number of 360 Calciu		Pregnant given 360 Total Regist	t women Calcium to ANC	Number of one Albe tablet a trime	fter 1st	Pregnant given one A tablet a trimester ANC Regi	t women Ilbendazole fter 1st to Total	Number of for blood s OG (Oral G	sugar using STT Slucose	Pregnant tested for busing OGT ANC Regi	olood sugar T to Total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	19,891	13,676	126.3	102.5	7,132	7,195	45.3	53.9	0	0	0.0	0.0
1	Berasia	1,826	2,035	91.0	93.9	1,191	1,120	59.3	51.7	0	0	0.0	0.0
2	Phanda (Bhopal)	18,065	11,641	131.4	104.1	5,941	6,075	43.2	54.3	0	0	0.0	0.0

	Indicators _Bhopal Berasia	6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Number of positive		Pregnant tested po GDM to T Regist	sitive for otal ANC	Number of women te Sypi		Number of women tes sero pos Sypl	sted found	Pregnant tested for Total Regist	Syphilis to ANC	Pregnant treatd for Total sero p	Syphilis to
	Phone	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	0	0	0.0	0.0	9,036	5,306	33	9	57.4	39.8	0.1	0.2
1	Berasia	0	0	0.0	0.0	616	974	0	0	30.7	44.9	0.0	0.0
2	Phanda (Bhopal)	0	0	0.0	0.0	8,420	4,332	33	9	61.3	38.7	0.1	0.2

	_Bhopal Berasia	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	of babies t congenital babies total with Co	reated for Syphilis to I diagnosed ngenital	Tota materna		Total Faci Materna Revi (FBMDF	l Death ews	Total Nu Abort (Sponta Repo	tions aneous)	Total Nu MTPs (condu	Public)	9 MTPs t Abor	o total
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal			18	26	6	0	769	441	322	337	66.0	74.7
1	Berasia			2	2	0	0	32	4	97	122	75.2	96.8
2	Phanda (Bhopal)			16	24	6	0	737	437	225	215	65.5	72.9

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of P to Total Public Ins	Pregnancy MTPs at	% MTPs Con Public Insti Total	tutions to	MTPs Con Private Ins to Tota	stitutions	% Tota (Pul Conducted ANC Regi	olic) I to Total	Numb Vasect Condi	comies
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	97.8	97.9	2.2	2.1	21.5	25.9	78.5	74.1	2.0	2.5	25	73
1	Berasia	97.9	95.1	2.1	4.9	100.0	100.0	0.0	0.0	4.8	5.6	1	8
2	Phanda (Bhopal)	97.8	99.5	2.2	0.5	16.1	18.3	83.9	81.7	1.6	1.9	24	65

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Numb Tubect Condu	tomies	Total Ste		% Male St (Vasect to Total st	comies)	% Female : (Tubect to Total st	omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducte	mies and omies)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	960	1,482	985	1,555	2.5	4.6	97.5	95.3				
1	Berasia	17	26	18	34	5.6	23.5	94.4	76.5				
2	Phanda (Bhopal)	943	1,456	967	1,521	2.5	4.3	97.5	95.7				

	Indicators _Bhopal Berasia	8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	Total Ste (Tubecto Vasect conducted institu	mies and omies) I at Public	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	% Total St (Tubecto Vasecto conducte institution	erilisation mies and omies) I at Public s to Total sation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal					377	756	608	799	38.3	48.6	61.7	51.4
1	Berasia							18	34	0.0	0.0	100.0	100.0
2	Phanda (Bhopal)					377	756	590	765	39.0	49.7	61.0	50.3

	Indicators _Bhopal Berasia	9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Laparo sterlisation Female Ste	scopic s to Total	% Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum s to Total	Post Ab Sterlisation Female Ste	ortion ns to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public s to Total scopic	% Mini Lapste at Public Into Total / Sterilisa 2018-19 32.2 100.0	stitutions Mini Lap
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	34.3	50.1	6.1	8.3	54.6	37.3	4.8	4.3	58.7	36.3	32.2	58.5
1	Berasia	0.0	38.5	35.3	0.0	52.9	7.7	11.8	53.8		100.0	100.0	
2	Phanda (Bhopal)	34.9	50.3	5.6	8.4	54.7	37.8	4.8	3.4	58.7	35.4	24.5	58.5

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	Post P	artum is at Public s to Total artum	Post Ab sterlisation Institution Post P Sterili	oortion as at Public s to Total artum	Total cases follo Sterlisatio Fem	wing	Total cases followii Sterlis	ng Male	Total cases following Sterlis	g Female	Total cases followii Sterlis	ng Male
	Institutions to Total Post Partum Sterilisation 2018-19 2017-1		2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	69.0	68.0	66.0	62.5	0	0	0	0	0	0	0	0
1	Berasia	100.0	100.0	100.0	100.0	0	0	0	0	0	0	0	0
2	Phanda (Bhopal)	68.4	67.9	64.4	52.0	0	0	0	0	0	0	0	0

		10)3	10)4	10	05	10	06	10	07	10	08
	Indicators	Total cases following Sterlis		Total c compli followin Sterlis	cation ng Male			IUCD Inser	tions done acilities)	IUCD inseri (pvt. fa		% PP IUCD (pul to Tota Insertion	olic)
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	1	14	0	0	0	1	1,606	2,356	257	550	67.8	62.5
1	Berasia	0	6	0	0	0	1	117	189			52.1	48.1
2	Phanda (Bhopal)	1	8	0	0	0	0	1,489	2,167	257	550	69.1	63.8

		10)9	11	10	1	11	11	12	1	13	11	14
	Indicators	% PP IUCD (pub to Total Ins Deliveries	olic) stitutional	IUCD insert family p methods (perma	cions to all blanning IUCD plus	Total Inte Insertio		Total P Insertio		Total P insertio		Combined distril	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	15.0	20.4	65.4	65.1	695	1,062	1,100	1,794	68	50	16,121	14,585
1	Berasia	6.5	9.7	86.7	84.8	56	98	61	91	0	0	2,268	1,770
2	Phanda (Bhopal)	16.3	22.0	64.4	64.1	639	964	1,039	1,703	68	50	13,853	12,815

	Indicators _Bhopal Berasia	11	15	11	16	11	17	11	18	1	19	12	20
Indicators		Emerger distrib		Condom distril		Centch (weekl distril	ly pills)	Numb beneficiarie dose of Ir (Antara F	es given 1st njectable	beneficia 2nd c Injec	per of ries given dose of table Program)	Numb beneficial 3rd d Injec (Antara F	ries given ose of table
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	571	884	89,315	68,978	305	0	83	0	23	0	16	0
1	Berasia	404	108	6,027	3,355	0	0	0	0	0	0	0	0
2	Phanda (Bhopal)	167	776	83,288	65,623	305	0	83	0	23	0	16	0

	Indicators _Bhopal	12	21	12	22	13	23	12	24	12	25	12	26
	Indicators	Numb beneficia 4th or mo doses of l (Antara f	ries given ore than 4 njectable	Pregnancy is		given	of Infants OPV 0 Dose)	Number o		Number o given H (birth	lep- B0	Newborns g at birth to live	Reported
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	28	20	7,728	5,969	9,520	10,087	10,337	10,747	7,540	8,948	92.0	95.2
1	Berasia	22	0	881	738	882	944	1,097	1,056	855	911	84.0	96.2
2	Phanda (Bhopal)	6	20	6,847	5,231	8,638	9,143	9,240	9,691	6,685	8,037	92.9	95.1

	Indicators _Bhopal Berasia	12	27	12	28	12	29	13	30	13	31	1:	32
	Indicators	Newborns to Repo	given BCG rted live	Newborn Hep-B0(Bir birth to Rep bir	ns given th Dose)at ported live	Number o		Number o		Number o		Number o	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	99.9	101.4	72.9	84.5	511	14	318	5	269	1	9,845	8,812
1	Berasia	104.5	107.6	81.4	92.9	0	5	0	0	0	0	1,328	1,146
2	Phanda (Bhopal)	99.4	100.8	71.9	83.6	511	9	318	5	269	1	8,517	7,666

	Indicators _Bhopal	13	33	13	34	1:	35	13	36	13	37	13	38
	Indicators	Number o		Number o		Number o	of Infants Neasles	Number o		Infants months received MR vac reported I	0 to 11 old who Measles+ cine to	Number immunized (9-11 m	d children
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	9,557	8,896	9,310	9,076	9,392	10,425	0	0	90.7	98.3	8,812	10,356
1	Berasia	1,228	1,121	1,301	1,079	1,250	1,101	0	0	119.0	112.2	1,325	1,139
2	Phanda (Bhopal)	8,329	7,775	8,009	7,997	8,142	9,324	0	0	87.6	97.0	7,487	9,217

		13	39	14	10	14	41	14	42	14	43	14	14
Indicators		% Drop Out BCG & Me	between	% Children g dose1 to live l	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following I	munisation	Adverse Following I (Dea	munisation	Adverse Following I	munisation
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	9.1	3.0	89.0	108.2	43.9	53.5	18	24	0	0	0	0
1	Berasia	-13.9	-4.3	108.9	111.1	59.8	35.7	1	22	0	0	0	0
2	Phanda (Bhopal)	11.9	3.8	86.7	107.9	41.6	55.4	17	2	0	0	0	0

		14	15	14	146		147		48	149		150	
	Indicators	% immunisation Sessions Held to Immunisation Sessions Planned		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		Pneumonia in Children 0-5 Years of Age		Asthma in Children 0-5 Years of Age		Sepsis in Children 0-5 Years of Age		Diphtheria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	95.3	98.8	56.7	81.9	621	637	132	105	90	63	0	0
1	Berasia	93.4	95.5	85.4	82.4	9	40	0	0	0	10	0	0
2	Phanda (Bhopal)	95.7	99.4	49.8	81.8	612	597	132	105	90	53	0	0

		151		152		1!	153		154		155		56
Indicators		Pertussis in Children 0-5 Years of Age		in Children	Neonatorum en 0-5 Years in Childr		culosis 'B) 1 0-5 Years Age	Acute Flaccid Paralysis(AFP)in Children 0-5 Years of Age		Measles in Children 0-5 Years of Age		Malaria in Children 0-5 Years of Age	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	0	0	0	0	14	25	14	25	52	9	621	637
1	Berasia	0	0	0	0	0	0	0	0	0	0	9	40
2	Phanda (Bhopal)	0	0	0	0	14	25	14	25	52	9	612	597

		157		158		159		160		161		162	
Indicators		Diarrhoea in Children 0-5 Years of Age		Inpatients i	ea treated in of infa is in Children Measle		o. ts given Rubella 1st dose	No. of infants received Rotavirus Vaccine 1st dose		No. of infants received Rotavirus Vaccine 2nd dose		No. of infants received Rotavirus Vaccine 3nd dose	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	1,887	1,935	986	915	0	0	9,569	7,494	9,172	5,688	9,172	5,688
1	Berasia	15	23	11	16	0	0	1,330	952	1,231	590	1,231	590
2	Phanda (Bhopal)	1,872	1,912	975	899	0	0	8,239	6,542	7,941	5,098	7,941	5,098

		163		164		165		166		167		168	
Indicators		No of children 16-24 months age given Measles 2nd dose		months a Measles	es Rubella Inpatients		Female to Total patient	% Children Inpatient to Total Inpatient		% Female Inpatient Deaths to Total Inpatient Deaths		% Inpatient Deaths to Total IPD	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	7,970	8,484	0	0	55.4	60.7	16.6	25.1	45.0	42.5	1.8	1.0
1 Berasia		1,184	1,068	0	0	35.6	94.8	3.8	9.4			0.0	0.0
2	Phanda (Bhopal)	6,786	7,416	0	0	56.5	59.4	17.2	25.6	45.0	42.5	1.8	1.1

		169		170		171		172		173		174	
Indicators		IPD (Nu	ımber)	OPD (Allopathic)		Ayush OPD	Ayush OPD (Number)		OPD (Ayush+Allopathic)		to OPD	Number of Major Operations	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	80,312	76,184	1,120,452	977,421	47,600	38,084	1,168,052	1,015,505	6.9	7.5	13,984	11,761
1	Berasia	3,662	2,179	37,069	36,907	4,175	6,515	41,244	43,422	8.9	5.0	21	22
2	Phanda (Bhopal)	76,650	74,005	1,083,383	940,514	43,425	31,569	1,126,808	972,083	6.8	7.6	13,963	11,739

		175		176		177		178		179		180	
Indicators		Number of Minor Operations		Major Ope	perations to Hyster		eer of ectomy eries	% Hysterectomy Surgeries to Total Major Operations		% AYUSH OPD to Total OPD		Dental OPD (Number)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	17,604	15,748	44.3	42.8	1,268	817	9.0	6.9	4.0	3.7	20,281	12,235
1	Berasia	11	17	65.6	56.4	5	1	23.8	4.5	10.1	15.0	216	118
2	Phanda (Bhopal)	17,593	15,731	44.2	42.7	1,263 816		9.0	7.0	3.9	3.2	20,065	12,117

		18	31	182		18	183		184		185		36
Indicators		% Dental OPD to Total OPD		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female screened for HIV to Total ANC Registration		% Female HIV Positive to Total Females Tested		% Total HIV Positive to Total Tested (Male + Female)	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	1.7	1.2	6.5	3.6	0.4	0.6	49.5	39.5	0.3	0.1	0.4	0.3
1	Berasia	0.5	0.3	0.5	2.1	0.3	3.5	14.7	21.3	0.7	0.7	0.4	1.9
2	Phanda (Bhopal)	1.8	1.2	6.9	3.7	0.4	0.3	54.6	43.0	0.2	0.1	0.4	0.2

		18	37	188		189		190		191		192	
	Indicators	% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	5.2	0.8	0.1	0.2	333	557	14.7	21.5	15.9	33.8	1.8	0.0
1	Berasia	0.3	0.7	0.0	0.0	22	20	0.0	5.0	0.0	0.0	0.0	0.0
2	Phanda (Bhopal) 6.9 1.0		0.2	0.3	311	537	15.8	22.2	17.0	35.0	1.9	0.0	

		193		19	194		95	196		197		198	
Indicators		% Deaths due to Diarrhoea to Total Reported Infant Deaths		Deaths du to Total f Infant	Reported	% Deaths due to Measles to Total Reported Infant Deaths		Institutional Deliveries at Urban Heatlh Facilities i.e SC+PHC+CHC+SDH		Institutional Deliveries at District Hospitals		Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+D H	
		2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18	2018-19	2017-18
	_Bhopal	0.3	0.2	0.9	0.2	0.0	0.0	4,066	5,558				
1	Berasia	0.0	5.0	0.0	5.0	0.0	0.0						
2	Phanda (Bhopal)	0.3	0.0	1.0	0.0	0.0	0.0	4,066	5,558				