| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|---|---------------------|--|--|--|--|--|---|---|--|--|---|---|---|--|
| | Indicators | Total number of pregnant women Registere d for ANC | Number of Pregnant women registere d within first trimester | % 1st Trimeste r registrati on to Total ANC Registrati ons | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrati ons | % Pregnant women received TT2+ TT Booster to Total ANC Registrati on | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registrati on | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institutio | % Pregnant women having severe anaemia (Hb<7) treated at institutio n to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 16,131 | 14,312 | 88.7 | 13,314 | 13,371 | 1,518 | 82.5 | 92.3 | 13,381 | 82.9 | 13,590 | 37 | 13.6 |
| 1 | Bihpuria BPHC | 3,781 | 3,362 | 88.9 | 3,206 | 3,297 | 438 | 84.8 | 98.8 | 3,389 | 89.6 | 1,547 | 13 | 28.9 |
| 2 | Boginodi BPHC | 3,820 | 3,502 | 91.7 | 3,153 | 3,274 | 293 | 82.5 | 93.4 | 3,179 | 83.2 | 4,912 | 0 | 0.0 |
| 3 | Dhakuakhana BPHC | 1,545 | 1,325 | 85.8 | 1,119 | 1,158 | 175 | 72.4 | 86.3 | 541 | 35.0 | 1,973 | 0 | |
| 4 | Dhalpur BPHC | 1,592 | 1,432 | 89.9 | 1,345 | 1,348 | 73 | 84.5 | 89.3 | 1,301 | 81.7 | 522 | 0 | 0.0 |
| 5 | Ghilamora BPHC | 870 | 784 | 90.1 | 740 | 679 | 102 | 85.1 | 89.8 | 801 | 92.1 | 182 | 2 | 200.0 |
| 6 | Lakhimpur Urban | 734 | 405 | 55.2 | 466 | 498 | 73 | 63.5 | 77.8 | 652 | 88.8 | 1,823 | 21 | 25.6 |
| 7 | Nawboicha BPHC | 3,789 | 3,502 | 92.4 | 3,285 | 3,117 | 364 | 86.7 | 91.9 | 3,518 | 92.8 | 2,631 | 1 | 1.5 |

| | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|---|---------------------|---|---------------------------------|--|--|--|--|--|--|---|---|---|---|---|
| | Indicators | % New cases of Pregnant Women detected at institutio n for hyperten sion to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducte d at Public Institutio ns | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns | Deliveries Conducte d at Private Institutio ns | Number of Women Discharge d under 48 hours of delivery in private institutio ns | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns | Institutio nal deliveries (Public Insts.+Pvt . Insts.) | % Institutio nal Deliveries to total ANC registrati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 2.2 | 203 | 126 | 77 | 62.0 | 11,916 | 7,482 | 62.7 | 1,348 | 474 | 35.1 | 13,264 | 82.2 |
| 1 | Bihpuria BPHC | 3.9 | 12 | 4 | 8 | 33.3 | 2,576 | 1,954 | 75.9 | 71 | 63 | 88.7 | 2,647 | 70.0 |
| 2 | Boginodi BPHC | 1.2 | 128 | 112 | 16 | 87.5 | 1,030 | 932 | 90.5 | 287 | 268 | 93.4 | 1,317 | 34.5 |
| 3 | Dhakuakhana BPHC | 0.0 | 29 | 1 | 28 | 3.4 | 769 | 67 | 8.7 | | | | 769 | 49.8 |
| 4 | Dhalpur BPHC | 0.6 | 3 | 1 | 2 | 33.3 | 667 | 384 | 57.6 | | | | 667 | 41.9 |
| 5 | Ghilamora BPHC | 0.2 | 9 | 1 | 8 | 11.1 | 372 | 372 | 100.0 | | | | 372 | 42.8 |
| 6 | Lakhimpur Urban | 7.6 | 2 | 0 | 2 | 0.0 | 4,272 | 1,954 | 45.7 | 820 | 0 | 0.0 | 5,092 | 693.7 |
| 7 | Nawboicha BPHC | 2.3 | 20 | 7 | 13 | 35.0 | 2,230 | 1,819 | 81.6 | 170 | 143 | 84.1 | 2,400 | 63.3 |

| | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|---|---------------------|---------------------------------|--|--|---|---|--|--|---|---|--|---|--|--|
| | Indicators | Total reported deliveries | % Institutio nal deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducte d at public facilities | Number of C-section deliveries conducte d at private facilities | % C-section deliveries (Public + Pvt.) to reported institutio nal (Public + Pvt.) deliveries | % C-section s conducte d at public facilities to Deliveries conducte d at public facilities | % C-section s conducte d at Private facilities to Deliveries conducte d at private facilities | % Deliveries conducte d at Public Institutio ns to Total Institutio nal Deliveries | % Deliveries conducte d at Private Institutio ns to Total Institutio nal Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 13,467 | 98.5 | 99.4 | 1.5 | 2,319 | 773 | 23.3 | 19.5 | 57.3 | 89.8 | 10.2 | 646 | 30,872 |
| 1 | Bihpuria BPHC | 2,659 | 99.5 | 99.7 | 0.5 | 0 | 0 | 0.0 | 0.0 | 0.0 | 97.3 | 2.7 | 37 | 7,228 |
| 2 | Boginodi BPHC | 1,445 | 91.1 | 98.9 | 8.9 | 0 | 0 | 0.0 | 0.0 | 0.0 | 78.2 | 21.8 | 156 | 8,285 |
| 3 | Dhakuakhana BPHC | 798 | 96.4 | 96.5 | 3.6 | 2 | | 0.3 | 0.3 | | 100.0 | 0.0 | 24 | 2,811 |
| 4 | Dhalpur BPHC | 670 | 99.6 | 99.7 | 0.4 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 197 | 2,341 |
| 5 | Ghilamora BPHC | 381 | 97.6 | 97.9 | 2.4 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 9 | 2,102 |
| 6 | Lakhimpur Urban | 5,094 | 100.0 | 100.0 | 0.0 | 2,317 | 773 | 60.7 | 54.2 | 94.3 | 83.9 | 16.1 | 2 | 561 |
| 7 | Nawboicha BPHC | 2,420 | 99.2 | 99.5 | 0.8 | 0 | 0 | 0.0 | 0.0 | 0.0 | 92.9 | 7.1 | 221 | 7,544 |

| | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|---|---------------------|---|---|---|---|--|--|---|--|---|--|--|--|--|
| | Indicators | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 318.2 | 229.2 | 13,321 | 98.9 | 275 | 98.0 | 13,227 | 99.3 | 1,807 | 13.6 | 13,259 | 99.5 | 911 |
| 1 | Bihpuria BPHC | 308.3 | 271.8 | 2,610 | 98.2 | 50 | 98.1 | 2,609 | 100.0 | 520 | 19.9 | 2,610 | 100.0 | 825 |
| 2 | Boginodi BPHC | 121.9 | 573.4 | 1,420 | 98.3 | 28 | 98.1 | 1,404 | 98.9 | 118 | 8.4 | 1,420 | 100.0 | 1,020 |
| 3 | Dhakuakhana BPHC | 82.8 | 352.3 | 800 | 100.3 | 0 | 100.0 | 800 | 100.0 | 21 | 2.6 | 799 | 99.9 | 724 |
| 4 | Dhalpur BPHC | 6566.7 | 349.4 | 658 | 98.2 | 14 | 97.9 | 658 | 100.0 | 105 | 16.0 | 658 | 100.0 | 935 |
| 5 | Ghilamora BPHC | 100.0 | 551.7 | 377 | 99.0 | 4 | 99.0 | 377 | 100.0 | 31 | 8.2 | 377 | 100.0 | 964 |
| 6 | Lakhimpur Urban | 100.0 | 11.0 | 5,062 | 99.4 | 137 | 97.4 | 4,987 | 98.5 | 642 | 12.9 | 4,987 | 98.5 | 948 |
| 7 | Nawboicha BPHC | 1105.0 | 311.7 | 2,394 | 98.9 | 42 | 98.3 | 2,392 | 99.9 | 370 | 15.5 | 2,408 | 100.6 | 928 |

| | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|---|---------------------|---|---|--|---|--|---|---|---|--|---|--|---|---|
| | Indicators | % cases of Pregnant women with Obstetric Complica tions and attended to reported deliveries | % Complica ted Pregnanci es treated with Blood Transfusi on to Total Women with Obstetric Complica tions attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrati on | Number of PW given one Albendaz ole tablet after 1st trimester | % Pregnant women given one Albendaz ole tablet after 1st trimester to Total ANC Registrati on | Number of PW tested for blood sugar using OGTT (Oral Glucose Toleranc e Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrati on | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrati on | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrati on |
| | 1 | | | | | | | | | | | | | |
| | _Lakhimpur | 3.0 | 102.7 | 1,335 | 8.3 | 365 | 2.3 | 12 | 0.1 | 0 | 0.0 | 3,652 | 0 | 22.6 |
| 1 | Bihpuria BPHC | 0.1 | 0.0 | 481 | 12.7 | 249 | 6.6 | 0 | 0.0 | 0 | 0.0 | 765 | 0 | 20.2 |
| 2 | Boginodi BPHC | 16.7 | 0.0 | 124 | 3.2 | 36 | 0.9 | 12 | 0.3 | 0 | 0.0 | 531 | 0 | 13.9 |
| 3 | Dhakuakhana BPHC | 0.0 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 995 | 0 | 64.4 |
| 4 | Dhalpur BPHC | 0.0 | | 17 | 1.1 | 71 | 4.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 5 | Ghilamora BPHC | 0.0 | | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 6 | Lakhimpur Urban | 3.3 | 250.0 | 321 | 43.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 820 | 0 | 111.7 |
| 7 | Nawboicha BPHC | 0.0 | | 392 | 10.3 | 9 | 0.2 | 0 | 0.0 | 0 | 0.0 | 541 | 0 | 14.3 |

| | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|---|---------------------|--|--|---------------------------------|---|---|---|------------------------------------|---|---|---|--|---|--|
| | Indicators | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0.0 | | 5 | 0 | 53 | 4,829 | 98.9 | 80.1 | 19.9 | 100.0 | 0.0 | 29.9 | 16 |
| 1 | Bihpuria BPHC | 0.0 | | 0 | 0 | 2 | 1,259 | 99.8 | 75.7 | 24.3 | 100.0 | 0.0 | 33.3 | 0 |
| 2 | Boginodi BPHC | 0.0 | | 0 | 0 | 1 | 299 | 99.7 | 100.0 | 0.0 | 100.0 | 0.0 | 7.8 | 0 |
| 3 | Dhakuakhana BPHC | 0.0 | | 0 | 0 | 0 | 433 | 100.0 | 0.0 | 100.0 | 100.0 | 0.0 | 28.0 | 2 |
| 4 | Dhalpur BPHC | | | 0 | 0 | 0 | 776 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 48.7 | 0 |
| 5 | Ghilamora BPHC | | | 0 | 0 | 0 | 156 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 17.9 | 0 |
| 6 | Lakhimpur Urban | 0.0 | | 4 | 0 | 42 | 370 | 89.8 | 90.3 | 9.7 | 100.0 | 0.0 | 50.4 | 14 |
| 7 | Nawboicha BPHC | 0.0 | | 1 | 0 | 8 | 1,536 | 99.5 | 87.8 | 12.2 | 100.0 | 0.0 | 40.5 | 0 |

| | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|---|---------------------|--|---|---|--|---|---|---|--|---|---|---|--|--|
| | Indicators | Number of Tubecto mies Conducte d | Total Sterilisati on Conducte d | % Male Sterlisati on (Vasecto mies) to Total sterilisati on | % Female Serlisatio n (Tubecto mies) to Total sterilisati on | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at PHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at CHC | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at SDH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at DH | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns | Total Sterlisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterlisati on | % Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Public institutio ns to Total Sterlisati on | % Laparosc opic sterlisati ons to Total Female Sterilisati ons |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 1,155 | 1,171 | 1.3 | 98.6 | | | | | 7 | 1,164 | 0.6 | 99.4 | 53.9 |
| 1 | Bihpuria BPHC | 173 | 173 | 0.0 | 100.0 | | | | | 0 | 173 | 0.0 | 100.0 | 100.0 |
| 2 | Boginodi BPHC | 206 | 206 | 0.0 | 100.0 | | | | | 0 | 206 | 0.0 | 100.0 | 100.0 |
| 3 | Dhakuakhana BPHC | 92 | 94 | 2.1 | 97.9 | | | | | | 94 | 0.0 | 100.0 | 100.0 |
| 4 | Dhalpur BPHC | 0 | 0 | | | | | | | | 0 | | | |
| 5 | Ghilamora BPHC | 29 | 29 | 0.0 | 100.0 | | | | | | 29 | 0.0 | 100.0 | 100.0 |
| 6 | Lakhimpur Urban | 648 | 662 | 2.1 | 97.9 | | | | | 0 | 662 | 0.0 | 100.0 | 17.9 |
| 7 | Nawboicha BPHC | 7 | 7 | 0.0 | 100.0 | | | | | 7 | 0 | 100.0 | 0.0 | 100.0 |

| | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|---|---------------------|--|--|--|---|---|--|--|--|--|--|---|---|--|
| | Indicators | % Mini Lap Sterlisati ons to Total Female Sterilisati ons | % Post Partum Sterlisati ons to Total Female Sterilisati ons | % Post Abortion Sterlisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterlisati on (Male + Female) | Total cases of deaths following Male Sterlisati on | Total cases of deaths following Female Sterlisati on | Total cases of failure following Male Sterlisati on | Total cases of failure following Female Sterlisati on | Total cases of complicat ion following Male Sterlisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0.0 | 46.0 | 0.0 | 98.9 | | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Bihpuria BPHC | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | Boginodi BPHC | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Dhakuakhana BPHC | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Dhalpur BPHC | | | | | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Ghilamora BPHC | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Lakhimpur Urban | 0.0 | 82.1 | 0.0 | 100.0 | | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Nawboicha BPHC | 0.0 | 0.0 | 0.0 | 0.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |

| | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|---|---------------------|--|--|--|---|---|--|---|--|---------------------------------------|---|--|-------------------------------------|--|
| | Indicators | Total cases of complicat ion following Female Sterlisati on | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutio nal Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permane nt) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combine d Oral Pills distribute d | Emergenc y pills distribute d | Condom pieces distribute d | Centchro man (weekly pills) distribute d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0 | 1,075 | 3 | 30.6 | 2.7 | 47.9 | 743 | 330 | 5 | 61,391 | 1,677 | 86,191 | 0 |
| 1 | Bihpuria BPHC | 0 | 266 | 0 | 41.7 | 4.3 | 60.6 | 155 | 111 | 0 | 17,315 | 396 | 33,631 | 0 |
| 2 | Boginodi BPHC | 0 | 384 | 3 | 36.2 | 13.5 | 65.3 | 248 | 139 | 0 | 10,661 | 15 | 8,656 | 0 |
| 3 | Dhakuakhana BPHC | 0 | 117 | | 0.0 | 0.0 | 55.5 | 117 | 0 | 0 | 3,270 | 26 | 2,353 | 0 |
| 4 | Dhalpur BPHC | 0 | 73 | | 4.1 | 0.4 | 100.0 | 70 | 3 | 0 | 10,230 | 28 | 6,550 | 0 |
| 5 | Ghilamora BPHC | 0 | 57 | | 8.8 | 1.3 | 66.3 | 52 | 5 | 0 | 5,132 | 221 | 5,901 | 0 |
| 6 | Lakhimpur Urban | 0 | 17 | 0 | 0.0 | 0.0 | 2.5 | 17 | 0 | 0 | 4,166 | 809 | 14,123 | 0 |
| 7 | Nawboicha BPHC | 0 | 161 | 0 | 44.7 | 3.2 | 95.8 | 84 | 72 | 5 | 10,617 | 182 | 14,977 | 0 |

| | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|---|---------------------|--|--|--|--|------------------------------------|---|-----------------------------------|---|---|--|---|---------------------------------------|---------------------------------------|
| | Indicators | Number of beneficia ries given 1st dose of Injectabl e (Antara Program) | Number of beneficia ries given 2nd dose of Injectabl e (Antara Program) | Number of beneficia ries given 3rd dose of Injectabl e (Antara Program) | Number of beneficia ries given 4th or more than 4 doses of Injectabl e (Antara Program) | Pregnanc y testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose)at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0 | 0 | 0 | 10 | 5,599 | 9,119 | 15,040 | 6,562 | 68.5 | 112.9 | 49.3 | 0 | 0 |
| 1 | Bihpuria BPHC | 0 | 0 | 0 | 0 | 1,325 | 1,331 | 3,073 | 1,062 | 51.0 | 117.7 | 40.7 | 0 | 0 |
| 2 | Boginodi BPHC | 0 | 0 | 0 | 0 | 1,331 | 551 | 1,739 | 499 | 38.8 | 122.5 | 35.1 | 0 | 0 |
| 3 | Dhakuakhana BPHC | 0 | 0 | 0 | 0 | 1,507 | 684 | 1,516 | 684 | 85.5 | 189.5 | 85.5 | 0 | 0 |
| 4 | Dhalpur BPHC | 0 | 0 | 0 | 0 | 97 | 549 | 1,192 | 427 | 83.4 | 181.2 | 64.9 | 0 | 0 |
| 5 | Ghilamora BPHC | 0 | 0 | 0 | 0 | 871 | 240 | 441 | 240 | 63.7 | 117.0 | 63.7 | 0 | 0 |
| 6 | Lakhimpur Urban | 0 | 0 | 0 | 0 | 0 | 4,512 | 4,825 | 2,669 | 89.1 | 95.3 | 52.7 | 0 | 0 |
| 7 | Nawboicha BPHC | 0 | 0 | 0 | 10 | 468 | 1,252 | 2,254 | 981 | 52.3 | 94.2 | 41.0 | 0 | 0 |

Performance of Key HMIS Indicators for Assam-> Lakhimpur (Across Sub Districts) Financial Year: 2017-18

Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|---|---------------------|---------------------------------------|--|--|--|--|----------------------------------|---|---|---|--|--|---|---|
| | Indicators | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dos1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisati on (Abcess) | Adverse Events Following Imunisati on (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0 | 14,301 | 13,880 | 13,196 | 16,018 | 3 | 120.2 | 15,974 | -6.5 | 117.8 | 48.3 | 0 | 0 |
| 1 | Bihpuria BPHC | 0 | 3,242 | 3,335 | 3,208 | 3,725 | 0 | 142.7 | 3,765 | -21.2 | 137.1 | 39.1 | 0 | 0 |
| 2 | Boginodi BPHC | 0 | 3,169 | 3,060 | 2,896 | 3,546 | 0 | 249.7 | 3,546 | -103.9 | 247.1 | 49.4 | 0 | 0 |
| 3 | Dhakuakhana BPHC | 0 | 1,703 | 1,370 | 1,125 | 1,411 | 0 | 176.4 | 1,407 | 6.9 | 176.5 | 46.1 | 0 | 0 |
| 4 | Dhalpur BPHC | 0 | 1,458 | 1,443 | 1,341 | 1,675 | 3 | 255.0 | 1,667 | -40.5 | 245.7 | 51.3 | 0 | 0 |
| 5 | Ghilamora BPHC | 0 | 720 | 696 | 715 | 789 | 0 | 209.3 | 789 | -78.9 | 195.0 | 178.2 | 0 | 0 |
| 6 | Lakhimpur Urban | 0 | 669 | 673 | 635 | 721 | 0 | 14.2 | 716 | 85.1 | 14.2 | 48.5 | 0 | 0 |
| 7 | Nawboicha BPHC | 0 | 3,340 | 3,303 | 3,276 | 4,151 | 0 | 173.4 | 4,084 | -84.2 | 172.4 | 31.6 | 0 | 0 |

| | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|---|---------------------|---|---|---|---|--|--|--|--|---|---|---|--|---|
| | Indicators | Adverse Events Following Imunisati on (Others) | % immunisa tion Sessions Held to Immunisa tion Sessions Planned | % Immunisa tion Sessions where ASHAs were present to Immunisa tion Sessions Planned | Pneumoni a in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheri a in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonator um in Children 0-5 Years of Age | Tubercul osis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP)in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0 | 95.3 | 97.2 | 317 | 12 | 39 | 0 | 0 | 0 | 23 | 23 | 11 | 317 |
| 1 | Bihpuria BPHC | 0 | 99.6 | 95.2 | 20 | 11 | 24 | 0 | 0 | 0 | 0 | 0 | 9 | 20 |
| 2 | Boginodi BPHC | 0 | 98.6 | 99.9 | 0 | 0 | 1 | 0 | 0 | 0 | 7 | 7 | 0 | 0 |
| 3 | Dhakuakhana BPHC | 0 | 93.2 | 99.8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Dhalpur BPHC | 0 | 99.0 | 98.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Ghilamora BPHC | 0 | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Lakhimpur Urban | 0 | 73.2 | 93.1 | 142 | 1 | 14 | 0 | 0 | 0 | 16 | 16 | 0 | 142 |
| 7 | Nawboicha BPHC | 0 | 96.1 | 94.9 | 155 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 155 |

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|---------------------|--|--|---|---|---|---|--|--|---|---|---|---|-----------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3nd dose | No of children 16-24 months age given Measles 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 4,177 | 136 | 3 | 10,407 | 8,262 | 8,262 | 12,871 | 0 | 59.9 | 19.0 | 36.1 | 0.9 | 41,793 |
| 1 | Bihpuria BPHC | 334 | 31 | 0 | 2,386 | 2,071 | 2,071 | 2,838 | 0 | 59.5 | 5.5 | 50.0 | 0.2 | 3,598 |
| 2 | Boginodi BPHC | 2,571 | 16 | 0 | 2,303 | 1,842 | 1,842 | 3,047 | 0 | 58.2 | 23.9 | 33.3 | 0.2 | 1,559 |
| 3 | Dhakuakhana BPHC | 12 | 0 | 0 | 1,277 | 914 | 914 | 1,267 | 0 | 46.5 | 4.0 | | 0.0 | 2,595 |
| 4 | Dhalpur BPHC | 239 | 0 | 3 | 1,037 | 820 | 820 | 1,322 | 0 | 45.4 | 2.6 | | 0.0 | 4,312 |
| 5 | Ghilamora BPHC | 219 | 0 | 0 | 562 | 403 | 403 | 674 | 0 | 46.5 | 26.0 | | 0.0 | 2,739 |
| 6 | Lakhimpur Urban | 432 | 89 | 0 | 474 | 434 | 434 | 364 | 0 | 64.7 | 24.8 | 35.9 | 1.4 | 25,758 |
| 7 | Nawboicha BPHC | 370 | 0 | 0 | 2,368 | 1,778 | 1,778 | 3,359 | 0 | 85.6 | 3.5 | | 0.0 | 1,232 |

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|---------------------|-------------------------|--------------------------|-------------------------------|--------------|--------------------------------------|--------------------------------------|---|---|--|--------------------------------------|---------------------------|---------------------------------------|--|
| | | OPD (Allopathi c) | Ayush OPD (Number) | OPD (Ayush+Al lopathic) | % IPD to OPD | Number of Major Operatio ns | Number of Minor Operatio ns | % Major Operatio ns to Total Operatio n | Number of Hysterect omy Surgeries | % Hysterect omy Surgeries to Total Major Operatio ns | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 847,663 | 29,418 | 877,081 | 4.8 | 368 | 121 | 75.3 | 81 | 22.0 | 3.3 | 7,135 | 0.8 | 1.9 |
| 1 | Bihpuria BPHC | 179,004 | 26,729 | 205,733 | 1.7 | 0 | 0 | | 0 | | 13.0 | 858 | 0.4 | 6.4 |
| 2 | Boginodi BPHC | 160,384 | 0 | 160,384 | 1.0 | 0 | 0 | | 0 | | 0.0 | 152 | 0.1 | 0.9 |
| 3 | Dhakuakhana BPHC | 47,158 | 0 | 47,158 | 5.5 | 0 | 0 | | 0 | | 0.0 | 224 | 0.5 | 0.1 |
| 4 | Dhalpur BPHC | 101,554 | 0 | 101,554 | 4.2 | 0 | 0 | | 0 | | 0.0 | 2,431 | 2.4 | 0.5 |
| 5 | Ghilamora BPHC | 39,621 | 604 | 40,225 | 6.8 | 0 | 0 | | 0 | | 1.5 | 0 | 0.0 | 0.1 |
| 6 | Lakhimpur Urban | 166,815 | 2,085 | 168,900 | 15.3 | 368 | 121 | 75.3 | 81 | 22.0 | 1.2 | 3,392 | 2.0 | 4.4 |
| 7 | Nawboicha BPHC | 153,127 | 0 | 153,127 | 0.8 | 0 | 0 | | 0 | | 0.0 | 78 | 0.1 | 0.2 |

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|---------------------|--|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Lakhimpur | 0.8 | 21.9 | 0.1 | 0.3 | 0.0 | 0.0 | 233 | 6.4 | 25.8 | 10.3 | 0.0 | 1.7 | 0.0 |
| 1 | Bihpuria BPHC | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Boginodi BPHC | | 6.2 | 0.0 | 0.0 | 0.0 | 0.0 | 8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Dhakuakhana BPHC | 0.0 | 20.8 | 0.0 | 0.0 | 0.0 | 0.0 | 3 | 0.0 | 0.0 | 33.3 | 0.0 | 0.0 | 0.0 |
| 4 | Dhalpur BPHC | 0.0 | 0.2 | 0.0 | 0.0 | 0.1 | 0.0 | 3 | 0.0 | 33.3 | 0.0 | 0.0 | 0.0 | 0.0 |
| 5 | Ghilamora BPHC | | 0.0 | | | 0.0 | 0.0 | 5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Lakhimpur Urban | 1.4 | 368.7 | 0.2 | 0.4 | 0.0 | 0.0 | 212 | 7.1 | 27.8 | 10.8 | 0.0 | 1.9 | 0.0 |
| 7 | Nawboicha BPHC | 0.0 | 6.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | | | | | | |

| | | 196 | 197 | 198 | | |
|---|---------------------|--|--|---|--|--|
| | Indicators | Institutio nal Deliveries at Urban Heatlh Facilities i.e SC+PHC+ CHC+SDH | Institutio nal Deliveries at District Hospitals | Measles immuniza tion at urban Health facilities i.e SC+PHC+ CHC+SDH +DH | | |
| | | 2017-18 | 2017-18 | 2017-18 | | |
| | _Lakhimpur | 820 | | | | |
| 1 | Bihpuria BPHC | | | | | |
| 2 | Boginodi BPHC | | | | | |
| 3 | Dhakuakhana BPHC | | | | | |
| 4 | Dhalpur BPHC | | | | | |
| 5 | Ghilamora BPHC | | | | | |
| 6 | Lakhimpur Urban | 820 | | | | |
| 7 | Nawboicha BPHC | | | | | |