		,	1	:	2	:	3	4	4	į	5	(5
	Indicators	Total nu pregnant Registere	t women	Number of women re within first	egistered	Number o	of Women under JSY	1st Trii registratio ANC Regi	n to Total	JSY regist Total Regist	ANC	Number of women re ANC che	eceived 3
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	4,578	4,557	3,298	2,715	4,576	4,546	72.0	59.5	100.0	99.8	3,951	3,777
1	Block Keller	1,158	1,199	871	809	1,154	1,199	75.2	67.5	99.7	100.0	961	1,029
2	Block Shopain	3,123	3,022	2,131	1,604	3,125	3,017	68.2	53.1	100.1	99.8	2,653	2,441
3	District HQ Shopian	297	336	296	302	297	330	99.7	89.9	100.0	98.2	337	307

	Indicators		7	8	3	9	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregna (num	nt women	Pregnant	ANC check otal ANC	Pregnant received Booster to	d TT2 or	women giv	f Pregnant en 100 IFA lets	Pregnant given 100 l ANC Regi	women FA to Total	Number h leve (tested	l<11
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	3,943	3,654	86.3	82.8	86.1	80.1	2,780	2,204	60.7	48.3	2,160	2,149
1	Block Keller	953	952	83.0	85.8	82.3	79.4	604	563	52.2	47.0	356	379
2	Block Shopain	2,762	2,484	85.0	80.8	88.4	82.2	1,890	1,612	60.5	53.3	1,594	1,477
3	District HQ Shopian	228	218	113.5	91.4	76.8	64.9	286	29	96.3	8.6	210	293

	Indicators _Shopian	1	3	1	4	1	5	1	6	1	7	1	8
	Indicators		•	(Hb treated at to women	ere anaemia <7) institution	New cases at institu hypertensi ANC Regi	ition for on to Total	Number deliv	of Home eries	-		deliveries a Non SBA	of home attended by a trained TB/Dai)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	131	52	6.1	2.4	0.7	0.3	135	112	29	3	106	109
1	Block Keller	10	9	2.8	2.4	0.8	0.1	97	58	0	0	97	58
2	Block Shopain		10	0.0	0.7	0.0	0.4	38	54	29	3	9	51
3	District HQ Shopian	121	33	57.6	11.3	7.1	0.0						

	Indicators	1	9	2	0	2	.1	2	2	2	3	2	4
Indicators		SBA attendeliveries Reporte	s to Total	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte	s to Total	Deliveries at Public II		Discharged hours of d	of Women I under 48 Ielivery in acilities	Women dis less than 4 delivery Reported at public in	18 hours of to Total Deliveries
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	21.4	2.6	17	11	12.6	9.8	1,128	1,223	906	945	80.3	77.2
1	Block Keller	0.0	0.0	17	11	17.5	19.0	231	234	217	211	93.9	90.2
2	Block Shopain	76.3	5.6			0.0	0.0	216	78	142	68	65.7	87.2
3	District HQ Shopian							681	911	547	666	80.3	73.1

	Indicators	2	5	2	6	2	7	2	8	2	9	3	0
	Indicators			Institu Deliverie ANC regi	s to total	Total re deliv		Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	eported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	1,128	1,223	24.6	26.8	1,263	1,335	89.3	91.6	91.6	91.8	10.7	8.4
1	Block Keller	231	234	19.9	19.5	328	292	70.4	80.1	70.4	80.1	29.6	19.9
2	Block Shopain	216	78	6.9	2.6	254	132	85.0	59.1	96.5	61.4	15.0	40.9
3	District HQ Shopian	681	911	229.3	271.1	681	911	100.0	100.0	100.0	100.0	0.0	0.0

	Indicators	3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries	acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public In to Total In: Deliv	nstitutions stitutional
	_Shopian	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	215	275			19.0	22.4	19.1	22.5			100.0	100.0
1	Block Keller	12	30			5.2	12.8	5.2	12.8			100.0	100.0
2	Block Shopain	69				31.9	0.0	31.9	0.0			100.0	100.0
3	District HQ Shopian	134	245			19.7	26.9	19.7	26.9			100.0	100.0

	Indicators	3	7	3	8	3	9	4	0	4	1	4	2
	Indicators		or Delivery	ASHA for D	e paid to Delivery at	to Total In	nstitutions	partum o within 48		Post - Care / Wo post partur between 48	men got a n check up		check-up hours of to Total
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	144.9	114.6	227.0	140.9	0.0	0.0	1,019	1,152	1,763	1,256	80.7	86.3
1	Block Keller	298.7	147.4	395.7	450.4	0.0	0.0	237	188	246	188	72.3	64.4
2	Block Shopain	363.0	560.3	762.0	857.7	0.0	0.0	235	298	1,383	823	92.5	225.8
3	District HQ Shopian	23.5	68.1	0.0	0.0	0.0	0.0	547	666	134	245	80.3	73.1

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	between 48 14 days	Checkup 3 hours and	Total Nu reported l		7 Total Repo Births t Deliv	o Total	Total Nu reported S	imber of Still Births	9 live birth to Bir		Number of weighed	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	139.6	94.1	1,254	1,328	99.3	99.5	14	16	98.9	98.8	1,224	1,265
1	Block Keller	75.0	64.4	327	292	99.7	100.0	4	0	98.8	100.0	300	230
2	Block Shopain	544.5	623.5	253	132	99.6	100.0	1	4	99.6	97.1	250	131
3	District HQ Shopian	19.7	26.9	674	904	99.0	99.2	9	12	98.7	98.7	674	904

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns v	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	ewborns	Number of Breast Fed		Newborns within 1 ho to Total I	our of birth	Number of visited wit of Home	hin 24 hrs
Chopian		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	97.6	95.3	27	35	2.2	2.7	1,251	1,321	99.7	99.4	26	29
1	Block Keller	91.7	78.8	0	0	0.0	0.0	326	285	99.7	97.6	10	2
2	Block Shopain	98.8	99.2		0	0.0	0.0	251	132	99.2	100.0	16	27
3	District HQ Shopian	100.0	100.0	27	35	4.0	3.9	674	904	100.0	100.0		

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte	rs of home to total	Bitr	atio at male Live ths/ os *1000)	cases of women with Complicat attended to	tions and	Compl Pregnanci wit antihype Magsulph i Total Wo Obst	es treated h IV rtensive/ njection to men with etric cations	Compl Pregnanci witl antihype Magsulph i Total Ne detecte	rtensive/ njection to ew cases	Pregnanci	icated es treated Blood n to Total n with etric cations
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	19.2	25.8	959	1,062	0.0	3.5		29.5	0.0	108.3		50.0
1	Block Keller	10.3	3.4	994	1,246	0.0	0.0			0.0	0.0		
2	Block Shopain	42.1	50.0	992	784	0.0	0.0			0.0	0.0		
3	District HQ Shopian			931	1,055	0.0	4.8		29.5	0.0			50.0

	Indicators	6	1	6	2	6	3	6	4	6	5	6	6
	Indicators	Post - Care / PNO compli attended	Natal C maternal cations I to Total eries	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>N</i> (Public) to	ATPs Abortions	MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	re than 12 Pregnancy MTPs at
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.3	0.0	104	190	0	0	0.0	0.0				
1	Block Keller	0.0	0.0	7	15	0	0	0.0	0.0				
2	Block Shopain	1.6	0.0										
3	District HQ Shopian	0.0	0.0	97	175			0.0	0.0				

	Indicators _Shopian Block Keller	6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at tutions to	MTPs Con Private In: to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	olic) to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to f new RTI/ e cases for eatment ated	Condi	tomies	Numb Tubect Condu (Public	tomies
	_Shopian	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian					0.0	0.0		0.0	2	5	47	96
1	Block Keller					0.0	0.0			0	1	8	63
2	Block Shopain					0.0	0.0		0.0	2	4	17	3
3	District HQ Shopian					0.0	0.0			0	0	22	30

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Cond		% Male St (Vasect to Total st	omies)	7 Tubector Total ste		Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubector Vasector conducted	mies and omies)
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	49	101	4.0	4.9	95.9	95.0			27	71	22	30
1	Block Keller	8	64	0.0	1.6	100.0	98.4			8	64		
2	Block Shopain	19	7	10.5	57.1	89.5	42.9			19	7		
3	District HQ Shopian	22	30	0.0	0.0	100.0	100.0					22	30

	Indicators _Shopian	7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasecto conducted public Ins	mies and omies) I at Other		mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Ste (Tubector Vasector conducted to Total St	mies and omies) at SDH/DH	% Total Ste (Tubector Vasector conducted public Institution Total Ste	mies and omies) I at Other tutions to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian					0.0	0.0	55.1	70.3	44.9	29.7	0.0	0.0
1	Block Keller					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
2	Block Shopain					0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
3	District HQ Shopian		-			0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	` Vasect	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total Sterilis		Post P Sterlisation Female Ste	artum	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations stitutions Mini Lap
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	100.0	95.8	0.0	4.1			100.0	100.0
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0
2	Block Shopain	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0			100.0	100.0
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	86.7	0.0	13.3			100.0	100.0

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution Post P	Partum es at Public s to Total Partum sation	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)		tions done cilities)	Total IUCD done(publi	Insertions ic+private)	PP IUCD I	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian		100.0	0	0	216	379			216	379	0	0
1	Block Keller			0	0	51	106			51	106	0	0
2	Block Shopain					145	240			145	240		
3	District HQ Shopian		100.0			20	33			20	33		

		9	7	9	8	9	9	10	00	10	01	10	02
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie	olic) stitutional	IUCD inse public plu institution	us private ons to all olanning IUCD plus	Oral Pills o	listributed	Condom distrit		Centchro distril	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	81.5	78.9	7,882	6,069	34,690	32,698	277	229
1	Block Keller	0.0	0.0	0.0	0.0	86.4	62.4	2,339	1,794	12,033	11,009	3	0
2	Block Shopain	0.0	0.0	0.0	0.0	88.4	97.2	5,532	4,267	22,657	21,679	273	229
3	District HQ Shopian	0.0	0.0	0.0	0.0	47.6	52.4	11	8		10	1	

	Indicators Number of Infants given OPV 0 (Birth Dose)		03	10	04	10	05	10	06	10)7	10	08
	Indicators	given	OPV 0	Number o		at birth to	given OPV0 Reported birth	Newborns : to Repoi	given BCG rted live	Number o		Number o	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	2,225	1,765	2,427	2,020	177.4	132.9	193.5	152.1	0	0	0	0
1	Block Keller	234	198	346	391	71.6	67.8	105.8	133.9	0	0	0	0
2	Block Shopain	1,403	919	1,493	1,016	554.5	696.2	590.1	769.7				
3	District HQ Shopian	588	648	588	613	87.2	71.7	87.2	67.8				

		10	09	11	10	1	11	1	12	11	13	1	14
	Indicators	Number o		vaccine to	0 to 11 old who Measles								
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0	0	4,162	3,894	4,123	3,899	4,393	3,819	4,124	3,915	328.8	294.8
1	Block Keller	0	0	881	891	836	866	922	806	847	849	259.0	290.8
2	Block Shopain			3,249	2,379	3,249	2,510	3,440	2,505	3,243	2,602	1281.8	1971.2
3	District HQ Shopian			32	624	38	523	31	508	34	464	5.0	51.3

	Indicators Number of immunized ch (9-11 month)		15	11	16	1	17	11	18	11	19	12	20
Indicators		immunize	d children	Drop Out	% between Measles	Vitamin -	A dose 1	Children g dose1 to		Childre Vitamin A Children g dos	n given Dose 9 to given Vit A	Adverse Following I	munisation
_Shopian		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	4,115	3,908	-69.9	-93.8	4,100	3,862	327.0	290.8	74.8	76.6	0	5
1	Block Keller	838	838	-144.8	-117.1	816	779	249.5	266.8	48.2	66.2	0	2
2	Block Shopain	3,243	2,602	-117.2	-156.1	3,250	2,603	1284.6	1972.0	81.4	85.6		3
3	District HQ Shopian	34	468	94.2	24.3	34	480	5.0	53.1	79.4	44.8		

		12	21	12	22	12	23	12	24	12	25	12	26
	Indicators	immunisatio Held to Imr Sessions	on Sessions nunisation	Immunisation where AS presented Immunisation	HAs were	Diptheria i 0-5 Years Total Re Childhood	of Age to eported	Pertusis ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Tetanus Ne in Childrer of Age t Reported (Diseases)	eonatorum n 0-5 Years to Total Childhood	Age to Tota Childhood	Others in -5 Years of al Reported
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	78.5	84.7	72.1	81.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Block Keller	89.1	88.2	85.6	83.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Block Shopain	75.5	83.3	68.3	80.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	District HQ Shopian	100.0	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	1:	31	13	32
	Indicators	Polio in Ch Years of Ag Reported	% nildren 0-5 ge to Total Childhood 0-5 Years	Measles ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Diarrho dehydra Children 0- Age to Tota	l Reported d Diseases	Years of Ag Reported	hildren 0-5 ge to Total	9 Adult F Inpatients Adult In	emale to Total	9 Children Inj Total In	patient to
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	58.0	61.1	21.8	22.7
1	Block Keller	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	57.9	58.1	6.6	6.4
2	Block Shopain	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	54.0	52.2	12.5	13.7
3	District HQ Shopian	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	62.6	67.2	35.1	31.2

		13	33	13	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien		9 Inpatient I Tota	Deaths to	IPD (Nu	ımber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian			0.0	0.0	13,704	14,263	422,432	347,556	3.2	4.1	1,329	1,556
1	Block Keller			0.0	0.0	2,241	2,245	58,500	49,156	3.8	4.6	143	331
2	Block Shopain			0.0	0.0	5,268	3,737	119,675	81,996	4.4	4.6	214	128
3	District HQ Shopian			0.0	0.0	6,195	8,281	244,257	216,404	2.5	3.8	972	1,097

		13	39	14	40	14	41	14	42	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op		Hyster	per of ectomy eries	Hystero Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	% AYUSH OPI OF	D to Total
Charian		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	11,946	9,310	10.0	14.3	0	0	0.0	0.0	35,865	36,197	8.4	10.4
1	Block Keller	1,057	873	11.9	27.5	0	0	0.0	0.0	1,030	823	1.8	1.7
2	Block Shopain	6,510	4,786	3.2	2.6			0.0	0.0	24,179	15,118	20.2	18.4
3	District HQ Shopian	4,379	3,651	18.2	23.1			0.0	0.0	10,656	20,256	4.4	9.4

		145		146		147		148		149		150	
Indicators		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	32,533	27,761	7.7	8.0	2,875	2,496	3.7	2.2	0.0	0.0	0.0	0.0
1	Block Keller	5,226	3,922	8.9	8.0	411	214	3.4	6.8	0.0	0.0	0.0	0.0
2	Block Shopain	10,723	4,767	9.0	5.8	1,403	572	0.6	0.3	0.0	0.0	0.0	0.0
3	District HQ Shopian	16,584	19,072	6.8	8.8	1,061	1,710	6.9	0.8	0.0	0.0	0.0	0.0

		151		152		153		154		155		156	
Indicators		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0					3	8	0.0	0.0	0.0	12.5
1	Block Keller	0.0	0.0					1	2	0.0	0.0	0.0	0.0
2	Block Shopain	0.0	0.0					2	6	0.0	0.0	0.0	16.7
3	District HQ Shopian	0.0	0.0										

		157		158		159		160		161		162	
Indicators		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16	2016-17	2015-16
	_Shopian	0.0	0.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	0.0	66.7	87.5
1	Block Keller	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
2	Block Shopain	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	83.3
3	District HQ Shopian												