		1	1	2	2	:	3	4	4	į.	5		6
	Indicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regi	mester n to Total	JSY regist Total Regist	ration to		f pregnant eceived 3 eck ups
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	38,523	39,425	18,967	20,731	38,089	38,690	49.2	52.5	98.9	98.1	30,172	29,961
1	Ater	4,662	5,026	2,347	2,354	4,662	5,026	50.3	46.8	100.0	100.0	4,349	4,317
2	Bhind (Phoop)	10,783	11,182	4,021	4,939	10,461	10,649	37.3	44.2	97.0	95.2	6,963	7,128
3	Gohad	7,423	7,251	4,370	4,883	7,415	7,237	58.9	67.3	99.9	99.8	4,907	5,118
4	Lahar	5,962	5,681	3,289	3,174	5,896	5,674	55.2	55.9	98.9	99.9	5,872	5,027
5	Mehgaon	6,632	7,212	3,183	3,486	6,632	7,066	48.0	48.3	100.0	98.0	5,685	5,853
6	Mihona(Ron)	3,061	3,073	1,757	1,895	3,023	3,038	57.4	61.7	98.8	98.9	2,396	2,518

		7	7		3	Ç	9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num	nt women	Pregnant received 3 ups to To Registi	Woman ANC check otal ANC	Pregnant received Booster to		Number of women giv tab	en 100 IFA	Pregnant given 100 l ANC Regi	women FA to Total	Number h leve (tested	l<11
	2015-16 2014-15		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	36,086	34,805	78.3	75.9	93.6	88.2	38,400	39,016	99.6	98.9	26,755	24,107
1	Ater	4,500	4,889	93.3	85.9	96.5	97.3	4,662	5,026	100.0	100.0	3,783	3,035
2	Bhind (Phoop)	10,547	8,677	64.6	63.7	97.8	77.6	10,665	10,822	98.9	96.8	7,793	7,721
3	Gohad	6,115	6,310	66.1	70.6	82.4	87.0	7,382	7,221	99.4	99.6	6,147	4,010
4	Lahar	5,380	5,193	98.5	88.5	90.2	91.4	5,984	5,578	100.4	98.2	2,934	2,605
5	Mehgaon	6,818	7,021	85.7	81.2	102.8	97.4	6,632	7,302	100.0	101.2	2,142	2,560
6	Mihona(Ron)	2,726	2,715	78.3	81.9	89.1	88.4	3,075	3,067	100.5	99.8	3,956	4,176

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators			Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	detected ution for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/No	ttended by rained	Non SBA	ttended by
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	4,479	2,597	16.7	10.8	2.1	5.3	3,455	3,261	46	77	3,409	3,184
1	Ater	164	141	4.3	4.6	0.6	2.2	569	681	0	0	569	681
2	Bhind (Phoop)	1,193	721	15.3	9.3	1.0	1.4	355	410	0	2	355	408
3	Gohad	2,778	1,444	45.2	36.0	2.1	5.3	676	624	0	15	676	609
4	Lahar	200	71	6.8	2.7	0.1	0.5	704	771	0	10	704	761
5	Mehgaon	38	112	1.8	4.4	7.8	18.5	656	356	0	31	656	325
6	Mihona(Ron)	106	108	2.7	2.6	0.2	2.8	495	419	46	19	449	400

		1	9	2	0	2	1	2	2	2	3	2	4
	Indicators	SBA attended deliveries Reporte Deliv	ded home to Total	Mothers incentive deliv	for home	Mothers incentive deliveries Reporte Deliv	paid JSY for home s to Total d Home	Deliveries at Public II			l under 48 lelivery in	Women dis less than 4 delivery Reported at public in	charged in 8 hours of to Total Deliveries
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	1.3	2.3	16	36	0.5	1.1	26,740	23,571	330	909	1.2	3.8
1	Ater	0.0	0.0	0	0	0.0	0.0	920	822	7	13	0.8	1.6
2	Bhind (Phoop)	0.0	0.5	3	0	0.8	0.0	10,159	9,629	0	242	0.0	2.5
3	Gohad	0.0	2.4	0	1	0.0	0.2	4,239	4,240	238	219	5.6	5.2
4	Lahar	0.0	1.3	0	0	0.0	0.0	5,343	3,093	21	176	0.4	5.7
5	Mehgaon	0.0	8.7	0	13	0.0	3.7	4,032	3,894	26	148	0.6	3.8
6	Mihona(Ron)	9.3	4.5	13	22	2.6	5.3	2,047	1,893	38	111	1.9	5.9

		2	5	2	6	2	7	2	8	2	9	3	0
1	Indicators	Institu deliv (Public In Inst	eries sts.+Pvt.	Institu Deliverie ANC regi	s to total	Total re deliv	eported reries	Institu deliveries Reported	itional s to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	29,915	24,953	77.6	63.2	33,370	28,214	89.6	88.4	89.8	88.7	10.4	11.6
1	Ater	920	822	19.7	16.4	1,489	1,503	61.8	54.7	61.8	54.7	38.2	45.3
2	Bhind (Phoop)	12,997	10,643	120.5	95.2	13,352	11,053	97.3	96.3	97.3	96.3	2.7	3.7
3	Gohad	4,576	4,608	61.6	63.5	5,252	5,232	87.1	88.1	87.1	88.4	12.9	11.9
4	Lahar	5,343	3,093	89.6	54.4	6,047	3,864	88.4	80.0	88.4	80.3	11.6	20.0
5	Mehgaon	4,032	3,894	60.8	54.0	4,688	4,250	86.0	91.6	86.0	92.4	14.0	8.4
6	Mihona(Ron)	2,047	1,893	66.9	61.6	2,542	2,312	80.5	81.9	82.3	82.7	19.5	18.1

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public II to Total In Deliv	conducted nstitutions
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	166	120	1,248	622	4.7	2.9	0.6	0.5	39.3	45.0	89.4	94.5
1	Ater	0	0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bhind (Phoop)	164	120	1,248	622	10.9	7.0	1.6	1.2	44.0	61.3	78.2	90.5
3	Gohad	2	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	92.6	92.0
4	Lahar	0	0			0.0	0.0	0.0	0.0			100.0	100.0
5	Mehgaon	0	0			0.0	0.0	0.0	0.0			100.0	100.0
6	Mihona(Ron)	0	0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Total Deliv	paid JSY or Delivery nstitution I Public	of cases w Incentive ASHA for D Public inst	e paid to	Deliveries at Private I to Total In: Deliv	nstitutions stitutional	Women rec partum o within 48 deli	heck-up	Post - Care / Wor post partur between 48	men got a n check up	Women rec partum o within 48 delivery Reported	eiving post theck-up hours of to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	100.2	83.5	52.7	66.4	10.6	5.5	30,776	26,764	25,337	21,094	92.2	94.9
1	Ater	98.0	69.6	62.2	74.3	0.0	0.0	920	821	569	683	61.8	54.6
2	Bhind (Phoop)	99.3	76.2	24.8	58.5	21.8	9.5	12,731	10,865	12,009	9,988	95.3	98.3
3	Gohad	100.7	103.5	54.2	70.6	7.4	8.0	4,928	5,009	889	1,667	93.8	95.7
4	Lahar	112.9	77.0	74.3	60.6	0.0	0.0	5,567	3,836	5,986	3,836	92.1	99.3
5	Mehgaon	86.1	79.6	69.0	68.1	0.0	0.0	4,114	3,917	3,357	2,687	87.8	92.2
6	Mihona(Ron)	99.6	100.7	95.1	99.8	0.0	0.0	2,516	2,316	2,527	2,233	99.0	100.2

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum ( between 48 14 days Deliv	tting Post Checkup I hours and to Total	Total Nu reported I		7 Total Repo Births t Deliv	o Total	Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	75.9	74.8	33,025	28,879	99.0	102.4	375	271	98.9	99.1	33,043	27,920
1	Ater	38.2	45.4	1,403	1,429	94.2	95.1	86	77	94.2	94.9	1,403	1,429
2	Bhind (Phoop)	89.9	90.4	13,286	11,042	99.5	99.9	88	93	99.3	99.2	13,328	10,849
3	Gohad	16.9	31.9	5,182	5,196	98.7	99.3	70	42	98.7	99.2	5,162	5,100
4	Lahar	99.0	99.3	5,987	3,832	99.0	99.2	68	51	98.9	98.7	6,008	3,827
5	Mehgaon	71.6	63.2	4,636	4,958	98.9	116.7	52	4	98.9	99.9	4,653	4,253
6	Mihona(Ron)	99.4	96.6	2,531	2,422	99.6	104.8	11	4	99.6	99.8	2,489	2,462

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	% Newborns v birth to l	weighed at	Number of having we than 2	eight less	Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fed	within 1	Newborns within 1 ho to Total I	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	100.1	96.7	3,436	3,135	10.3	11.2	32,487	27,841	98.3	96.4	2,875	3,035
1	Ater	100.0	100.0	97	83	6.9	5.8	1,403	1,429	100.0	100.0	569	680
2	Bhind (Phoop)	100.3	98.3	1,903	1,933	14.3	17.8	12,847	10,788	96.7	97.7	327	403
3	Gohad	99.6	98.2	436	342	8.4	6.7	5,158	5,101	99.5	98.2	505	447
4	Lahar	100.4	99.9	582	302	9.7	7.9	5,988	3,827	100.0	99.9	696	769
5	Mehgaon	100.4	85.8	370	416	8.0	9.8	4,602	4,262	99.3	86.0	446	367
6	Mihona(Ron)	98.3	101.7	48	59	1.9	2.4	2,489	2,434	98.3	100.5	332	369

		5	5	5	6	5	7	5	8	5	9	6	0
1	Indicators	newborn within 24h delivery reporte	rs of home to total	Sex Ra birth ( Fe Bitr Male Birti	male Live	cases of women wit Complica attended to	tions and	Compl Pregnancie with antihype Magsulph ii Total Wo Obst Compli atter	icated es treated h IV rtensive/ njection to men with etric cations	Compl Pregnancie with antihypee Magsulph in Total Ne detecte Hypert	icated es treated in IV rtensive/ njection to ew cases ed with	Compl Pregnancio with Transfusio Wome Obst	es treated Blood n to Total n with etric cations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	83.2	93.0	898	919	7.3	7.8	4.0	5.9	10.7	5.5	24.9	20.9
1	Ater	100.0	99.9	836	853	0.5	16.5	0.0	22.1	0.0	26.8	0.0	0.0
2	Bhind (Phoop)	92.1	98.3	878	938	13.0	9.9	1.2	1.8	18.7	11.9	31.9	38.7
3	Gohad	74.7	71.6	949	943	0.2	2.3	0.0	15.0	0.0	4.1	72.7	0.0
4	Lahar	98.9	99.7	941	920	4.3	7.0	16.6	0.0	475.0	0.0	0.0	0.0
5	Mehgaon	68.0	103.1	910	866	4.6	8.5	15.2	12.4	5.4	3.1	0.0	0.0
6	Mihona(Ron)	67.1	88.1	814	931	4.2	5.9	2.4	8.0	33.3	10.3	0.0	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
1	Indicators	Care / PNC compli- attended	Natal C maternal cations			Total Nu MTPs ( repo	Public)	% <i>N</i> (Public) to		MTPs up to of Pregn Total MTPs Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total Public Ins	Pregnancy MTPs at
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	3.6	6.2	590	493	202	197	34.2	40.0	99.0	100.0	1.0	0.0
1	Ater	0.0	0.0	124	118	0	0	0.0	0.0				
2	Bhind (Phoop)	7.5	14.1	412	301	136	131	33.0	43.5	100.0	100.0	0.0	0.0
3	Gohad	1.0	0.0	33	51	66	30	200.0	58.8	97.0	100.0	3.0	0.0
4	Lahar	2.1	2.5	7	2	0	29	0.0	1450.0		100.0		0.0
5	Mehgaon	0.0	0.1	6	13	0	7	0.0	53.8		100.0		0.0
6	Mihona(Ron)	0.6	4.4	8	8	0	0	0.0	0.0				

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at	9 MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Regi	olic) to Total	Number of Tests cond Number of STI female which tr initi	Wet Mount ducted to new RTI/ cases for eatment	Numb Vasect Condo (Public	omies	Numb Tubect Condu (Public	comies icted
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	46.8	52.8	53.2	47.2	0.5	0.5	0.0	0.0	134	72	6,706	6,097
1	Ater					0.0	0.0	0.0	0.0	12	3	935	808
2	Bhind (Phoop)	43.0	64.9	57.0	35.1	1.3	1.2	0.0	0.0	81	38	1,745	1,394
3	Gohad	56.9	22.2	43.1	77.8	0.9	0.4	0.0	0.0	13	18	1,204	1,022
4	Lahar		100.0		0.0	0.0	0.5	0.0	0.0	6	5	1,173	1,118
5	Mehgaon		100.0		0.0	0.0	0.1	0.0	0.0	14	7	1,120	1,072
6	Mihona(Ron)					0.0	0.0	0.0		8	1	529	683

		7	3	7	4	7	5	7	6	7	7	7	8
1	Indicators	Total Ste Condi		% Male St (Vasect to Total st	comies)	7 Tubector Total ste	nies to	Total Ste (Tubecto Vasecto conducte	mies and omies)	Total Ste (Tubecto Vasecto conducte	mies and omies)	Total Ste (Tubecto Vasect conducted	mies and omies)
			2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	6,840	6,169	1.9	1.1	98.0	98.8	1,752	1,885	3,609	3,412	1,479	872
1	Ater	947	811	1.3	0.4	98.7	99.6	51	410	896	401		
2	Bhind (Phoop)	1,826	1,432	4.4	2.7	95.6	97.3	728	560			1,098	872
3	Gohad	1,217	1,040	1.1	1.7	98.9	98.3	0	0	1,217	1,040		
4	Lahar	1,179	1,123	0.5	0.4	99.5	99.6	417	431	381	692	381	
5	Mehgaon	1,134	1,079	1.2	0.6	98.8	99.4	409	322	725	757		
6	Mihona(Ron)	537	684	1.5	0.1	98.5	99.9	147	162	390	522		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) d at Other	Vasect	mies and omies) at Private	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Ste	mies and omies) at CHC to	% Total Sto (Tubecto Vasecto conducted to Total St	mies and omies) at SDH/DH	` Vasect	mies and omies) d at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind			0	0	25.6	30.6	52.8	55.3	21.6	14.1	0.0	0.0
1	Ater					5.4	50.6	94.6	49.4	0.0	0.0	0.0	0.0
2	Bhind (Phoop)					39.9	39.1	0.0	0.0	60.1	60.9	0.0	0.0
3	Gohad			0	0	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0
4	Lahar					35.4	38.4	32.3	61.6	32.3	0.0	0.0	0.0
5	Mehgaon					36.1	29.8	63.9	70.2	0.0	0.0	0.0	0.0
6	Mihona(Ron)					27.4	23.7	72.6	76.3	0.0	0.0	0.0	0.0

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasect conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic s to Total	Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public Ir to Total Sterilis	erlisations istitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	0.0	0.0	98.0	98.9	0.8	0.6	1.1	0.4	100.0	100.0	100.0	100.0
1	Ater	0.0	0.0	97.0	98.5	1.8	0.0	1.2	1.5	100.0	100.0	100.0	
2	Bhind (Phoop)	0.0	0.0	96.4	96.5	0.6	2.7	3.0	0.8	100.0	100.0	100.0	100.0
3	Gohad	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		
4	Lahar	0.0	0.0	99.3	100.0	0.0	0.0	0.7	0.0	100.0	100.0		
5	Mehgaon	0.0	0.0	96.8	99.4	2.6	0.0	0.6	0.6	100.0	100.0	100.0	
6	Mihona(Ron)	0.0	0.0	100.0	100.0	0.0	0.0	0.0	0.0	100.0	100.0		

		9	1	9	2	9	3	9	4	9	5	9	6
Ind	dicators	Post P sterlisation Institution: Post P Sterili	artum as at Public s to Total artum	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	100.0	100.0	0	0	13,297	11,912	0	0	13,297	11,912	5,450	765
1	Ater	100.0	100.0	0	0	2,073	1,944			2,073	1,944	138	0
2	Bhind (Phoop)	100.0	100.0	0	0	2,747	1,876			2,747	1,876	4,067	721
3	Gohad			0	0	2,029	1,903	0	0	2,029	1,903	417	3
4	Lahar	100.0		0	0	2,346	2,045			2,346	2,045	207	17
5	Mehgaon	100.0	100.0	0	0	3,422	3,212			3,422	3,212	406	0
6	Mihona(Ron)			0	0	680	932			680	932	215	24

		9	7	9	8	9	9	10	00	10	01	10	)2
1	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (put to Total In: Deliverie:	olic) stitutional	lUCD inse public plu institutic family p methods ( perma	ertions in us private ons to all olanning IUCD plus	Oral Pills o	listributed	Condom distrit		Centchro distril	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	40.9	6.4	20.3	3.2	66.0	65.8	70,476	88,832	86,330	140,894	0	0
1	Ater	6.7	0.0	15.0	0.0	68.6	70.6	16,224	13,590	16,832	17,427	0	0
2	Bhind (Phoop)	148.1	38.4	40.0	7.5	60.1	56.7	16,224	20,834	16,235	38,299	0	0
3	Gohad	20.6	0.2	9.8	0.1	62.5	64.7	4,059	4,898	4,628	6,161	0	0
4	Lahar	8.8	0.8	3.9	0.5	66.6	64.6	4,850	3,670	10,045	8,006	0	0
5	Mehgaon	11.9	0.0	10.1	0.0	75.1	74.9	23,990	34,432	30,804	47,457	0	0
6	Mihona(Ron)	31.6	2.6	10.5	1.3	55.9	57.7	5,129	11,408	7,786	23,544	0	0

		10	)3	10	04	10	)5	10	06	10	)7	10	08
ı	Indicators	Number o given (Birth	OPV 0	Number o		Newborns g at birth to live	given OPV0 Reported	Newborns to Repo	given BCG rted live	Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	31,973	25,044	33,106	26,445	96.8	86.7	100.2	91.6	135	19,270	508	22,963
1	Ater	1,400	1,429	1,403	1,429	99.8	100.0	100.0	100.0	0	2,485	0	2,783
2	Bhind (Phoop)	13,124	9,801	13,342	9,853	98.8	88.8	100.4	89.2	105	5,245	314	6,422
3	Gohad	4,958	4,443	5,269	4,917	95.7	85.5	101.7	94.6	8	3,409	159	4,236
4	Lahar	5,812	3,263	5,969	3,762	97.1	85.2	99.7	98.2	4	2,809	13	3,210
5	Mehgaon	4,594	4,256	4,616	4,380	99.1	85.8	99.6	88.3	4	3,812	5	4,646
6	Mihona(Ron)	2,085	1,852	2,507	2,104	82.4	76.5	99.1	86.9	14	1,510	17	1,666

		10	09	11	10	11	11	11	12	11	13	1	14
	Indicators	Number o		Number o		Number o	of Infants tavalent 2	Number o		Number o		Infants months received vaccine to	
	20 Bhind		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	755	25,398	35,222	14,986	33,761	11,133	32,379	7,719	33,716	34,356	102.0	118.9
1	Ater	0	2,999	4,145	1,772	4,122	1,403	3,984	1,066	4,150	4,199	295.8	293.8
2	Bhind (Phoop)	419	7,186	10,081	4,556	9,237	3,300	8,538	2,073	8,922	11,217	67.2	101.6
3	Gohad	261	4,480	6,056	2,591	5,868	1,797	5,552	1,173	5,924	5,479	114.3	105.4
4	Lahar	32	3,572	5,225	2,129	5,106	1,671	4,908	1,173	5,277	4,810	88.1	125.5
5	Mehgaon	22	5,241	6,909	2,828	6,712	2,135	6,676	1,586	6,800	6,053	146.7	122.1
6	Mihona(Ron)	21	1,920	2,806	1,110	2,716	827	2,721	648	2,643	2,598	104.4	107.3

		11	15	11	16	11	17	11	18	11	19	12	20
1	Indicators	Number immunize (9-11 n	d children	9 Drop Out BCG & <i>I</i>	between	Vitamin -	A dose 1	% Children g dose1 to live l	iven Vit A Reported	Childre Vitamin A Children g dos	n given Dose 9 to iven Vit A	Adverse Following It	munisation
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	33,440	34,191	-1.8	-29.9	35,111	34,243	106.3	118.6	115.3	108.2	13	11
1	Ater	4,150	4,203	-195.8	-193.8	4,150	4,201	295.8	294.0	157.9	91.5	0	0
2	Bhind (Phoop)	8,680	11,108	33.1	-13.8	8,684	11,090	65.4	100.4	148.8	137.3	0	0
3	Gohad	5,890	5,492	-12.4	-11.4	5,925	5,460	114.3	105.1	11.6	36.7	13	9
4	Lahar	5,320	4,812	11.6	-27.9	6,795	4,810	113.5	125.5	147.5	119.5	0	0
5	Mehgaon	6,800	6,006	-47.3	-38.2	6,800	6,069	146.7	122.4	120.2	140.3	0	2
6	Mihona(Ron)	2,600	2,570	-5.4	-23.5	2,757	2,613	108.9	107.9	76.4	65.8	0	0

		12	21	12	22	12	23	12	24	12	25	13	26
	Indicators	immunisation Held to Imr Sessions	on Sessions	Immunisatio where AS presei Immunisatio Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood 0-5 Y	n Children of Age to eported I Diseases		of Age to	Tetanus Ne in Childrer of Age t Reported ( Diseases)	eonatorum n 0-5 Years no Total Childhood	Tetanus ( Children 0 Age to Tota Childhood	-5 Years of
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	99.8	99.6	82.6	80.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Ater	100.0	100.0	93.8	87.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bhind (Phoop)	98.6	99.1	84.9	82.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Gohad	100.5	99.6	72.9	73.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Lahar	99.6	99.0	67.1	69.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	Mehgaon	100.2	99.9	88.5	84.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Mihona(Ron)	99.9	100.1	86.4	89.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

		12	27	12	28	12	29	13	30	13	31	13	32
	Indicators	Polio in Ch Years of Ag Reported ( Diseases (	nildren 0-5 ge to Total Childhood	Measles ir 0-5 Years Total Re Childhood	Children of Age to eported I Diseases	Diarrho dehydra Children O Age to Tota Childhood	bea and ation in -5 Years of I Reported I Diseases	Malaria in C Years of Ag Reported Diseases	Children 0-5 ge to Total Childhood	9 Adult F Inpatients Adult In	to Total	9 Children In Total In	patient to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	0.0	0.0	0.2	0.0	98.7	94.9	1.1	5.1	62.4	61.4	13.9	19.6
1	Ater	0.0	0.0	0.0	0.0	100.0	100.0	0.0	0.0	100.0	100.0	0.9	0.0
2	Bhind (Phoop)	0.0	0.0	0.0	0.0	98.2	95.7	1.8	4.3	66.1	59.1	13.6	23.3
3	Gohad	0.0	0.0	3.7	0.0	91.7	91.1	4.7	8.9	46.1	51.9	7.5	11.1
4	Lahar	0.0	0.0	0.0	0.0	100.0	95.0	0.0	5.0	45.1	53.3	23.3	37.2
5	Mehgaon	0.0	0.0	0.0	0.0	97.4	88.5	2.6	11.5	95.4	89.0	0.8	0.7
6	Mihona(Ron)	0.0	0.0	0.0	0.0	98.6	91.3	1.4	8.7	82.7	81.1	5.8	8.2

		13	33	13	34	1:	35	13	36	13	37	13	38
1	Indicators	Female I Deaths t Inpatien	npatient	9 Inpatient I Tota		IPD (No	ımber)	OPD (N	umber)	% IPD t	to OPD	Number Opera	of Major ations
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	39.0	41.4	0.6	0.7	94,087	71,045	1,065,661	850,705	8.8	8.4	915	736
1	Ater			0.0	0.0	2,649	1,233	81,970	73,424	3.2	1.7	0	0
2	Bhind (Phoop)	39.4	41.1	1.0	1.1	52,121	45,082	455,193	380,915	11.5	11.8	914	736
3	Gohad		75.0	0.0	0.0	11,537	13,316	157,869	103,088	7.3	12.9	1	0
4	Lahar			0.0	0.0	20,898	4,490	215,415	150,686	9.7	3.0	0	0
5	Mehgaon	33.3		0.7	0.0	4,100	4,194	106,960	94,381	3.8	4.4	0	0
6	Mihona(Ron)			0.0	0.0	2,782	2,730	48,254	48,211	5.8	5.7	0	0

		13	39	14	40	14	41	14	42	14	43	14	44
ı	Indicators	Number Opera		% Major Ope Total Op	rations to		per of ectomy eries	Hystere Surgeries Major Op	to Total	Ayush OPD	(Number)	AYUSH OP	% D to Total PD
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	10,840	4,523	7.8	14.0	87	50	9.5	6.7	24,806	18,499	2.3	2.1
1	Ater	4,935	2,258	0.0	0.0	0	0			3	0	0.0	0.0
2	Bhind (Phoop)	2,961	1,573	23.6	31.9	83	50	9.1	6.8	22,682	18,480	5.0	4.9
3	Gohad	956	36	0.1	0.0	0	0	0.0		2,101	0	1.3	0.0
4	Lahar	566	39	0.0	0.0	4	0			20	19	0.0	0.0
5	Mehgaon	1,192	617	0.0	0.0	0	0			0	0	0.0	0.0
6	Mihona(Ron)	230	0	0.0		0	0			0	0	0.0	0.0

Indicators		145		146		147		148		149		150	
		Dental OPD (Number)		% Dental OPD to Total OPD		Adolescent counselled (Number)		% Hb < 7 mg to Total Hb Tests Conducted		% Male HIV Positive to Total Males Tested		% Female HIV Positive to Total Females Tested	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	1,907	2,087	0.2	0.2	579	552	3.8	4.9	1.8	3.2	0.9	0.6
1	Ater	0	0	0.0	0.0	0	0	16.2	11.0			0.3	0.0
2	Bhind (Phoop)	1,907	2,084	0.4	0.5	393	375	3.5	6.0	3.0	4.0	0.2	0.5
3	Gohad	0	3	0.0	0.0	0	3	2.1	2.6	0.0	0.0	0.0	0.1
4	Lahar	0	0	0.0	0.0	0	0	1.9	2.2	0.0	0.0	0.0	0.0
5	Mehgaon	0	0	0.0	0.0	186	163	3.8	4.2		0.0	2.5	0.0
6	Mihona(Ron)	0	0	0.0	0.0	0	11	4.9	5.7			5.0	3.4

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested ( Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	1.0	0.7	1.1	2.0	0.0	0.1	460	204	2.0	9.6	7.8	6.4
1	Ater	0.3	0.0	0.5	0.9	0.0	0.0	59	43	0.0	0.0	0.0	2.8
2	Bhind (Phoop)	0.4	0.7	0.8	1.1	0.0	0.0	204	96	4.4	16.7	17.2	10.4
3	Gohad	0.0	0.1	1.7	4.0	0.0	0.3	69	19	0.0	14.3	0.0	0.0
4	Lahar	0.0	0.0	0.6	1.1	0.0	0.0	71	39	0.0	0.0	0.0	2.9
5	Mehgaon	2.5	0.0	1.8	2.8	0.0	0.0	32	6	0.0	0.0	0.0	0.0
6	Mihona(Ron)	5.0	3.4	0.9	1.3	0.0	0.0	25	1	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Bhind	10.5	43.9	1.1	2.7	0.7	1.1	10.9	4.3	0.0	0.0	67.0	32.1
1	Ater	28.3	30.6	1.9	2.8	0.0	5.6	18.9	16.7	0.0	0.0	50.9	41.7
2	Bhind (Phoop)	8.9	43.8	0.0	0.0	1.0	0.0	13.8	2.1	0.0	0.0	54.7	27.1
3	Gohad	0.0	35.7	0.0	21.4	0.0	0.0	1.4	0.0	0.0	0.0	98.6	28.6
4	Lahar	19.1	55.9	5.9	2.9	1.5	0.0	13.2	0.0	0.0	0.0	60.3	38.2
5	Mehgaon	3.3	83.3	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	93.3	16.7
6	Mihona(Ron)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0