

## Performance of Key HMIS Indicators for Punjab ( Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to March

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Punjab	384,038		98.5	0.0	4,000		99.0		289,575		165,751	
1	Amritsar	37,684		99.0		394		99.0		37,684		21,942	
2	Barnala	9,697		99.4		69		99.3		8,942		3,340	
3	Bathinda	16,606		100.2		233		98.6		13,537		6,552	
4	Faridkot	8,951		99.1		142		98.4		6,911		4,144	
5	Fatehgarh Sahib	7,693		99.2		63		99.2		7,231		3,817	
6	Fazilka												
7	Firozpur	24,370		99.8		49		99.8		10,592		13,807	
8	Gurdaspur	34,406		103.5		307		99.1		29,075		6,402	
9	Hoshiarpur	22,248		98.3		616		97.3		17,271		12,768	
10	Jalandhar	32,003		100.4		264		99.2		24,644		5,885	
11	Kapurthala	12,212		99.2		117		99.1		12,317		2,594	
12	Ludhiana	41,967		99.8		369		99.1		15,843		29,838	
13	Mansa	12,257		99.8		70		99.4		8,795		2,970	
14	Moga	19,195		99.2		158		99.2		18,427		2,843	
15	Mohali SAS Nagar	10,825		99.4	0.0	62		99.4		10,215		5,620	
16	Muktsar	14,965		99.3		99		99.3		12,953		2,263	
17	Nawanshahr	6,852		98.8		96		98.6		5,889		3,628	
18	Pathankot												
19	Patiala	20,245		85.2		83		99.6		12,598		13,755	
20	Rupnagar	10,632		98.3		197		98.2		10,632		5,725	
21	Sangrur	21,236		93.5		132		99.4		10,585		9,133	
22	Tarn Taran	19,994		98.7		480		97.7		15,434		8,725	

Performance of Key HMIS Indicators for Punjab ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to March

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Punjab	455,320	513,344	43.2		118.6		423,580		400,711	567,743	405,575	498,503
1	Amritsar	44,545		58.2		118.2		39,162		37,421		37,631	
2	Barnala	8,415		34.4		86.8		9,840		9,455		9,389	
3	Bathinda	19,863		39.5		119.6		20,415		18,995		18,911	
4	Faridkot	11,513		46.3		128.6		11,283		10,621		10,421	
5	Fatehgarh Sahib	9,615		49.6		125.0		10,166		9,363		9,280	
6	Fazilka												
7	Firozpur	32,666		56.7		134.0		33,899		31,176		29,747	
8	Gurdaspur	33,773		18.6		98.2		34,682		32,551		33,519	
9	Hoshiarpur	24,953		57.4		112.2		20,700		19,148		19,172	
10	Jalandhar	34,021		18.4		106.3		27,698		28,566		29,129	
11	Kapurthala	14,000		21.2		114.6		14,981		14,473		14,143	
12	Ludhiana	59,295		71.1		141.3		45,755		42,291		51,282	
13	Mansa	11,785		24.2		96.1		12,408		11,210		10,672	
14	Moga	17,009		14.8		88.6		16,299		14,504		13,480	
15	Mohali SAS Nagar	12,592	513,344	51.9		116.3		13,464		13,171	567,743	12,439	498,503
16	Muktsar	15,505		15.1		103.6		14,841		13,990		13,283	
17	Nawanshahr	11,522		52.9		168.2		10,623		10,242		10,114	
18	Pathankot												
19	Patiala	35,508		67.9		175.4		33,312		31,154		30,022	
20	Rupnagar	11,676		53.8		109.8		11,799		11,625		11,766	
21	Sangrur	27,607		43.0		130.0		24,877		23,484		24,707	
22	Tarn Taran	19,457		43.6		97.3		17,376		17,271		16,468	

Performance of Key HMIS Indicators for Punjab ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to March

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab							428,582	463,316	111.6		426,407	
1	Amritsar							38,073		101.0		38,073	
2	Barnala							9,651		99.5		9,651	
3	Bathinda							19,148		115.3		17,290	
4	Faridkot							10,089		112.7		10,089	
5	Fatehgarh Sahib							9,747		126.7		9,697	
6	Fazilka												
7	Firozpur							28,548		117.1		28,548	
8	Gurdaspur							35,057		101.9		34,941	
9	Hoshiarpur							25,022		112.5		25,022	
10	Jalandhar							31,841		99.5		29,169	
11	Kapurthala							12,967		106.2		12,947	
12	Ludhiana							57,616		137.3		57,616	
13	Mansa							11,062		90.3		11,062	
14	Moga							14,379		74.9		14,032	
15	Mohali SAS Nagar							12,027	463,316	111.1		11,893	
16	Muktsar							13,999		93.5		13,999	
17	Nawanshahr							10,168		148.4		10,168	
18	Pathankot												
19	Patiala							33,817		167.0		37,412	
20	Rupnagar							11,826		111.2		11,826	
21	Sangrur							25,838		121.7		25,838	
22	Tarn Taran							17,707		88.6		17,134	

## Performance of Key HMIS Indicators for Punjab ( Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to March

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Punjab	5.9	9.7	245,581	5,498	63.9		4.5	0.0	682		94.8	
1	Amritsar	14.5		29,412		78.0		0.4				88.4	
2	Barnala	-14.7		5,913		61.0		0.0				94.8	
3	Bathinda	3.6		12,858		77.4		0.0				97.0	
4	Faridkot	12.4		5,560		62.1		2.3		53		93.9	
5	Fatehgarh Sahib	-1.4		5,445		70.8		8.5				94.5	
6	Fazilka												
7	Firozpur	12.6		13,783		56.6		17.1				89.9	
8	Gurdaspur	-3.8		21,933		63.7		6.7				98.0	
9	Hoshiarpur	-0.3		13,756		61.8		3.0				98.3	
10	Jalandhar	6.4		10,621		33.2		5.5				97.0	
11	Kapurthala	7.4		4,749		38.9		15.4		20		98.9	
12	Ludhiana	2.8		20,788		49.5		4.6		607		92.2	
13	Mansa	6.1		5,676		46.3		0.1		2		93.4	
14	Moga	15.5		9,202		47.9		0.0				95.2	
15	Mohali SAS Nagar	4.5	9.7	12,441	5,498	114.9		0.0	0.0			97.7	
16	Muktsar	9.7		9,538		63.7		0.0				94.9	
17	Nawanshahr	11.8		6,558		95.7		0.0				99.4	
18	Pathankot												
19	Patiala	4.8		23,647		116.8		4.1				97.3	
20	Rupnagar	-1.3		8,160		76.7		0.0				97.8	
21	Sangrur	6.4		16,599		78.2		17.3				96.5	
22	Tarn Taran	9.0		8,942		44.7		0.3				97.6	

## Performance of Key HMIS Indicators for Punjab ( Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to March

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	57.1		0.1		0.0		0.0		0.0		0.0	
1	Amritsar	36.1		0.0		0.0		0.0		0.0		0.0	
2	Barnala	89.9		0.0		0.0		0.0		0.0		0.0	
3	Bathinda	49.8		0.0		0.0		0.0		0.0		0.0	
4	Faridkot	65.8		0.0		0.8		0.4		0.4		0.0	
5	Fatehgarh Sahib	79.7		0.0		0.0		0.0		0.0		0.0	
6	Fazilka												
7	Firozpur	67.8		0.0		0.0		0.0		0.0		0.0	
8	Gurdaspur	83.4		1.9		0.0		0.0		0.0		0.0	
9	Hoshiarpur	58.5		0.0		0.0		0.0		0.0		0.0	
10	Jalandhar	87.6		0.0		0.0		0.0		0.0		0.0	
11	Kapurthala	71.3		0.0		0.0		0.0		0.0		0.0	
12	Ludhiana	66.3		0.1		0.0		0.1		0.0		0.0	
13	Mansa	21.5		0.0		0.0		0.0		0.0		0.0	
14	Moga	46.2		0.0		0.0		0.0		0.0		0.0	
15	Mohali SAS Nagar	56.9		0.0		0.0		0.0		0.0		0.0	
16	Muktsar	48.9		0.0		0.0		0.0		0.0		0.0	
17	Nawanshahr	92.4		0.0		0.0		0.0		0.0		0.0	
18	Pathankot												
19	Patiala	65.7		0.5		0.0		0.0		0.0		0.0	
20	Rupnagar	36.5		0.0		0.0		0.0		0.0		0.0	
21	Sangrur	52.2		0.0		0.0		0.0		0.1		0.0	
22	Tarn Taran	35.1		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Punjab ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to March

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	2.2		95.4		2.2		1,114		1.5		2.1	
1	Amritsar	0.0		100.0		0.0		233		0.4		1.7	
2	Barnala	0.0		100.0		0.0		14		0.0		0.0	
3	Bathinda	0.0		100.0		0.0		19		0.0		0.0	
4	Faridkot	7.7		89.1		1.6		38		0.0		0.0	
5	Fatehgarh Sahib	0.0		100.0		0.0		8		0.0		0.0	
6	Fazilka												
7	Firozpur	0.0		100.0		0.0		2		0.0		0.0	
8	Gurdaspur	0.0		79.7		18.4		59		5.1		16.9	
9	Hoshiarpur	0.0		100.0		0.0		231		1.7		0.4	
10	Jalandhar	19.5		79.6		1.0		103		0.0		3.9	
11	Kapurthala	4.5		95.5		0.0		54		11.1		0.0	
12	Ludhiana	4.2		95.5		0.1		81		0.0		2.5	
13	Mansa	0.0		100.0		0.0		3		0.0		0.0	
14	Moga	0.0		100.0		0.0		20		0.0		0.0	
15	Mohali SAS Nagar	0.0		100.0		0.0		12		0.0		0.0	
16	Muktsar	0.0		91.3		8.7		65		1.7		0.0	
17	Nawanshahr	0.0		100.0		0.0		49		0.0		0.0	
18	Pathankot												
19	Patiala	0.5		97.9		1.1							
20	Rupnagar	0.0		100.0		0.0		17		0.0		0.0	
21	Sangrur	1.6		97.8		0.5		2		0.0		0.0	
22	Tarn Taran	0.4		95.9		3.7		104		1.9		1.9	

Performance of Key HMIS Indicators for Punjab ( Across Districts)  
Financial Year: 2008-09  
Provisional Figures for the Period April to March

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Punjab	4.8		4.7		1.4		3.0		0.6		81.9	
1	Amritsar	2.6		7.7		2.6		2.6		0.0		82.4	
2	Barnala	0.0		0.0		0.0		0.0		0.0		100.0	
3	Bathinda	5.3		15.8		0.0		5.3		21.1		52.6	
4	Faridkot	2.6		0.0		0.0		10.5		0.0		86.8	
5	Fatehgarh Sahib	0.0		0.0		0.0		0.0		0.0		100.0	
6	Fazilka												
7	Firozpur	0.0		0.0		0.0		0.0		0.0		100.0	
8	Gurdaspur	22.0		5.1		0.0		5.1		0.0		45.8	
9	Hoshiarpur	5.6		3.5		0.9		3.0		0.0		84.8	
10	Jalandhar	1.9		1.0		1.0		0.0		1.0		91.3	
11	Kapurthala	9.3		1.9		0.0		9.3		3.7		64.8	
12	Ludhiana	7.4		12.3		6.2		4.9		0.0		66.7	
13	Mansa	0.0		0.0		0.0		0.0		0.0		100.0	
14	Moga	0.0		10.0		0.0		0.0		0.0		90.0	
15	Mohali SAS Nagar	0.0		0.0		0.0		0.0		0.0		100.0	
16	Muktsar	0.0		5.0		1.7		0.0		0.0		91.7	
17	Nawanshahr	0.0		0.0		0.0		0.0		0.0		100.0	
18	Pathankot												
19	Patiala												
20	Rupnagar	17.6		5.9		0.0		0.0		0.0		76.5	
21	Sangrur	0.0		0.0		0.0		0.0		0.0		100.0	
22	Tarn Taran	2.9		1.9		0.0		2.9		0.0		88.5	