

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	Number of Women registered under JSY	% 1st Trimester registration to Total ANC Registrations	% JSY registration to Total ANC Registration	Number of pregnant women received 3 ANC check ups	TT2 or Booster given to Pregnant women (numbers)	% Pregnant Woman received 3 ANC check ups to Total ANC Registrations	% Pregnant women received TT2 or Booster to Total ANC Registration	Number of Pregnant women given 100 IFA tablets	% Pregnant women given 100 IFA to Total ANC Registration	Number having Hb level<11 (tested cases)	Number having severe anaemia (Hb<7) treated at institution
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	24,980	20,212	17,428	80.9	69.8	27,103	22,954	108.4	91.8	23,606	94.4	20,541	708
1	Gangavati	7,664	5,815	5,654	75.9	73.8	7,211	7,293	94.1	95.2	7,009	91.5	6,698	325
2	Koppal	6,644	5,645	4,576	85.0	68.9	6,567	5,735	98.8	86.3	6,737	101.4	4,709	119
3	Kushtagi	5,679	4,557	3,786	80.2	66.7	6,853	4,994	120.7	87.9	5,182	91.2	4,878	171
4	Yelburga	4,993	4,195	3,412	84.0	68.3	6,472	4,932	129.6	98.8	4,678	93.7	4,256	93

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<11	% New cases detected at institution for hypertension to Total ANC Registrations	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Mothers paid JSY incentive for home deliveries	% Mothers paid JSY incentive for home deliveries to Total Reported Home Deliveries	Deliveries Conducted at Public Institutions	Number of Women Discharged under 48 hours of delivery in public facilities	% Women discharged in less than 48 hours of delivery to Total Reported Deliveries at public institutions	Institutional deliveries (Public Insts. +Pvt . Insts.)	% Institutional Deliveries to total ANC registration
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	3.4	3.6	1,759	487	1,272	27.6	24	1.4	15,427	1,677	10.8	17,292	69.2
1	Gangavati	4.9	5.2	542	224	318	41.3	0	0.0	4,583	233	5.1	6,045	78.9
2	Koppal	2.5	3.8	358	92	266	25.7	15	4.2	3,425	422	12.3	3,821	57.5
3	Kushtagi	3.5	2.2	512	83	429	16.2	4	0.8	3,744	487	13.0	3,751	66.1
4	Yelburga	2.2	2.2	347	88	259	25.4	5	1.4	3,675	535	14.6	3,675	73.6

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Mothers paid JSY Incentive for Delivery at Public institution to Total Public Deliveries	% of cases where JSY Incentive paid to ASHA for Delivery at Public institution to Total Public Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	19,051	90.8	93.3	9.2	1,209	710	11.0	7.8	38.1	89.2	39.4	0.5	10.8
1	Gangavati	6,587	91.8	95.2	8.2	279	645	15.3	6.1	44.1	75.8	49.0	0.0	24.2
2	Koppal	4,179	91.4	93.6	8.6	186	65	6.6	5.4	16.4	89.6	38.8	0.0	10.4
3	Kushtagi	4,263	88.0	89.9	12.0	224	0	6.0	6.0	0.0	99.8	37.3	0.0	0.2
4	Yelburga	4,022	91.4	93.6	8.6	520		14.1	14.1		100.0	30.0	2.3	0.0

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		Women received post partum check-up within 48 hours of delivery	Post - Natal Care / Women got a post partum check up between 48 hours and 14 days	% Women receiving post partum check-up within 48 hours of delivery to Total Reported Deliveries	% Women getting Post Partum Checkup between 48 hours and 14 days to Total Deliveries	Total Number of reported live births	% Total Reported Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	<u>Koppal</u>	16,787	19,741	88.1	103.6	18,777	98.6	504	97.4	18,623	99.2	2,304	12.3	17,166
1	Gangavati	4,816	5,700	73.1	86.5	6,507	98.8	166	97.5	6,444	99.0	659	10.2	5,648
2	Koppal	4,296	4,825	102.8	115.5	4,227	101.1	105	97.6	4,108	97.2	553	13.5	3,922
3	Kushtagi	3,617	4,740	84.8	111.2	4,012	94.1	99	97.6	4,092	102.0	582	14.2	4,113
4	Yelburga	4,058	4,476	100.9	111.3	4,031	100.2	134	96.8	3,979	98.7	510	12.8	3,483

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% Newborns breast fed within 1 hour of birth to Total live birth	Number of New Borns visited within 24 hrs of Home Delivery	% newborns visited within 24hrs of home delivery to total reported home deliveries	Sex Ratio at birth (Female Live Births/ Male Births *1000)	% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total Women with Obstetric Complications attended	% Complicated Pregnancies treated with IV antihypertensive/ Magsulph injection to Total New cases detected with Hypertension	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	% Post - Natal Care / PNC maternal complications attended to Total Deliveries	Total Number of Abortions (Spontaneous/ Induced) Reported	Total Number of MTPs (Public) reported	% MTPs (Public) to Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	91.4	1,172	66.6	946	8.5	33.4	55.6	70.3	1.1	444	129	29.1	78.3
1	Gangavati	86.8	308	56.8	937	6.7	38.2	39.0	67.2	0.7	126	64	50.8	64.1
2	Koppal	92.8	213	59.5	933	5.3	68.5	55.2	53.7	1.7	124	23	18.5	87.0
3	Kushtagi	102.5	395	77.1	966	6.5	40.5	77.8	215.7	1.3	83	41	49.4	95.1
4	Yelburga	86.4	256	73.8	956	17.1	16.1	90.2	21.5	0.8	111	1	0.9	100.0

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs Conducted at Public Institutions to Total MTPs	% MTPs Conducted at Private Institutions to Total MTPs	% Total MTPs (Public) Conducted to Total ANC Registration	% Number of Wet Mount Tests conducted to Number of new RTI/ STI female cases for which treatment initiated	Number of Vasectomies Conducted (Public + Pvt.)	Number of Tubectomies Conducted (Public + Pvt.)	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Tubectomies to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH/DH
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	21.7	74.1	25.9	0.5	3.2	18	7,294	7,312	0.2	99.8	2,672	2,383	1,971
1	Gangavati	35.9	59.3	40.7	0.8	0.4	7	2,314	2,321	0.3	99.7	391	936	844
2	Koppal	13.0	100.0	0.0	0.3	7.9	5	1,810	1,815	0.3	99.7	1,062	386	231
3	Kushtagi	4.9	97.6	2.4	0.7	0.0	6	1,762	1,768	0.3	99.7	847	326	595
4	Yelburga	0.0	100.0	0.0	0.0	2.4	0	1,408	1,408	0.0	100.0	372	735	301

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns	Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at PHC to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at CHC to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at SDH/DH to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Other public Institutio ns to Total Sterilisati on	% Total Sterilisati on (Tubecto mies and Vasectom ies) conducte d at Private institutio ns to Total Sterilisati on	% Laparosc opic sterilisati ons to Total Female Sterilisati ons	% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal		0	36.5	32.6	27.0	0.0	3.9	73.6	21.0	5.3	99.4	87.8	83.1
1	Gangavati		0	16.8	40.3	36.4	0.0	6.5	69.7	24.1	6.3	98.4	85.6	69.0
2	Koppal		0	58.5	21.3	12.7	0.0	7.5	69.4	27.7	2.9	99.4	78.7	59.6
3	Kushtagi		0	47.9	18.4	33.7	0.0	0.0	87.9	8.3	3.8	100.0	100.0	100.0
4	Yelburga			26.4	52.2	21.4	0.0	0.0	67.8	23.2	8.9	100.0	100.0	100.0

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		Total cases of deaths following Sterilisation (Male + Female)	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	Total IUCD Insertions done (public+pvt)	PP IUCD Insertions done (public facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions in public plus private institutions to all family planning methods (IUCD plus permanent)	Oral Pills distributed	Condom pieces distributed	Centchroman Pills distributed	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	1	2,869	227	3,096		0.0	0.0	29.7	25,562	210,371	821	21,443	26,536
1	Gangavati	0	495	23	518		0.0	0.0	18.2	4,710	67,623	20	7,253	7,984
2	Koppal	0	1,150	175	1,325		0.0	0.0	42.2	9,217	50,478	231	5,045	6,906
3	Kushtagi	0	506	29	535		0.0	0.0	23.2	5,084	55,507	501	4,678	6,364
4	Yelburga	1	718		718		0.0	0.0	33.8	6,551	36,763	69	4,467	5,282

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2	Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	% Infants 0 to 11 months old who received Measles vaccine to reported live births	Number of fully immunize d children (9-11 months)	% Drop Out between BCG & Measles	Vitamin - A dose 1
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	114.2	141.3	23,142	22,688	24,096				22,051	117.4	20,361	16.9	22,168
1	Gangavati	111.5	122.7	7,173	7,176	7,386				6,861	105.4	5,672	14.1	6,897
2	Koppal	119.4	163.4	6,203	6,093	7,224				6,164	145.8	5,857	10.7	6,133
3	Kushtagi	116.6	158.6	5,146	5,000	4,897				4,814	120.0	4,734	24.4	5,276
4	Yelburga	110.8	131.0	4,620	4,419	4,589				4,212	104.5	4,098	20.3	3,862

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	118.1	66.0	599	92.7	62.2	0.0	0.0	0.0	0.0	0.0	1.8	97.1	1.1
1	Gangavati	106.0	96.4	171	96.5	58.2	0.0	0.0	0.0	0.0	0.0	1.7	98.2	0.1
2	Koppal	145.1	84.5	371	96.9	63.9	0.0	0.0	0.0	0.0	0.0	0.7	97.8	1.5
3	Kushtagi	131.5	19.9	11	99.5	70.7	0.0	0.0	0.0	0.0	0.0	3.5	94.9	1.6
4	Yelburga	95.8	45.1	46	79.9	58.4	0.0	0.0	0.0	0.0	0.0	1.5	97.5	1.0

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)	OPD (Number)	% IPD to OPD	Number of Major Operatio ns	Number of Minor Operatio ns	% Major Operatio ns to Total Operatio n	Number of Hysterect omy Surgeries	% Hysterect omy Surgeries to Total Major Operatio ns	Ayush OPD (Number)
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	64.3	12.5	35.5	0.5	67,033	837,239	8.0	5,885	5,136	53.4		0.0	69,935
1	Gangavati	69.9	8.9	36.6	0.7	16,743	236,007	7.1	169	1,424	10.6		0.0	18,333
2	Koppal	62.8	10.9	44.5	0.7	15,691	232,335	6.8	171	2,357	6.8		0.0	17,868
3	Kushtagi	65.4	12.7	29.7	0.3	13,156	144,362	9.1	5,034	827	85.9		0.0	18,649
4	Yelburga	59.9	16.4	18.5	0.3	21,443	224,535	9.5	511	528	49.2		0.0	15,085

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	Adolescent counselled (Number)	% Hb < 7 mg to Total Hb Tests Conducted	% Male HIV Positive to Total Males Tested	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodium Vivax test positive to Total Blood Smears Examined	% Plasmodium Falciparum test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	<u>Koppal</u>	8.3	1,431	0.2	5,808	6.9	8.5	5.4	6.1	0.7	0.0	119	4.7	20.8
1	Gangavati	7.8	399	0.2	1,507	7.7	7.5	3.1	3.9	2.2	0.0	49	2.4	26.8
2	Koppal	7.7	129	0.1	2,048	8.7	4.5	2.6	3.1	0.1	0.0	19	11.8	11.8
3	Kushtagi	12.9	2	0.0	821	5.6	8.7	7.5	7.9	0.4	0.0	34	6.1	18.2
4	Yelburga	6.7	901	0.4	1,432	4.2	17.1	11.2	12.4	0.3	0.0	17	0.0	20.0

Performance of Key HMIS Indicators for Karnataka-> Koppal (Across Sub Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

Indicators		157	158	159	160	161	162
		% Deaths due to LBW to Total Reported Infant Deaths	% Deaths due to Pneumonia to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths
		2012-13	2012-13	2012-13	2012-13	2012-13	2012-13
	_Koppal	32.1	7.5	0.9	2.8	0.0	31.1
1	Gangavati	36.6	0.0	0.0	0.0	0.0	34.1
2	Koppal	29.4	11.8	0.0	0.0	0.0	35.3
3	Kushtagi	39.4	12.1	0.0	6.1	0.0	18.2
4	Yelburga	6.7	13.3	6.7	6.7	0.0	46.7