			1	2	2	:	3	4	4	!	5	(5
	Indicators	Total nu pregnant Registered	t women	Number of women re within first	egistered	Number o		1st Trii registratio ANC Regis	mester n to Total	JSY regist Total Regist	tration to	Number of women re ANC ch	eceived 3
	2015 _Hoshangabad		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	5,882	5,932	3,384	3,419	5,705	5,590	57.5	57.6	97.0	94.2	5,454	4,436
1	Babai	709	654	505	414	709	654	71.2	63.3	100.0	100.0	645	553
2	Bankhedi	708	684	395	353	708	684	55.8	51.6	100.0	100.0	569	472
3	Dolaria	403	471	214	348	403	471	53.1	73.9	100.0	100.0	506	392
4	Dolaria Block												
5	Hoshangabad	677	790	196	294	500	448	29.0	37.2	73.9	56.7	819	557
6	Kesla	874	882	520	548	874	882	59.5	62.1	100.0	100.0	794	618
7	Pipariya	918	823	546	440	918	823	59.5	53.5	100.0	100.0	618	466
8	Seoni-Malwa	776	780	626	596	776	780	80.7	76.4	100.0	100.0	715	667
9	Sohagpur	817	848	382	426	817	848	46.8	50.2	100.0	100.0	788	711

		7	7	8	3	(9	1	0	1	1	1	2
	Indicators	TT2 or Boo to Pregnai (num		Pregnant received 3 ups to To Registr	Woman ANC check otal ANC	Pregnant received Booster to	d TT2 or	Number of women give	en 100 IFA	Pregnant given 100 ll ANC Regi	women FA to Total	Number h leve (tested	l<11
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	15-16 2014-15		2014-15
	_Hoshangabad	5,114	4,573	92.7	74.7	86.9	77.0	6,875	6,490	116.8	109.4	3,586	3,262
1	Babai	546	490	91.0	84.6	77.0	74.9	727	665	102.5	101.7	290	201
2	Bankhedi	613	568	80.4	69.0	86.6	83.0	712	828	100.6	121.1	387	177
3	Dolaria	380	387	125.6	83.2	94.3	82.2	510	532	126.6	113.0	249	187
4	Dolaria Block												
5	Hoshangabad	938	481	121.0	70.5	138.6	60.9	1,423	946	210.2	119.7	649	618
6	Kesla	770	753	90.8	70.1	88.1	85.4	980	846	112.1	95.9	623	388
7	Pipariya	546	565	67.3	56.6	59.5	68.7	918	853	100.0	103.6	723	461
8	Seoni-Malwa	643	675	92.1	85.5	82.9	86.5	776	982	100.0	125.9	404	431
9	Sohagpur	678	654	96.5	83.8	83.0	77.1	829	838	101.5	98.8	261	799

		1	3	1	4	1	5	1	6	1	7	1	8
	Indicators	Number ha anae (Hb treated at	emia <7)	Pregnant having seve (Hb treated at to women leve	t women ere anaemia <7) institution having hb	New cases at institu hypertensi ANC Regi	ition for on to Total	Number deliv		Number deliveries a SBA tr (Doctor/No	ttended by ained	Number deliveries a Non SBA (trained	ttended by trained
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	167	159	4.7	4.9	3.1	8.1	158	178	39	10	119	168
1	Babai 7		9	2.4	4.5	3.9	6.7	9	13	7	6	2	7
2	Bankhedi			2.1	7.3	3.4	18.0	26	21	25	0	1	21
3	Dolaria			0.0	0.0	0.0	0.8	4	2	1	1	3	1
4	Dolaria Block												
5	Hoshangabad	108	60	16.6	9.7	4.9	7.1						
6	Kesla	21	56	3.4	14.4	4.1	1.2	23	45	1	0	22	45
7	Pipariya	22	17	3.0	3.7	2.0	2.8	36	40	0	0	36	40
8	Seoni-Malwa	0	0	0.0	0.0	4.0	6.2	46	43	0	0	46	43
9	Sohagpur	1	4	0.4	0.5	1.5	20.5	14	14	5	3	9	11

		1	9	2	0	2	.1	2	2	2	.3	2	4
	Indicators SBA attended h deliveries to T Reported Hor Deliveries		ded home s to Total d Home	Mothers incentive deliv	for home	Mothers incentive deliverie Reporte	paid JSY for home s to Total d Home eries	Deliveries of at Public In		hours of c	of Women d under 48 delivery in acilities	Women dis less than 4 delivery Reported at public i	charged in 8 hours of to Total Deliveries
	2015-16 2014-15		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	24.6	5.6	0	5	0.0	2.8	4,568	3,698	9	725	0.1	19.6
1	Babai	77.8	46.2	0	0	0.0	0.0	315	320	0	27	0.0	8.4
2	Bankhedi	96.2	0.0	0	0	0.0	0.0	451	417	3	157	0.7	37.6
3	Dolaria	25.0	50.0	0	0	0.0	0.0	36	37	0	3	0.0	8.1
4	Dolaria Block												
5	Hoshangabad							1,409	1,177	0	0	0.0	0.0
6	Kesla	4.3	0.0	0	0	0.0	0.0	706	662	6	146	0.8	22.1
7	Pipariya	0.0	0.0	0	0	0.0	0.0	968	444	0	5	0.0	1.1
8	Seoni-Malwa	0.0	0.0	0	0	0.0	0.0	342	334	0	111	0.0	33.2
9	Sohagpur	35.7	21.4	0	5	0.0	35.7	341	307	0	276	0.0	89.9

		2	5	2	6	2	.7	2	8	2	9	3	0
	Indicators	(Public In	eries	Institu Deliverie ANC regi	itional s to total	Total re deliv	eported veries	Institu deliveries Reported	tional to Total	Safe deli Total Re Deliv	veries to eported	Home del Total Re Deliv	iveries to eported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	6,039	4,602	102.6	77.5	6,197	4,780	97.5	96.3	98.1	96.5	2.5	3.7
1	Babai	315	320	44.4	48.9	324	333	97.2	96.1	99.4	97.9	2.8	3.9
2	Bankhedi	451	417	63.7	61.0	477	438	94.5	95.2	99.8	95.2	5.5	4.8
3	Dolaria	36	37	8.9	7.9	40	39	90.0	94.9	92.5	97.4	10.0	5.1
4	Dolaria Block												
5	Hoshangabad	2,880	2,081	425.4	263.4	2,880	2,081	100.0	100.0	100.0	100.0	0.0	0.0
6	Kesla	706	662	80.8	75.1	729	707	96.8	93.6	97.0	93.6	3.2	6.4
7	Pipariya	968	444	105.4	53.9	1,004	484	96.4	91.7	96.4	91.7	3.6	8.3
8	Seoni-Malwa	342	334	44.1	42.8	388	377	88.1	88.6	88.1	88.6	11.9	11.4
9	Sohagpur	341	307	41.7	36.2	355	321	96.1	95.6	97.5	96.6	3.9	4.4

		3	1	3	2	3	3	3	4	3	5	3	6
	Indicators	Number of deliveries at public	conducted	Number of deliveries at private	conducted	to rep institu (Public	+ Pvt.) orted	C-sections at public f Deliveries at public	conducted acilities to	C-sections at Private f Deliveries at private	conducted facilities to conducted	Deliveries at Public II to Total In Deliv	conducted nstitutions stitutional
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	677	524	925	463	26.5	21.4	14.8	14.2	62.9	51.2	75.6	80.4
1	Babai		0			0.0	0.0	0.0	0.0			100.0	100.0
2	Bankhedi		0			0.0	0.0	0.0	0.0			100.0	100.0
3	Dolaria		0			0.0	0.0	0.0	0.0			100.0	100.0
4	Dolaria Block												
5	Hoshangabad	479	367	925	463	48.8	39.9	34.0	31.2	62.9	51.2	48.9	56.6
6	Kesla	148	155			21.0	23.4	21.0	23.4			100.0	100.0
7	Pipariya	50	2			5.2	0.5	5.2	0.5			100.0	100.0
8	Seoni-Malwa		0			0.0	0.0	0.0	0.0			100.0	100.0
9	Sohagpur		0			0.0	0.0	0.0	0.0			100.0	100.0

		3	7	3	8	3	9	4	0	4	1	4	2
	Indicators	Mothers Incentive fo at Public i to Tota Deliv	paid JSY or Delivery nstitution I Public	of cases v Incentive ASHA for E Public inst Total Public	where JSY e paid to Delivery at	Deliveries at Private I to Total In	nstitutions	Women rec partum o within 48 deli	heck-up hours of	Post - Care / Wo post partur between 48	men got a n check up 3 hours and	Women rec partum o within 48 delivery	check-up hours of
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	99.9	93.9	59.3	65.2	24.4	19.6	5,295	4,595	2,390	2,402	85.4	96.1
1	Babai	99.0	100.0	99.0	98.4	0.0	0.0	324	333	291	285	100.0	100.0
2	Bankhedi	100.0	101.0	100.0	97.6	0.0	0.0	487	426	33	22	102.1	97.3
3	Dolaria	100.0	100.0	100.0	100.0	0.0	0.0	40	36	143	94	100.0	92.3
4	Dolaria Block												
5	Hoshangabad	100.0	100.0	6.8	42.6	51.1	43.4	1,986	2,008	659	940	69.0	96.5
6	Kesla	100.0	66.2	78.0	62.1	0.0	0.0	719	636	562	544	98.6	90.0
7	Pipariya	100.0	100.0	70.8	70.5	0.0	0.0	997	480	257	124	99.3	99.2
8	Seoni-Malwa	100.0	100.0	80.1	82.6	0.0	0.0	384	377	308	270	99.0	100.0
9	Sohagpur	100.0	97.7	88.9	49.2	0.0	0.0	358	299	137	123	100.8	93.1

		4	3	4	4	4	5	4	6	4	7	4	8
	Indicators	Women ge Partum (between 48	Checkup 8 hours and to Total	Total Nu		Total Repo		Total Nu reported S		9 live birth to Bir	Reported	Number of weighed	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	38.6	50.3	6,046	4,725	97.6	98.8	81	86	98.7	98.2	5,729	4,615
1	Babai	89.8	85.6	320	332	98.8	99.7	7	3	97.9	99.1	320	332
2	Bankhedi	6.9	5.0	356	438	74.6	100.0	4	1	98.9	99.8	354	420
3	Dolaria	357.5	241.0	39	39	97.5	100.0	1	0	97.5	100.0	39	39
4	Dolaria Block												
5	Hoshangabad	22.9	45.2	2,881	2,043	100.0	98.2	36	52	98.8	97.5	2,567	1,965
6	Kesla	77.1	76.9	722	700	99.0	99.0	8	12	98.9	98.3	722	697
7	Pipariya	25.6	25.6	993	479	98.9	99.0	17	11	98.3	97.8	993	479
8	Seoni-Malwa	79.4	71.6	384	376	99.0	99.7	4	3	99.0	99.2	383	376
9	Sohagpur	38.6	38.3	351	318	98.9	99.1	4	4	98.9	98.8	351	307

		4	9	5	0	5	1	5	2	5	3	5	4
	Indicators	Newborns birth to l	weighed at	Number of having we than 2		Newborr weight les kg to Ne weighed	ns having s than 2.5 wborns	Number of Breast Fed		% Newborns within 1 ho to Total l	breast fed our of birth	Number of visited wit of Home	hin 24 hrs
	2015-16 2014-15		2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	94.8	97.7	935	688	16.3	14.9	5,210	4,278	86.1	90.5	141	154
1	Babai	100.0	100.0	10	32	3.1	9.6	320	332	100.0	100.0	9	13
2	Bankhedi	99.4	95.9	23	80	6.5	19.0	355	438	99.7	100.0	26	15
3	Dolaria	100.0	100.0	1	2	2.6	5.1	39	37	100.0	94.9	3	0
4	Dolaria Block												
5	Hoshangabad	89.1	96.2	507	192	19.8	9.8	2,049	1,780	71.1	87.1		
6	Kesla	100.0	99.6	88	229	12.2	32.9	720	541	99.7	77.3	16	34
7	Pipariya	100.0	100.0	236	55	23.8	11.5	993	479	100.0	100.0	36	35
8	Seoni-Malwa	99.7	100.0	34	46	8.9	12.2	383	376	99.7	100.0	44	43
9	Sohagpur	100.0	96.5	36	52	10.3	16.9	351	295	100.0	92.8	7	14

		5	5	5	6	5	7	5	8	5	9	6	0
	Indicators	newborn within 24h delivery reporte deliv	s visited rs of home to total	Sex Ra birth (Fe Bitr Male Birtl	male Live ths/	cases of women with Complica attended to	tions and	Compl Pregnancie witl antihype Magsulph ii Total Wo Obst Compli atter	icated es treated h IV rtensive/ njection to men with etric cations	Compl Pregnancio witl antihype Magsulph ii	es treated h IV rtensive/ njection to ew cases ed with	Compl Pregnancie with Transfusio Wome Obst Complie atter	icated es treated Blood n to Total n with etric cations
			2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	89.2	86.5	904	882	23.3	12.2	25.6	14.0	198.4	16.4	17.6	28.8
1	Babai	100.0	100.0	893	953	5.1	2.8	100.0	100.0	57.1	20.5	0.0	0.0
2	Bankhedi	100.0	71.4	816	788	6.7	8.9	100.0	16.2	125.0	4.9	0.0	0.0
3	Dolaria	75.0	0.0	857	857	5.6	0.0	0.0			0.0	0.0	
4	Dolaria Block			0	0								
5	Hoshangabad			910	893	34.6	8.6	23.7	1.1	715.2	3.6	20.6	58.4
6	Kesla	69.6	75.6	946	872	24.9	43.8	21.6	15.2	105.6	400.0	24.4	20.3
7	Pipariya	100.0	87.5	913	931	7.6	2.3	54.1	170.0	222.2	73.9	0.0	0.0
8	Seoni-Malwa	95.7	100.0	745	880	0.0	0.0			0.0	0.0		
9	Sohagpur	50.0	100.0	1,041	838	33.4	13.4	0.9	2.4	8.3	0.6	0.0	0.0

		6	1	6	2	6	3	6	4	6	5	6	6
	Post - Natal Care / PNC maternal complications attended to Total Deliveries		Natal C maternal cations to Total	Total Nu Abort (Sponta Induced)	tions aneous/	Total Nu MTPs (repo	Public)	% <i>M</i> (Public) to		MTPs up to of Pregn Total MTP: Institu	12 weeks ancy to s at Public	MTPs mor weeks of F to Total	Pregnancy
			2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	1.7	0.8	403	214	246	131	61.0	61.2	96.3	84.0	3.7	16.0
1	Babai	0.0	0.0	34	24	29	23	85.3	95.8	75.9	100.0	24.1	0.0
2	Bankhedi	4.6	2.1	20	9	0	5	0.0	55.6		100.0		0.0
3	Dolaria	0.0	0.0	5	6	9	1	180.0	16.7	100.0	100.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	0.1	0.1	165	81	4	6	2.4	7.4	100.0	100.0	0.0	0.0
6	Kesla	1.2	1.4	25	21	24	5	96.0	23.8	100.0	100.0	0.0	0.0
7	Pipariya	7.4	3.9	113	32	129	19	114.2	59.4	98.4	100.0	1.6	0.0
8	Seoni-Malwa	0.0	0.0	8	13	7	2	87.5	15.4	100.0	100.0	0.0	0.0
9	Sohagpur	0.0	0.0	33	28	44	70	133.3	250.0	100.0	70.0	0.0	30.0

		6	7	6	8	6	9	7	0	7	1	7	2
	Indicators	9 MTPs Con Public Insti Total	ducted at tutions to	MTPs Cond Private Ins to Tota	ducted at stitutions	% Tota (Pul Conducted ANC Reg	blic) I to Total	Number of Tests cond Number of STI female which tr	Wet Mount ducted to f new RTI/ e cases for eatment	Numb Vasect Condi (Public	comies ucted	Numb Tubect Condu (Public	comies
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	65.6	47.3	34.4	52.7	4.2	2.2	0.0	33.4	6	9	225	166
1	Babai	100.0	100.0	0.0	0.0	4.1	3.5			0	0	0	0
2	Bankhedi		100.0		0.0	0.0	0.7			0	0	2	0
3	Dolaria	100.0	100.0	0.0	0.0	2.2	0.2	0.0	0.0	0	0	0	7
4	Dolaria Block												
5	Hoshangabad	3.0	3.9	97.0	96.1	0.6	0.8	0.0	47.0	6	5	147	67
6	Kesla	100.0	100.0	0.0	0.0	2.7	0.6	0.0	0.0	0	4	48	86
7	Pipariya	100.0	100.0	0.0	0.0	14.1	2.3	0.0	0.0	0	0	28	6
8	Seoni-Malwa	100.0	100.0	0.0	0.0	0.9	0.3	0.0	0.0	0	0	0	0
9	Sohagpur	100.0	100.0	0.0	0.0	5.4	8.3	0.0	0.0	0	0	0	0

		7	3	7	4	7	5	7	6	7	7	7	8
	Indicators	Total Ste Condi		% Male St (Vasect to Total st	omies)	7 Tubector Total ste	mies to	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasect conducte	mies and omies)	Total Ste (Tubecto Vasecto conducted	mies and omies)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	231	175	2.5	5.1	97.4	94.9	0	7	20	6	172	90
1	Babai	0	0					0	0	0	0		
2	Bankhedi	2	0	0.0		100.0		0	0	2	0		
3	Dolaria	0	7		0.0		100.0	0	7				
4	Dolaria Block												
5	Hoshangabad	153	72	3.9	6.9	96.1	93.1	0				114	0
6	Kesla	48	90	0.0	4.4	100.0	95.6	0	0	4	0	44	90
7	Pipariya	28	6	0.0	0.0	100.0	100.0	0	0	14	6	14	
8	Seoni-Malwa	0	0					0	0	0	0		
9	Sohagpur	0	0					0	0	0	0		

		7	9	8	0	8	1	8	2	8	3	8	4
	Indicators	Total Ste (Tubecto Vasect conducted public Ins	mies and omies) I at Other	Total Ste (Tubecto Vasect conducted institu	mies and omies) at Private	% Total St (Tubecto Vasect conducted Total Ste	mies and omies) at PHC to	% Total Sto (Tubecto Vasect conducted Total Sto	mies and omies) at CHC to	% Total Sto (Tubecto Vasect conducted to Total St	mies and omies) at SDH/DH	% Total Sto (Tubecto Vasecto conducted public Instit Total Ste	mies and omies) d at Other tutions to
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad			2	5	0.0	4.0	8.7	3.4	74.5	51.4	0.0	0.0
1	Babai												
2	Bankhedi					0.0		100.0		0.0		0.0	
3	Dolaria						100.0		0.0		0.0		0.0
4	Dolaria Block												
5	Hoshangabad			2	5	0.0	0.0	0.0	0.0	74.5	0.0	0.0	0.0
6	Kesla					0.0	0.0	8.3	0.0	91.7	100.0	0.0	0.0
7	Pipariya					0.0	0.0	50.0	100.0	50.0	0.0	0.0	0.0
8	Seoni-Malwa												
9	Sohagpur												

		8	5	8	6	8	7	8	8	8	9	9	0
	Indicators	% Total Sto (Tubecto Vasecti conducted institution Sterlis	mies and omies) at Private s to Total	Laparo sterlisation Female Ste	scopic is to Total	Mini Lap St to Total Sterilis	erlisations Female	Post P Sterlisation Female Ste	artum s to Total	Laparo sterlisation Institutions Laparo Sterilis	scopic s at Public to Total scopic	Mini Lap st at Public In to Total Sterilis	erlisations stitutions Mini Lap
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	16.9	41.1	21.3	32.5	69.8	37.3	8.8	30.1	81.3	27.8	88.5	59.7
1	Babai												
2	Bankhedi	0.0		100.0		0.0		0.0		100.0			
3	Dolaria		0.0		100.0		0.0		0.0		100.0		
4	Dolaria Block												
5	Hoshangabad	25.5	100.0	15.6	58.2	76.9	37.3	7.5	4.5	60.9	0.0	84.1	0.0
6	Kesla	0.0	0.0	10.4	2.3	70.8	43.0	18.8	54.7	100.0	100.0	100.0	100.0
7	Pipariya	0.0	0.0	64.3	100.0	35.7	0.0	0.0	0.0	100.0	100.0	100.0	
8	Seoni-Malwa												
9	Sohagpur												

		9	1	9	2	9	3	9	4	9	5	9	6
	Indicators	Post P sterlisation Institution: Post P Sterili	ns at Public s to Total artum	Sterlisatio	wing	IUCD Inser (public f	tions done acilities)	IUCD inser (pvt. fa	tions done cilities)	Total IUCD done(publi		PP IUCD I done (publi	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	50.0	94.0	0	0	1,539	1,385	13	11	1,552	1,396	485	220
1	Babai					163	95			163	95	27	21
2	Bankhedi			0	0	247	68			247	68	50	16
3	Dolaria			0	0	133	162			133	162	0	8
4	Dolaria Block												
5	Hoshangabad	9.1	0.0	0	0	50	43	13	11	63	54	54	21
6	Kesla	100.0	100.0	0	0	236	405			236	405	101	95
7	Pipariya			0	0	385	233			385	233	148	8
8	Seoni-Malwa			0	0	195	209			195	209	58	12
9	Sohagpur			0	0	130	170			130	170	47	39

		9	7	9	8	9	9	10	00	10	01	10)2
	Indicators	% PP IUCD (pul to Tota Insertion:	olic) al IUCD	% PP IUCD (pul to Total In: Deliverie:	olic) stitutional	IUCD inse public plu institutio family p methods (olanning	Oral Pills o	listributed	Condom distril		Centchro distril	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	31.5	15.8	10.6	5.9	87.0	88.8	29,114	25,771	302,043	275,398	0	0
1	Babai	16.6	22.1	8.6	6.6	100.0	100.0	2,881	2,643	25,061	25,961		
2	Bankhedi	20.2	23.5	11.1	3.8	99.2	100.0	2,605	978	16,554	11,637		0
3	Dolaria	0.0	4.9	0.0	21.6	100.0	95.9	2,171	2,146	25,282	24,390		0
4	Dolaria Block												
5	Hoshangabad	108.0	48.8	3.8	1.8	29.2	42.9	2,984	1,153	38,712	13,320	0	0
6	Kesla	42.8	23.5	14.3	14.4	83.1	81.8	4,880	5,354	88,657	90,531	0	0
7	Pipariya	38.4	3.4	15.3	1.8	93.2	97.5	6,335	6,397	88,155	80,166		0
8	Seoni-Malwa	29.7	5.7	17.0	3.6	100.0	100.0	3,424	3,086	5,496	5,603		0
9	Sohagpur	36.2	22.9	13.8	12.7	100.0	100.0	3,834	4,014	14,126	23,790		0

		10	03	10	04	10	05	10	06	10	07	10	08
	Indicators	given	of Infants OPV 0 Dose)	Number o		Newborns g at birth to		Newborns to Repo		Number o		Number o	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	4,662	3,959	5,394	4,610	77.1	83.8	89.2	97.6	87	4,485	54	4,511
1	Babai	320	351	326	358	100.0	105.7	101.9	107.8	0	547	0	497
2	Bankhedi	603	416	603	434	169.4	95.0	169.4	99.1	2	471	3	498
3	Dolaria	34	92	55	162	87.2	235.9	141.0	415.4	0	398	0	388
4	Dolaria Block												
5	Hoshangabad	1,383	1,399	1,823	1,570	48.0	68.5	63.3	76.8	85	379	51	425
6	Kesla	660	703	695	768	91.4	100.4	96.3	109.7	0	797	0	745
7	Pipariya	957	426	1,005	490	96.4	88.9	101.2	102.3	0	579	0	640
8	Seoni-Malwa	368	280	536	521	95.8	74.5	139.6	138.6	0	743	0	708
9	Sohagpur	337	292	351	307	96.0	91.8	100.0	96.5	0	571	0	610

		10)9	11	10	1	11	11	12	11	13	11	14
	Indicators	Number o		Number o			of Infants tavalent 2	Number o	of Infants tavalent 3	Number o	of Infants Measles	Infants months received vaccine to live b	0 to 11 old who I Measles o reported
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	79	4,681	5,218	0	4,956	0	4,988	0	5,755	4,903	95.1	103.7
1	Babai	0	518	577		569		531		576	557	180.0	167.8
2	Bankhedi	8	511	583	0	499	0	561	0	591	565	166.0	129.0
3	Dolaria	0	421	416	0	428	0	436	0	370	448	948.7	1148.7
4	Dolaria Block												
5	Hoshangabad	46	419	670	0	457	0	434	0	971	442	33.7	21.6
6	Kesla	1	777	883	0	840	0	845	0	885	838	122.6	119.7
7	Pipariya	6	666	815		830		779		899	643	90.5	134.2
8	Seoni-Malwa	4	734	637		665		708		734	814	191.1	216.5
9	Sohagpur	14	635	637	0	668	0	694	0	729	596	207.7	187.4

		11	15	11	16	1	17	11	18	11	19	1:	20
	Indicators	immunize	of fully d children nonths)	9 Drop Out BCG & /	between	Vitamin -	A dose 1	Children g dose1 to live	iven Vit A	Childre Vitamin A Children g dos	n given Dose 9 to given Vit A	Following I	e Events munisation ers)
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	5,087	4,149	-6.7	-6.4	5,179	4,808	85.7	101.8	189.0	29.1	0	0
1	Babai	580	559	-76.7	-55.6	586	557	183.1	167.8	109.4	59.6	0	
2	Bankhedi	297	323	2.0	-30.2	575	570	161.5	130.1	38.6	51.8	0	0
3	Dolaria	370	449	-572.7	-176.5	379	451	971.8	1156.4	67.8	61.4	0	0
4	Dolaria Block												
5	Hoshangabad	617	0	46.7	71.8	422	397	14.6	19.4	217.8	38.5	0	0
6	Kesla	894	716	-27.3	-9.1	865	812	119.8	116.0	483.9	2.2	0	0
7	Pipariya	899	643	10.5	-31.2	899	657	90.5	137.2	129.6	7.0	0	0
8	Seoni-Malwa	734	814	-36.9	-56.2	749	814	195.1	216.5	244.2	3.8	0	0
9	Sohagpur	696	645	-107.7	-94.1	704	550	200.6	173.0	80.7	44.5	0	0

		12	21	12	22	12	23	12	24	12	25	13	26
	Indicators	immunisation Held to Imm Sessions	on Sessions munisation	Immunisation where AS presein Immunisation Plan	on Sessions HAs were nt to	Diptheria i 0-5 Years Total Re Childhood	n Children of Age to eported	Pertusis ir 0-5 Years Total Re Childhood	of Age to eported I Diseases	Tetanus Ne in Children of Age t Reported (Diseases (eonatorum 1 0-5 Years 10 Total Childhood		Others in -5 Years of
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	97.2	96.5	82.1	84.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	Babai	99.8	97.3	96.7	91.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	Bankhedi	99.0	97.6	93.9	94.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	Dolaria	97.6	97.2	97.0	90.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	100.0	93.6	42.0	66.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	Kesla	99.5	96.7	74.0	80.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	Pipariya	96.8	99.1	75.2	85.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	Seoni-Malwa	89.1	92.6	80.4	82.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	Sohagpur	98.8	98.1	85.5	81.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

127 128 129 130 131 132 Diarrhoea and Measles in Children dehydration in Indicators Polio in Children 0-5 0-5 Years of Age to Children 0-5 Years of Malaria in Children 0-5 Age to Total Reported Years of Age to Total **Total Reported** Years of Age to Total **Adult Female** Reported Childhood **Childhood Diseases Childhood Diseases** Reported Childhood Inpatients to Total Children Inpatient to Diseases 0-5 Years 0-5 Years 0-5 Years Diseases 0-5 Years **Adult Inpatient Total Inpatient** 2015-16 2014-15 2015-16 2014-15 2015-16 2014-15 2015-16 2014-15 2015-16 2014-15 2015-16 2014-15 0.0 0.0 0.0 0.9 93.6 95.4 6.4 3.7 61.0 53.0 17.4 19.4 _Hoshangabad Babai 0.0 0.0 0.0 0.0 100.0 100.0 0.0 0.0 64.2 67.8 30.1 14.9 0.0 Bankhedi 0.0 0.0 0.0 61.3 100.0 38.7 0.0 69.8 51.9 4.4 5.2 0.0 0.0 0.0 72.6 69.3 7.2 0.9 Dolaria 0.0 100.0 27.4 0.0 85.2 **Dolaria Block** 0.0 100.0 0.0 33.0 43.5 28.4 Hoshangabad 0.0 0.0 0.0 67.0 61.125.6 7.5 5.2 Kesla 0.0 0.0 0.0 0.0 97.2 100.0 2.8 0.0 53.3 49.8 Pipariya 0.0 0.0 0.0 1.0 99.6 96.1 0.4 2.9 62.1 57.9 14.9 26.2 0.0 0.0 0.7 100.0 99.3 0.0 71.3 76.1 14.9 19.3 Seoni-Malwa 0.0 0.0 Sohagpur 0.0 0.0 0.0 3.0 36.1 95.8 63.9 1.2 50.4 61.9 24.7 10.5

		13	33	13	34	13	35	13	36	13	37	13	38
	Indicators	Female I Deaths t Inpatien	to Total	% Inpatient [Tota	Deaths to	IPD (Nu	umber)	OPD (N	umber)	% IPD	to OPD	Number Opera	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	31.9	41.9	0.3	0.4	32,129	24,488	220,611	178,852	14.6	13.7	750	680
1	Babai			0.0	0.0	1,260	767	17,446	13,476	7.2	5.7	0	
2	Bankhedi	0.0	100.0	0.1	0.1	2,770	1,927	14,147	15,163	19.6	12.7	0	0
3	Dolaria			0.0	0.0	458	233	9,667	7,798	4.7	3.0	0	0
4	Dolaria Block												
5	Hoshangabad		49.2	0.0	0.7	8,063	8,614	38,618	36,762	20.9	23.4	528	531
6	Kesla	31.0	27.3	0.7	0.8	4,031	4,129	49,046	43,103	8.2	9.6	172	148
7	Pipariya	34.5	37.5	0.5	0.1	10,656	5,361	50,705	27,077	21.0	19.8	50	1
8	Seoni-Malwa			0.0	0.0	1,163	1,114	14,004	16,001	8.3	7.0	0	0
9	Sohagpur			0.0	0.0	3,728	2,343	26,978	19,472	13.8	12.0	0	0

		13	39	14	40	14	41	14	12	14	43	14	14
	Indicators	Number Opera		% Major Ope Total Op	rations to	Numb Hystere Surge	ectomy	Hystere Surgeries Major Op	ectomy to Total	Ayush OPD	(Number)	AYUSH OP OI	D to Total
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	2,161	960	25.8	41.5	427	30	56.9	4.4	10,099	5,094	4.5	2.8
1	Babai	24		0.0		0				0	0	0.0	0.0
2	Bankhedi	61	0	0.0		0	0			2,631	2,213	18.6	14.6
3	Dolaria	184	0	0.0		0	0			7	2	0.1	0.0
4	Dolaria Block												
5	Hoshangabad	84	143	86.3	78.8	422	0	79.9	0.0	0	0	0.0	0.0
6	Kesla	155	35	52.6	80.9	5	30	2.9	20.3	1,604	623	3.3	1.4
7	Pipariya	1,620	755	3.0	0.1	0	0	0.0	0.0	4,595	1,319	9.1	4.9
8	Seoni-Malwa	0	27		0.0	0	0			1	0	0.0	0.0
9	Sohagpur	33	0	0.0		0	0			1,261	937	4.7	4.8

		14	45	14	16	14	47	14	18	14	49	1!	50
	Indicators	Dental OPE) (Number)	9 Dental OP OI	D to Total	Adolescent (Nun	counselled nber)	Hb < 7 mg Hb Tests C	to Total	Male HIV P Total Male		Female HI' to Total Tes	V Positive
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	642	1,004	0.3	0.6	153	957	2.6	3.4	0.2	11.3	0.1	8.8
1	Babai	0	0	0.0	0.0	89	0	2.3	2.5			0.0	0.0
2	Bankhedi	0	0	0.0	0.0	0	0	4.1	3.8	0.0	0.0	0.0	0.0
3	Dolaria	0	0	0.0	0.0	0	0	0.2	1.5	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	0	881	0.0	2.4	0	862	3.9	8.7	0.1	0.2	0.1	0.1
6	Kesla	0	0	0.0	0.0	50	94	0.7	1.1	0.0	76.0	0.0	57.2
7	Pipariya	642	123	1.3	0.5	0	0	2.3	1.9	0.3	0.8	0.1	0.0
8	Seoni-Malwa	0	0	0.0	0.0	14	0	1.2	1.4	0.0	0.0	0.0	0.0
9	Sohagpur	0	0	0.0	0.0	0	1	1.5	1.4	3.7	2.3	0.2	0.0

Indicators		151		152		153		154		155		156	
		% Total HIV Positive to Total Tested (Male + Female)		% Plasmodium Vivax test positive to Total Blood Smears Examined		% Plasmodium Falciparum test positive to Total Blood Smears Examined		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	0.1	9.2	0.4	5.3	0.2	1.6	109	74	3.3	2.9	2.2	0.0
1	Babai	0.0	0.0	0.3	0.4	0.2	0.1	21	5	0.0	40.0	0.0	0.0
2	Bankhedi	0.0	0.0	0.6	0.5	0.0	0.0	17		0.0		0.0	
3	Dolaria	0.0	0.0	0.2	0.2	0.0	0.0	6	6	0.0	0.0	0.0	0.0
4	Dolaria Block												
5	Hoshangabad	0.1	0.1	2.6	0.1	1.9	0.3	19		13.3		6.7	
6	Kesla	0.0	60.3	0.1	16.2	0.0	0.3	7	10	0.0	0.0	0.0	0.0
7	Pipariya	0.2	0.1	0.6	0.3	0.2	0.6	7	7	14.3	0.0	14.3	0.0
8	Seoni-Malwa	0.0	0.0	0.3	0.7	0.5	0.0	18	18	0.0	0.0	0.0	0.0
9	Sohagpur	0.4	0.1	0.6	16.5	0.2	14.3	14	28	0.0	0.0	0.0	0.0

Indicators		157		158		159		160		161		162	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15	2015-16	2014-15
	_Hoshangabad	8.8	5.8	4.4	7.2	0.0	2.9	2.2	1.4	0.0	0.0	79.1	79.7
1	Babai	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	100.0	40.0
2	Bankhedi	5.9		17.6		0.0		5.9		0.0		70.6	
3	Dolaria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
4	Dolaria Block												
5	Hoshangabad	20.0		0.0		0.0		6.7		0.0		53.3	
6	Kesla	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0
7	Pipariya	42.9	14.3	0.0	57.1	0.0	0.0	0.0	0.0	0.0	0.0	28.6	28.6
8	Seoni-Malwa	0.0	0.0	5.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0	94.4	94.4
9	Sohagpur	7.7	13.0	0.0	0.0	0.0	4.3	0.0	4.3	0.0	0.0	92.3	78.3