| | | 1 | | 2 | 2 | 3 | | 4 | 1 | 5 | 5 | 6 | |
|-----------|------------------------|--------------------------------------|---------|--|---------|---------------------------------------|---------|--------------------------------|---------|--|---------|--|---------|
| Indicator | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 48,402 | 39,926 | 100.3 | 112.1 | 1,068 | 904 | 97.8 | 97.8 | 32,838 | 24,417 | 18,964 | 3,055 |
| 1 | East Garo Hills | 2,465 | 3,057 | 107.2 | 99.4 | 37 | 48 | 98.5 | 98.5 | 1,015 | 1,203 | 1,156 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 17,110 | 13,656 | 102.5 | 112.4 | 451 | 383 | 97.4 | 97.3 | 12,569 | 8,491 | 10,132 | 1,747 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4,203 | 3,498 | 99.6 | 106.6 | 36 | 41 | 99.2 | 98.8 | 1,687 | 1,670 | 1,145 | 64 |
| 6 | South Garo Hills | 1,134 | 970 | 99.6 | 102.8 | 4 | 18 | 99.6 | 98.2 | 300 | 416 | 213 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 10,811 | 7,578 | 98.0 | 103.9 | 240 | 152 | 97.8 | 98.0 | 10,086 | 6,670 | 3,192 | 561 |
| 10 | West Jaintia Hills | 7,642 | 5,934 | 98.3 | 121.5 | 217 | 152 | 97.2 | 97.5 | 4,129 | 2,756 | 1,919 | 154 |
| 11 | West Khasi Hills | 5,037 | 5,233 | 98.4 | 130.8 | 83 | 110 | 98.4 | 97.9 | 3,052 | 3,211 | 1,207 | 529 |

| | Indicator | | 7 | 8 | 3 | Ò |) | 10 | | 1 | 1 | 12 | |
|----|------------------------|---------|--------------------------------|---------|---|---------|---|---------|--------------------|---------------------------------|---------|---------------------------------|---------|
| | | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | of Infants DPT1 | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 56,665 | 45,264 | 39.2 | 7.7 | 117.1 | 113.4 | 54,634 | 45,759 | 50,656 | 40,652 | 46,573 | 37,596 |
| 1 | East Garo Hills | 4,007 | 4,918 | 46.9 | 0.0 | 162.6 | 160.9 | 4,131 | 5,012 | 3,499 | 4,415 | 3,218 | 3,630 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 16,072 | 13,396 | 59.2 | 12.8 | 93.9 | 98.1 | 13,097 | 12,659 | 11,985 | 10,684 | 10,724 | 10,537 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4,769 | 3,612 | 27.2 | 1.8 | 113.5 | 103.3 | 5,252 | 3,665 | 4,661 | 3,400 | 4,266 | 3,104 |
| 6 | South Garo Hills | 2,740 | 2,175 | 18.8 | 0.0 | 241.6 | 224.2 | 2,488 | 2,045 | 2,382 | 1,951 | 2,100 | 1,556 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 12,386 | 7,917 | 29.5 | 7.4 | 114.6 | 104.5 | 12,516 | 8,062 | 12,411 | 7,969 | 11,978 | 7,484 |
| 10 | West Jaintia Hills | 9,170 | 6,349 | 25.1 | 2.6 | 120.0 | 107.0 | 9,353 | 6,882 | 8,560 | 5,957 | 7,845 | 5,476 |
| 11 | West Khasi Hills | 7,521 | 6,897 | 24.0 | 10.1 | 149.3 | 131.8 | 7,797 | 7,434 | 7,158 | 6,276 | 6,442 | 5,809 |

| Indicator | | 1 | 3 | 1 | 4 | 1 | .5 | 16 | | 17 | | 18 | |
|-----------|------------------------|--|---------|--|---------|--|---------|------------------------------------|---------|---|---------|--|---------|
| | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | | | | | | | 40,668 | 32,815 | 84.0 | 82.2 | 38,922 | 39,755 |
| 1 | East Garo Hills | | | | | | | 2,790 | 3,152 | 113.2 | 103.1 | 2,815 | 3,699 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | | | | | | | 9,642 | 9,506 | 56.4 | 69.6 | 8,735 | 9,268 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | | | 3,726 | 2,911 | 88.7 | 83.2 | 3,556 | 7,203 |
| 6 | South Garo Hills | | | | | | | 1,510 | 1,107 | 133.2 | 114.1 | 1,837 | 652 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | | | | | | | 10,864 | 7,271 | 100.5 | 95.9 | 10,488 | 6,916 |
| 10 | West Jaintia Hills | | | | | | | 6,691 | 3,719 | 87.6 | 62.7 | 6,381 | 6,177 |
| 11 | West Khasi Hills | | | | | | | 5,445 | 5,149 | 108.1 | 98.4 | 5,110 | 5,840 |

| | | 19 | | 2 | 20 | | 21 | | 22 | | 3 | 24 | |
|----|------------------------|----------------------------------|---------|--------------------|---------|--------------------------|---|---------|---|---------|----------------------------------|---|---------|
| | Indicator | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | Children g dose1 to R | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | e Events Imunisation ters) | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 28.2 | 27.5 | 27,252 | 41,977 | 56.3 | 105.1 | 15.7 | 0.2 | 1 | 1 | 78.5 | 92.5 |
| 1 | East Garo Hills | 30.4 | 35.9 | 1,640 | 3,257 | 66.5 | 106.5 | 30.0 | 0.0 | | | 75.3 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 40.0 | 29.0 | 10,148 | 10,100 | 59.3 | 74.0 | 4.7 | 0.4 | | | 89.1 | 93.5 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 21.9 | 19.4 | 2,505 | 3,963 | 59.6 | 113.3 | 8.6 | 0.2 | | | 87.6 | 83.8 |
| 6 | South Garo Hills | 44.9 | 49.1 | 1,044 | 1,543 | 92.1 | 159.1 | 25.2 | 0.0 | | | 81.4 | 88.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 12.3 | 8.2 | 5,875 | 8,156 | 54.3 | 107.6 | 28.0 | 0.0 | | | 83.4 | 96.5 |
| 10 | West Jaintia Hills | 27.0 | 41.4 | 3,237 | 8,273 | 42.4 | 139.4 | 28.6 | 0.0 | 1 | | 87.2 | |
| 11 | West Khasi Hills | 27.6 | 25.3 | 2,803 | 6,685 | 55.6 | 127.7 | 9.5 | 0.2 | | 1 | 49.8 | 86.0 |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 | |
|-----------|------------------------|---|---------|---|---------|--|--|---------|--|---------|--|---------|---|--|
| Indicator | | 1mmunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Pertusis ir 0-5 Years Total R Childhood | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | |
| | _Meghalaya | 60.2 | 50.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 1 | East Garo Hills | 63.3 | | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | | |
| 3 | East Khasi Hills | 63.8 | 83.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | |
| 4 | North Garo Hills | | | | | | | | | | | | | |
| 5 | Ri Bhoi | 57.7 | 76.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 6 | South Garo Hills | 75.1 | 78.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | | |
| 9 | West Garo Hills | 79.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 10 | West Jaintia Hills | 45.0 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| 11 | West Khasi Hills | 36.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |

| | - | | 31 | | 32 | | 3 | 34 | | 35 | | 36 | | |
|-----------|------------------------|---|---------|---|---------|---|---------|---|---------|--|---------|--|---------|--|
| Indicator | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | |
| | _Meghalaya | 2.2 | 1.8 | 76.9 | 70.5 | 20.9 | 27.7 | 1,283 | 537 | 4.0 | 0.2 | 7.6 | 2.0 | |
| 1 | East Garo Hills | 2.8 | 1.6 | 32.7 | 31.8 | 64.4 | 66.4 | 49 | 31 | 10.2 | 0.0 | 10.2 | 0.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | | |
| 3 | East Khasi Hills | 2.7 | 0.9 | 92.4 | 92.2 | 4.8 | 6.9 | 552 | 506 | 3.6 | 0.2 | 8.4 | 2.1 | |
| 4 | North Garo Hills | | | | | | | | | | | | | |
| 5 | Ri Bhoi | 1.2 | 8.1 | 91.7 | 85.9 | 7.1 | 6.0 | 48 | | 2.1 | | 19.1 | | |
| 6 | South Garo Hills | 0.1 | 0.0 | 42.5 | 50.9 | 57.4 | 49.1 | 27 | | 0.0 | | 0.0 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | | |
| 9 | West Garo Hills | 1.7 | 0.1 | 52.6 | 42.2 | 45.8 | 57.7 | 404 | | 3.2 | | 4.3 | | |
| 10 | West Jaintia Hills | 3.0 | 4.5 | 96.1 | 88.5 | 0.8 | 6.9 | 153 | | 4.8 | | 9.0 | | |
| 11 | West Khasi Hills | 1.5 | 0.2 | 89.7 | 96.3 | 8.8 | 3.5 | 50 | | 8.7 | | 13.0 | | |

| | | | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|-----------|------------------------|---|---------|---|---------|-------------------------------|---|---------|---|---------|---------------------------------------|--|---------|
| Indicator | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | Deaths Diarrhoe Reporte | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | 6 to Measles Reported Deaths | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 6.0 | 0.0 | 8.1 | 0.0 | 2.2 | 0.0 | 16.2 | 0.0 | 1.2 | 0.0 | 54.7 | 97.8 |
| 1 | East Garo Hills | 2.0 | 0.0 | 2.0 | 0.0 | 2.0 | 0.0 | 14.3 | 0.0 | 8.2 | 0.0 | 51.0 | 100.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 3.4 | 0.0 | 6.8 | 0.0 | 0.5 | 0.0 | 6.6 | 0.0 | 0.7 | 0.0 | 70.0 | 97.6 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 2.1 | | 6.4 | | 8.5 | | 19.1 | | 0.0 | | 42.6 | |
| 6 | South Garo Hills | 0.0 | | 0.0 | | 15.4 | | 76.9 | | 0.0 | | 7.7 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 7.7 | | 12.0 | | 0.8 | | 25.3 | | 0.5 | | 46.3 | |
| 10 | West Jaintia Hills | 15.2 | | 6.9 | | 3.4 | | 12.4 | | 2.8 | | 45.5 | |
| 11 | West Khasi Hills | 0.0 | | 4.3 | | 13.0 | | 10.9 | | 0.0 | | 50.0 | |