| | | | 1 | 2 | 2 | 3 | 3 | 4 | 1 | | 5 | | 6 |
|----|------------------------|---------|----------------------------------|------------------------------------|---------|----------|-----------------------|---------|---------|------------------------|---------|---------|------------------------------------|
| | Indicator | pregnan | imber of t women d for ANC | Number o women r within firs | | Number o | of Women under JSY | | ~ | JSY regis Total ANC | | | f pregnant eived 3 ANC k ups |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 51,987 | 37,607 | 13,966 | 7,653 | 12,685 | 30 | 26.9 | 20.3 | 24.4 | 0.1 | 21,200 | 13,901 |
| 1 | East Garo Hills | 3,781 | 3,395 | 1,187 | 1,136 | 877 | | 31.4 | 33.5 | 23.2 | 0.0 | 1,371 | 1,354 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 20,099 | 15,707 | 4,788 | 1,972 | 3,773 | | 23.8 | 12.6 | 18.8 | 0.0 | 8,964 | 5,553 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4,374 | 3,454 | 1,445 | 1,176 | 1,126 | | 33.0 | 34.0 | 25.7 | 0.0 | 1,933 | 1,423 |
| 6 | South Garo Hills | 1,169 | 991 | 241 | 294 | 31 | | 20.6 | 29.7 | 2.7 | 0.0 | 255 | 195 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 9,299 | 4,790 | 3,630 | 1,560 | 4,400 | | 39.0 | 32.6 | 47.3 | 0.0 | 4,499 | 1,966 |
| 10 | West Jaintia Hills | 8,250 | 4,717 | 1,551 | 677 | 1,495 | 30 | 18.8 | 14.4 | 18.1 | 0.6 | 2,112 | 1,480 |
| 11 | West Khasi Hills | 5,015 | 4,553 | 1,124 | 838 | 983 | | 22.4 | 18.4 | 19.6 | 0.0 | 2,066 | 1,930 |

| _ | | | | | | | | | | | | | |
|----|------------------------|---------|-----------------------------------|--|----------------------------------|---------------------|---|------------------------------|---------|------------------------------------|-------------------------|--------------------------|-----------|
| | | 7 | 7 | 8 | 3 | ġ | • | 1 | 0 | 1 | 1 | 1 | 2 |
| | Indicator | | ster given to t women bers) | Pregnant received 3 a ups to To Registi | t Woman ANC check otal ANC | Pregnan received | 6 t women 1 TT2 or Total ANC ration | Number o women giv tab | | Pregnant w 100 IFA to Regist | omen given Total ANC | Number l level<11 (te | having Hb |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 26,745 | 19,828 | 40.8 | 37.0 | 51.4 | 52.7 | 16,775 | 24,504 | 32.3 | 65.2 | 5,283 | 67 |
| 1 | East Garo Hills | 2,304 | 2,394 | 36.3 | 39.9 | 60.9 | 70.5 | 699 | 6,418 | 18.5 | 189.0 | 482 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 6,626 | 6,349 | 44.6 | 35.4 | 33.0 | 40.4 | 8,491 | 6,015 | 42.2 | 38.3 | 1,447 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 2,587 | 1,698 | 44.2 | 41.2 | 59.1 | 49.2 | 822 | 1,000 | 18.8 | 29.0 | 489 | |
| 6 | South Garo Hills | 893 | 865 | 21.8 | 19.7 | 76.4 | 87.3 | 595 | 1,023 | 50.9 | 103.2 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 7,020 | 3,374 | 48.4 | 41.0 | 75.5 | 70.4 | 4,510 | 4,867 | 48.5 | 101.6 | 1,564 | · |
| 10 | West Jaintia Hills | 4,214 | 2,271 | 25.6 | 31.4 | 51.1 | 48.1 | 1,123 | 1,811 | 13.6 | 38.4 | 1,218 | 67 |
| 11 | West Khasi Hills | 3,101 | 2,877 | 41.2 | 42.4 | 61.8 | 63.2 | 535 | 3,370 | 10.7 | 74.0 | 83 | |

| | | 1 | 2 | 1 | 4 | 1 | - | 1 | 4 | 1 | 7 | 1 | 0 |
|----|------------------------|-----------|-----------------------------|--|--|-------------------------------------|-------------|---------|---------|---------------------------------|---------|-----------------------------------|---------|
| | Indicator | Number ha | ving severe emia o<7) | Pregnan having seve (Hb treated at in | t women re anaemia ><7) astitution to aving hb | New cases institut hypertensi | detected at | | of Home | Number deliveries a SBA t | of home | Number deliveries a Non SBA | of home |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 809 | 32 | 15.3 | 47.8 | 2.4 | 0.1 | 18,064 | 15,986 | 2,271 | 1,743 | 15,793 | 14,243 |
| 1 | East Garo Hills | 47 | | 9.8 | | 0.5 | 0.0 | 1,252 | 1,861 | 435 | 373 | 817 | 1,488 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 444 | | 30.7 | | 3.1 | 0.0 | 3,065 | 3,293 | 278 | 244 | 2,787 | 3,049 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 23 | | 4.7 | | 2.0 | 0.0 | 2,402 | 2,250 | 277 | 336 | 2,125 | 1,914 |
| 6 | South Garo Hills | | | | | 0.0 | 0.0 | 560 | 457 | 91 | 36 | 469 | 421 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 210 | | 13.4 | | 2.0 | 0.0 | 5,048 | 2,794 | 193 | 105 | 4,855 | 2,689 |
| 10 | West Jaintia Hills | 73 | 32 | 6.0 | 47.8 | 3.5 | 1.0 | 3,233 | 2,477 | 461 | 306 | 2,772 | 2,171 |
| 11 | West Khasi Hills | 12 | | 14.5 | | 1.5 | 0.0 | 2,504 | 2,854 | 536 | 343 | 1,968 | 2,511 |

| _ | | | | | | | | | | | | | |
|----|------------------------|-----------|-----------------------|-----------|-------------------------------|------------------------------------|-----------------------|---------------------------|--------------------------|-------------------------|---|-------------------------|--|
| | | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
| | Indicator | SBA atten | s to Total ed Home | incentive | paid JSY for home eries | Mothers incentive deliveries | s to Total ed Home | Deliveries at Public I | Conducted nstitutions | Discharge hours of d | of Women d under 48 lelivery in facilities | less than 4 delivery | scharged in 8 hours of to Total Deliveries at |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 12.6 | 10.9 | 2,388 | | 13.2 | 0.0 | 10,433 | 9,768 | 5,783 | | 55.4 | 0.0 |
| 1 | East Garo Hills | 34.7 | 20.0 | 1 | | 0.1 | 0.0 | 538 | 433 | 313 | | 58.2 | 0.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 9.1 | 7.4 | 429 | | 14.0 | 0.0 | 5,733 | 6,724 | 2,295 | | 40.0 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 11.5 | 14.9 | 285 | | 11.9 | 0.0 | 372 | 426 | 366 | | 98.4 | 0.0 |
| 6 | South Garo Hills | 16.3 | 7.9 | | | 0.0 | 0.0 | 163 | 103 | 74 | | 45.4 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 3.8 | 3.8 | 1,099 | | 21.8 | 0.0 | 1,898 | 1,061 | 1,377 | | 72.6 | 0.0 |
| 10 | West Jaintia Hills | 14.3 | 12.4 | 314 | | 9.7 | 0.0 | 1,066 | 1,021 | 825 | | 77.4 | 0.0 |
| 11 | West Khasi Hills | 21.4 | 12.0 | 260 | | 10.4 | 0.0 | 663 | | 533 | | 80.4 | |

| | | | _ | | | | _ | | | | | | |
|----|------------------------|----------------------------|------------|--|-----------------------|------------------|------------------|-----------------------------------|--------------------------|--------------------------------|---------------|-----------------------------------|-------------------------|
| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
| | Indicator | Institutiona (Public In | nsts.+Pvt. | 9/ Institutiona to tota registi | l Deliveries l ANC | Total r deliv | eported eries | Institutiona to Total Deliv | l deliveries Reported | 9/ Safe deliver Reported | ries to Total | 9 Home del Total R Deliv | liveries to Leported |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 13,585 | 9,768 | 26.1 | 26.0 | 31,649 | 25,754 | 42.9 | 37.9 | 50.1 | 44.7 | 57.1 | 62.1 |
| 1 | East Garo Hills | 538 | 433 | 14.2 | 12.8 | 1,790 | 2,294 | 30.1 | 18.9 | 54.4 | 35.1 | 69.9 | 81.1 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 7,390 | 6,724 | 36.8 | 42.8 | 10,455 | 10,017 | 70.7 | 67.1 | 73.3 | 69.6 | 29.3 | 32.9 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 372 | 426 | 8.5 | 12.3 | 2,774 | 2,676 | 13.4 | 15.9 | 23.4 | 28.5 | 86.6 | 84.1 |
| 6 | South Garo Hills | 163 | 103 | 13.9 | 10.4 | 723 | 560 | 22.5 | 18.4 | 35.1 | 24.8 | 77.5 | 81.6 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 2,368 | 1,061 | 25.5 | 22.2 | 7,416 | 3,855 | 31.9 | 27.5 | 34.5 | 30.2 | 68.1 | 72.5 |
| 10 | West Jaintia Hills | 1,939 | 1,021 | 23.5 | 21.6 | 5,172 | 3,498 | 37.5 | 29.2 | 46.4 | 37.9 | 62.5 | 70.8 |
| 11 | West Khasi Hills | 815 | | 16.3 | 0.0 | 3,319 | 2,854 | 24.6 | 0.0 | 40.7 | 12.0 | 75.4 | 100.0 |

| _ | | | | | | | | | | | | | |
|----|------------------------|--------------|--|-----------------------------------|---------|-------------------|---|-------------------------|---|--------------------------|-------------|---|----------------------------|
| | | 3 | 1 | 3 | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
| | Indicator | deliveries c | f C-section onducted at facilities | Number of deliveries of private s | | to rep institu | + Pvt.) oorted itional + Pvt.) | C-sections of public fa | % conducted at cilities to onducted at cacilities | C-sections of Private fa | onducted at | Deliveries c Public Inst Total Ins Deliv | titutions to titutional |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 966 | 660 | 1,014 | 355 | 14.6 | 10.4 | 9.3 | 6.8 | 32.2 | | 76.8 | 100.0 |
| 1 | East Garo Hills | 1 | | | | 0.2 | 0.0 | 0.2 | 0.0 | | | 100.0 | 100.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 882 | 622 | 739 | 206 | 21.9 | 12.3 | 15.4 | 9.3 | 44.6 | | 77.6 | 100.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 6 | South Garo Hills | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 100.0 | 100.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 64 | 32 | 125 | 83 | 8.0 | 10.8 | 3.4 | 3.0 | 26.6 | | 80.2 | 100.0 |
| 10 | West Jaintia Hills | 16 | 4 | 148 | 66 | 8.5 | 6.9 | 1.5 | 0.4 | 17.0 | | 55.0 | 100.0 |
| 11 | West Khasi Hills | 3 | 2 | 2 | | 0.6 | | 0.5 | | 1.3 | | 81.3 | |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|----|------------------------|-------------------------------|-------------------------|------------|----------|-------------|---|---------------------|---|------------|---------|------------------|--|
| | Indicator | Incentive for at Public in | paid JSY or Delivery | institutio | here JSY | Private Ins | onducted at titutions to titutional | partum within 48 | ceived post check-up 3 hours of very | between 48 | | partum within 48 | ceiving post check-up hours of to Total |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 41.6 | 0.0 | 14.7 | 0.0 | 23.2 | 0.0 | 11,939 | 226 | 11,142 | 3,192 | 37.7 | 0.9 |
| 1 | East Garo Hills | 18.0 | 0.0 | 24.3 | 0.0 | 0.0 | 0.0 | 468 | | 579 | 151 | 26.1 | 0.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 39.9 | 0.0 | 2.9 | 0.0 | 22.4 | 0.0 | 4,992 | 40 | 3,722 | 440 | 47.7 | 0.4 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 46.8 | 0.0 | 15.3 | 0.0 | 0.0 | 0.0 | 783 | | 1,107 | 279 | 28.2 | 0.0 |
| 6 | South Garo Hills | 24.5 | 0.0 | 12.9 | 0.0 | 0.0 | 0.0 | 62 | | 103 | 40 | 8.6 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 49.4 | 0.0 | 49.6 | 0.0 | 19.8 | 0.0 | 3,425 | | 3,457 | 1,474 | 46.2 | 0.0 |
| 10 | West Jaintia Hills | 53.0 | 0.0 | 5.5 | 0.0 | 45.0 | 0.0 | 1,262 | | 1,552 | 456 | 24.4 | 0.0 |
| 11 | West Khasi Hills | 35.4 | | 23.7 | | 18.7 | | 947 | 186 | 622 | 352 | 28.5 | 6.5 |

| _ | | | | | | | | | | | | | |
|----|------------------------|---------|---|------------------------|---------|-------------------------------------|------------------------|------------------------|--------------------------|---------|-------------------------|---------|------------------------|
| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
| | Indicator | | etting Post Checkup S hours and to Total | Total Nu reported l | | % Total Rep Births t Deliv | orted Live to Total | Total No reported S | ımber of itill Births | | √₀ o Reported rth | | f Newborns at birth |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 35.2 | 12.4 | 32,056 | 26,485 | 101.3 | 102.8 | 709 | 574 | 97.8 | 97.9 | 22,057 | 16,101 |
| 1 | East Garo Hills | 32.3 | 6.6 | 1,955 | 2,157 | 109.2 | 94.0 | 23 | 33 | 98.8 | 98.5 | 730 | 820 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 35.6 | 4.4 | 11,028 | 9,965 | 105.5 | 99.5 | 296 | 281 | 97.4 | 97.3 | 7,949 | 6,616 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 39.9 | 10.4 | 2,759 | 2,651 | 99.5 | 99.1 | 21 | 37 | 99.2 | 98.6 | 1,198 | 1,162 |
| 6 | South Garo Hills | 14.2 | 7.1 | 718 | 556 | 99.3 | 99.3 | 3 | 12 | 99.6 | 97.9 | 185 | 267 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 46.6 | 38.2 | 7,259 | 3,790 | 97.9 | 98.3 | 155 | 73 | 97.9 | 98.1 | 6,901 | 3,177 |
| 10 | West Jaintia Hills | 30.0 | 13.0 | 5,070 | 3,429 | 98.0 | 98.0 | 157 | 76 | 97.0 | 97.8 | 2,906 | 1,678 |
| 11 | West Khasi Hills | 18.7 | 12.3 | 3,267 | 3,937 | 98.4 | 137.9 | 54 | 62 | 98.4 | 98.4 | 2,188 | 2,381 |

| | | 4 | 9 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|----|------------------------|-----------------------------|------------|---------------------------------|---------|------------------------|--------------|------------------------|---------|-------------|------------|---------|---------------------------------------|
| | Indicator | % Newborns birth to l | weighed at | Number of having weig 2.5 | | Newborn weight less | s weighed at | Number of Breast Fe | | within 1 ho | breast fed | | New Borns in 24 hrs of Delivery |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 68.8 | 60.8 | 2,496 | 1,921 | 11.3 | 11.9 | 21,565 | | 67.3 | 0.0 | 4,198 | |
| 1 | East Garo Hills | 37.3 | 38.0 | 107 | 216 | 14.7 | 26.3 | 965 | | 49.4 | 0.0 | 252 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 72.1 | 66.4 | 1,364 | 1,250 | 17.2 | 18.9 | 7,956 | | 72.1 | 0.0 | 763 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 43.4 | 43.8 | 52 | 51 | 4.3 | 4.4 | 2,193 | | 79.5 | 0.0 | 427 | |
| 6 | South Garo Hills | 25.8 | 48.0 | 31 | 14 | 16.8 | 5.2 | 258 | | 35.9 | 0.0 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 95.1 | 83.8 | 393 | 197 | 5.7 | 6.2 | 6,180 | | 85.1 | 0.0 | 1,619 | |
| 10 | West Jaintia Hills | 57.3 | 48.9 | 481 | 91 | 16.6 | 5.4 | 2,608 | | 51.4 | 0.0 | 700 | |
| 11 | West Khasi Hills | 67.0 | 60.5 | 68 | 102 | 3.1 | 4.3 | 1,405 | | 43.0 | 0.0 | 437 | |

| | | 5. | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|----|------------------------|--|--|---------------------------------------|-------------------|----------|---|----------|--------------------------------|--|---|---|---|
| | Indicator | newborns vi 24hrs of hor to total rep deliv | isited within me delivery orted home | Sex Rabirth (Fe Bitr Male Birt | male Live ths/ | Complica | Pregnant h Obstetric ations and o reported | Total Wo | licated les treated n IV | Compl Pregnanci with antihype Magsulph i Total N detecte Hypert | es treated I IV rtensive/ injection to ew cases od with | Comp Pregnanci with Blood to Total W Obst Complication | licated les treated Transfusion Jomen with letric |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 23.2 | 0.0 | 963 | 1,039 | 6.9 | 6.2 | 21.0 | 0.0 | 15.4 | 0.0 | 10.9 | 0.0 |
| 1 | East Garo Hills | 20.1 | 0.0 | 969 | 1,018 | 5.4 | 17.3 | 141.4 | 0.0 | 227.8 | | 0.0 | 0.0 |
| 2 | East Jaintia Hills | | | 0 | 0 | | | | | | | | |
| 3 | East Khasi Hills | 24.9 | 0.0 | 920 | 1,042 | 5.8 | 2.1 | 29.7 | 0.0 | 20.6 | | 11.7 | 0.0 |
| 4 | North Garo Hills | | | 0 | 0 | | | | | | | | |
| 5 | Ri Bhoi | 17.8 | 0.0 | 953 | 1,124 | 11.0 | 32.6 | 0.0 | 0.0 | 0.0 | | 0.0 | 0.0 |
| 6 | South Garo Hills | 0.0 | 0.0 | 989 | 1,014 | 0.0 | 2.9 | | 0.0 | | | | 0.0 |
| 7 | South West Garo Hills | | | 0 | 0 | | | | | | | | |
| 8 | South West Khasi Hills | | | 0 | 0 | | | | | | | | |
| 9 | West Garo Hills | 32.1 | 0.0 | 963 | 1,056 | 14.2 | 18.4 | 4.8 | 0.0 | 8.5 | | 15.2 | 0.0 |
| 10 | West Jaintia Hills | 21.7 | 0.0 | 1,067 | 1,071 | 2.2 | 4.6 | 23.8 | 0.0 | 3.5 | 0.0 | 2.4 | 0.0 |
| 11 | West Khasi Hills | 17.5 | 0.0 | 962 | 950 | 7.2 | | 3.4 | 0.0 | 2.7 | | 0.0 | 0.0 |

| | | | | _ | | | | | | _ | | | _ |
|----|------------------------|--------------|---------|-----------------|---------|------------------------|---------------------------|---------|-------------------|-----------|--|-------------|--|
| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
| | Indicator | Post - Natal | | Abor (Spont | | Total Ni MTPs (Pub | ımber of lic) reported | | ATPs Abortions | Pregnancy | 12 weeks of y to Total at Public | weeks of Pr | re than 12 egnancy to Ps at Public |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 3.8 | 0.7 | 1,138 | 1,006 | 239 | 87 | 21.0 | 8.6 | 92.1 | 92.0 | 7.9 | 8.0 |
| 1 | East Garo Hills | 0.6 | 0.0 | 21 | 58 | 11 | 5 | 52.4 | 8.6 | 72.7 | 40.0 | 27.3 | 60.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 10.9 | 0.0 | 720 | 709 | 135 | 37 | 18.8 | 5.2 | 95.6 | 89.2 | 4.4 | 10.8 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.4 | 0.0 | 20 | 18 | | | 0.0 | 0.0 | | | | |
| 6 | South Garo Hills | 0.0 | 0.0 | 1 | 2 | | | 0.0 | 0.0 | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.2 | 0.0 | 59 | 50 | 45 | | 76.3 | 0.0 | 100.0 | | 0.0 | |
| 10 | West Jaintia Hills | 0.3 | 0.0 | 240 | 83 | 42 | 45 | 17.5 | 54.2 | 88.1 | 100.0 | 11.9 | 0.0 |
| 11 | West Khasi Hills | 0.4 | 6.2 | 77 | 86 | 6 | | 7.8 | 0.0 | 16.7 | | 83.3 | |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7. | 2 |
|----|------------------------|-------------|------------|--------------|------------|-------------------|--|--|--------------------------------------|----------------|--------------------------------------|---------|---------|
| | Indicator | Public Inst | nducted at | Private Inst | nducted at | (Pui Conducted | al MTPs blic) d to Total gistration | Tests con Number o STI femal which tr | Wet Mount ducted to f new RTI/ | Vasect Cond | ber of comies ucted + Pvt.) | | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 97.2 | 100.0 | 2.8 | 0.0 | 0.5 | 0.2 | 0.0 | 0.0 | 3 | 7 | 936 | 889 |
| 1 | East Garo Hills | 100.0 | 100.0 | 0.0 | 0.0 | 0.3 | 0.1 | 0.0 | 0.0 | 3 | | 21 | 29 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 100.0 | 100.0 | 0.0 | 0.0 | 0.7 | 0.2 | 0.0 | 0.0 | | 7 | 630 | 660 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | 20 | |
| 6 | South Garo Hills | | | | | 0.0 | 0.0 | 0.0 | 0.0 | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 100.0 | | 0.0 | | 0.5 | 0.0 | 0.0 | 0.0 | | | 179 | 75 |
| 10 | West Jaintia Hills | 85.7 | 100.0 | 14.3 | 0.0 | 0.5 | 1.0 | 0.0 | 0.0 | | | 86 | 76 |
| 11 | West Khasi Hills | 100.0 | | 0.0 | | 0.1 | 0.0 | 0.0 | 0.0 | | | | 49 |

| | | 7 | 3 | 7- | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|----|------------------------|-------------------|----------------------|------------------------------------|---------|----------------------------|-------------|----------|----------|---|----------|---------|----------|
| | Indicator | Total Ste Cond | rilisation lucted | % Male S (Vasect to Total st | tomies) | % Tubectomic sterili | es to Total | ` Vasect | mies and | Total Ste (Tubecto Vasect conducte | mies and | Vasect | mies and |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 939 | 896 | 0.3 | 0.8 | 99.7 | 99.2 | | | 18 | | 647 | 90 |
| 1 | East Garo Hills | 24 | 29 | 12.5 | 0.0 | 87.5 | 100.0 | | | 7 | | 11 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 630 | 667 | 0.0 | 1.0 | 100.0 | 99.0 | | | | | 420 | 90 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 20 | | 0.0 | | 100.0 | | | | 11 | | 9 | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 179 | 75 | 0.0 | 0.0 | 100.0 | 100.0 | | | | | 149 | |
| 10 | West Jaintia Hills | 86 | 76 | 0.0 | 0.0 | 100.0 | 100.0 | | | | | 58 | |
| 11 | West Khasi Hills | | 49 | | 0.0 | | 100.0 | | | | | | |

| | | 7 | 9 | 8 | 0 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|----|------------------------|----------|-----------------------------------|--------------------|------------|--------------------|-----------|------------------|--------------------|---|----------------------------------|---|--|
| | Indicator | ` Vasect | omies and omies) d at Other | (Tubecto Vasect | at Private | (Tubecto Vasect | at PHC to | Vasect conducted | mies and omies) | % Total St (Tubecto Vasect conducted a to Total S | omies and omies) at SDH/DH | % Total So (Tubecto Vasect conducted public Insti | omies and omies) I at Other itutions to |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 114 | 691 | | | 0.0 | 0.0 | 1.9 | 0.0 | 68.9 | 10.0 | 12.1 | 77.1 |
| 1 | East Garo Hills | 6 | 29 | | | 0.0 | 0.0 | 29.2 | 0.0 | 45.8 | 0.0 | 25.0 | 100.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 108 | 524 | | | 0.0 | 0.0 | 0.0 | 0.0 | 66.7 | 13.5 | 17.1 | 78.6 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 0.0 | | 55.0 | | 45.0 | | 0.0 | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | | 52 | | | 0.0 | 0.0 | 0.0 | 0.0 | 83.2 | 0.0 | 0.0 | 69.3 |
| 10 | West Jaintia Hills | | 39 | | | 0.0 | 0.0 | 0.0 | 0.0 | 67.4 | 0.0 | 0.0 | 51.3 |
| 11 | West Khasi Hills | | 47 | | | | 0.0 | | 0.0 | | 0.0 | | 95.9 |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|------------------------|--|---------------------------------------|-------------------------------------|------------------------|------------------------|---------|---|----------------------|-----------------------------|---|--|---|
| | Indicator | % Total St (Tubecto Vasecto conducted institution Sterlis | mies and omies) at Private s to Total | Lapar sterlisation Female Ste | oscopic is to Total | Mini Lap S to Total | | 9 Post P Sterlisation Female Ste | artum is to Total | sterlisation Institution | oscopic s at Public s to Total oscopic | Mini Lap s at Public II to Total Sterilis | terlisations nstitutions Mini Lap |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 17.0 | 12.8 | 3.2 | 0.7 | 18.8 | 10.0 | 78.0 | 89.3 | 26.7 | 0.0 | 53.4 | 5.6 |
| 1 | East Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 90.5 | 17.2 | 9.5 | 82.8 | | | 100.0 | 100.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 16.2 | 7.9 | 3.8 | 0.0 | 21.3 | 8.0 | 74.9 | 92.0 | 8.3 | | 44.8 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | | 30.0 | | 0.0 | | 70.0 | | 100.0 | | | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 16.8 | 30.7 | 0.0 | 0.0 | 8.4 | 0.0 | 91.6 | 100.0 | | | 100.0 | |
| 10 | West Jaintia Hills | 32.6 | 48.7 | 0.0 | 7.9 | 9.3 | 40.8 | 90.7 | 51.3 | | 0.0 | 0.0 | 0.0 |
| 11 | West Khasi Hills | | 4.1 | | 0.0 | | 0.0 | | 100.0 | | | | |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|----|------------------------|---|---|--|--------------------|------------------------|---------------------------|-----------------------|---------|---------|-----------------------------|-----------------------|------------------------------|
| | Indicator | Post P sterlisation Institution Post P | Partum es at Public es to Total eartum essation | Total cases follo Sterlisatio Fem | wing n (Male + | IUCD Inse (public f | rtions done acilities) | IUCD inse (pvt. fa | | | O Insertions ic+private) | PP IUCD done (publ | Insertions ic facilities) |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 92.3 | 96.9 | 1 | | 1,062 | 547 | 31 | 9 | 1,093 | 556 | | |
| 1 | East Garo Hills | 100.0 | 100.0 | | | 40 | 37 | | | 40 | 37 | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 98.7 | 100.0 | | | 369 | 296 | 8 | 3 | 377 | 299 | | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 100.0 | | | | 43 | 20 | | | 43 | 20 | | |
| 6 | South Garo Hills | | | | | 57 | | | | 57 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 81.7 | 69.3 | 1 | | 490 | 186 | 1 | 6 | 491 | 192 | | |
| 10 | West Jaintia Hills | 74.4 | 100.0 | | | 62 | 3 | 22 | | 84 | 3 | | |
| 11 | West Khasi Hills | | 95.9 | | | 1 | 5 | | | 1 | 5 | | |

| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
|----|------------------------|---|------------------|---------------------|---|---|---|------------|-------------|------------------|---------|---------|--------------------|
| | Indicator | % PP IUCI (pul to Tota Insertion | blic) il IUCD | (pul to Total In | O Insertions blic) astitutional s (public) | IUCD ins public plu institution family public methods (| ertions in us private ons to all olanning IUCD plus | Oral Pills | distributed | Condon distri | | | man Pills buted |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 0.0 | 0.0 | 0.0 | 0.0 | 53.8 | 38.3 | 32,606 | 18,324 | 131,909 | 88,448 | 6 | 2,199 |
| 1 | East Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 62.5 | 56.1 | 1,718 | 3,381 | 3,571 | 2,480 | | 5 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | 0.0 | 0.0 | 0.0 | 37.4 | 31.0 | 5,645 | 5,092 | 47,104 | 42,269 | | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | 0.0 | 0.0 | 0.0 | 68.3 | 100.0 | 6,882 | 1,348 | 10,893 | 8,822 | | 2,194 |
| 6 | South Garo Hills | 0.0 | | 0.0 | 0.0 | 100.0 | | 475 | 1,548 | 4,220 | 4,356 | 6 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.0 | 0.0 | 0.0 | 0.0 | 73.3 | 71.9 | 14,520 | 4,843 | 49,715 | 19,641 | | |
| 10 | West Jaintia Hills | 0.0 | 0.0 | 0.0 | 0.0 | 49.4 | 3.8 | 3,172 | 1,383 | 9,796 | 3,770 | | |
| 11 | West Khasi Hills | 0.0 | 0.0 | 0.0 | | 100.0 | 9.3 | 194 | 729 | 6,610 | 7,110 | | |

| | | 10 | 03 | 10 |)4 | 10 |)5 | 10 |)6 | 10 | 07 | 10 | 08 |
|----|------------------------|-----------------------------|---------|-------------------|---------|--------------------------------|------------------------|------------------------|-----------|----------|--------------------|----------|--------------------|
| | Indicator | Number o given (Birth | OPV 0 | Number o given | | Newborns at birth to live l | given OPV0 Reported | Newborns to Reporte | given BCG | Number o | of Infants DPT1 | Number o | of Infants DPT2 |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 11,991 | 1,079 | 38,019 | 27,710 | 37.4 | 4.1 | 118.6 | 104.6 | 36,987 | 27,482 | 34,303 | 24,772 |
| 1 | East Garo Hills | 736 | | 3,059 | 2,974 | 37.6 | 0.0 | 156.5 | 137.9 | 3,223 | 2,826 | 2,711 | 2,412 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 6,325 | 868 | 10,256 | 9,256 | 57.4 | 8.7 | 93.0 | 92.9 | 8,390 | 8,466 | 7,837 | 7,181 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 696 | | 3,151 | 2,663 | 25.2 | 0.0 | 114.2 | 100.5 | 3,438 | 2,713 | 3,130 | 2,595 |
| 6 | South Garo Hills | 29 | | 1,820 | 1,013 | 4.0 | 0.0 | 253.5 | 182.2 | 1,734 | 1,235 | 1,646 | 1,154 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 2,033 | | 8,312 | 3,777 | 28.0 | 0.0 | 114.5 | 99.7 | 8,584 | 3,723 | 8,444 | 3,809 |
| 10 | West Jaintia Hills | 1,392 | | 6,518 | 3,637 | 27.5 | 0.0 | 128.6 | 106.1 | 6,681 | 3,920 | 6,008 | 3,527 |
| 11 | West Khasi Hills | 780 | 211 | 4,903 | 4,390 | 23.9 | 5.4 | 150.1 | 111.5 | 4,937 | 4,599 | 4,527 | 4,094 |

| | | 10 | 09 | 11 | 10 | 1 | 11 | 1 | 12 | 11 | 13 | 11 | 14 |
|----|------------------------|-------------------|---------|----------|---------|---------------------|---------|----------|---------|---------------------|---------|--|-------------------------------|
| | Indicator | Number (given | | Number (| | Number given Pen | | Number (| | Number (given M | | Infants 0 to old who Measles v reported 1 | 11 months received vaccine to |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 31,339 | 23,358 | | | | | | | 25,771 | 19,589 | 80.4 | 74.0 |
| 1 | East Garo Hills | 2,446 | 2,003 | | | | | | | 2,051 | 1,720 | 104.9 | 79.7 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 7,077 | 7,428 | | | | | | | 5,963 | 6,584 | 54.1 | 66.1 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 2,913 | 2,352 | | | | | | | 2,421 | 2,196 | 87.7 | 82.8 |
| 6 | South Garo Hills | 1,420 | 972 | | | | | | | 924 | 301 | 128.7 | 54.1 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 8,050 | 3,685 | | | _ | | | | 6,811 | 3,403 | 93.8 | 89.8 |
| 10 | West Jaintia Hills | 5,406 | 3,210 | | | | | | | 4,363 | 2,232 | 86.1 | 65.1 |
| 11 | West Khasi Hills | 4,027 | 3,708 | | | | | | | 3,238 | 3,153 | 99.1 | 80.1 |

| | | 11 | 15 | 11 | 16 | 13 | 17 | 1: | 18 | 11 | 19 | 12 | 20 |
|----|------------------------|-------------------------------|---------|-------------------------|-----------|-----------|----------|---------------------------------|------------|--|---------------------------|-------------|----------------------------------|
| | Indicator | Number immunize (9-11 m | | 9/ Drop Out BCG & | t between | Vitamin - | A dose 1 | Children g dose1 to R bir | iven Vit A | Children giv A Dose 9 to given Vit | ven Vitamin o Children | Following I | e Events Imunisation ners) |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 24,848 | 23,952 | 32.2 | 29.3 | 7,867 | 27,259 | 24.5 | 102.9 | 14.7 | 0.0 | 1 | 1 |
| 1 | East Garo Hills | 2,087 | 2,213 | 33.0 | 42.2 | 575 | 1,976 | 29.4 | 91.6 | 34.4 | 0.0 | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 5,379 | 6,071 | 41.9 | 28.9 | 4,441 | 7,971 | 40.3 | 80.0 | 5.2 | 0.0 | | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 2,315 | 5,965 | 23.2 | 17.5 | 573 | 2,897 | 20.8 | 109.3 | 16.6 | 0.0 | | |
| 6 | South Garo Hills | 1,239 | 230 | 49.2 | 70.3 | 235 | 817 | 32.7 | 146.9 | 13.6 | 0.0 | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 6,680 | 3,040 | 18.1 | 9.9 | 1,190 | 3,972 | 16.4 | 104.8 | 30.3 | 0.0 | | |
| 10 | West Jaintia Hills | 4,154 | 2,840 | 33.1 | 38.6 | 200 | 4,909 | 3.9 | 143.2 | 95.5 | 0.0 | 1 | |
| 11 | West Khasi Hills | 2,994 | 3,593 | 34.0 | 28.2 | 653 | 4,717 | 20.0 | 119.8 | 7.2 | 0.0 | | 1 |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 1: | 24 | 12 | 25 | 12 | 26 |
|----|------------------------|---------|---------|----------------------|----------------------------------|-------------------------------------|--------------------------------------|--|---------|--------------------------|---------|---------|---|
| | Indicator | | | presei Immunisati | on Sessions HAs were nt to | Diptheria i 0-5 Years Total R | of Age to eported Diseases 0-5 | Pertusis in 0-5 Years Total R Childhood | | Tetanus Ne Children 0 | | | Others in -5 Years of al Reported Diseases 0-5 |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 78.1 | | 60.1 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | East Garo Hills | 74.7 | | 64.2 | | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 87.0 | | 63.6 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 87.4 | | 58.3 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | South Garo Hills | 89.1 | | 81.2 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 83.5 | | 79.3 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | West Jaintia Hills | 86.3 | | 42.5 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | West Khasi Hills | 48.5 | | 36.5 | | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|----|------------------------|---|---|---|--------------------------------------|--------------------------------|--|----------------------------|--|------------|---------|------------------------------|---------|
| | Indicator | Polio in Cl Years of A Reported Diseases (| hildren 0-5 ge to Total Childhood | Measles ir 0-5 Years Total R Childhood I | of Age to eported Diseases 0-5 | Diarrh dehydr Children 0 | ation in -5 Years of al Reported Diseases 0-5 | Malaria in (Years of A | % Children 0-5 ge to Total Childhood 0-5 Years | Inpatients | Female | % Children Ir Total Ir | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 0.0 | 0.0 | 2.2 | 1.5 | 75.5 | 70.8 | 22.2 | 27.7 | 64.5 | | 34.5 | |
| 1 | East Garo Hills | 0.0 | 0.0 | 3.2 | 1.7 | 29.3 | 31.1 | 67.5 | 67.0 | 54.4 | | 31.1 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | 0.0 | 2.4 | 0.6 | 92.2 | 93.8 | 5.4 | 5.6 | 71.2 | | 29.8 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | 0.0 | 1.1 | 9.3 | 93.6 | 85.6 | 5.3 | 5.1 | 55.6 | | 49.0 | |
| 6 | South Garo Hills | 0.0 | 0.0 | 0.2 | 0.0 | 43.6 | 50.6 | 56.2 | 49.4 | 47.6 | | 53.1 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.0 | 0.0 | 1.3 | 0.3 | 51.9 | 40.1 | 46.8 | 59.6 | 60.1 | | 28.9 | |
| 10 | West Jaintia Hills | 0.0 | 0.0 | 3.8 | 0.8 | 95.2 | 91.5 | 0.9 | 7.6 | 57.6 | | 37.6 | |
| 11 | West Khasi Hills | 0.0 | 0.0 | 1.8 | 0.2 | 88.4 | 95.9 | 9.8 | 3.9 | 58.6 | | 48.9 | |

| | | 11 | 22 | 10 | ., | 10 | \ _ | 11 | 16 | 10 | \ - | 11 | 10 |
|----|------------------------|--------------------------------|----------------------|---------------------------|-----------|---------|----------------|-----------|---------|---------|----------------|-----------------|--------------------|
| | | 13 | | 13 | 34 | 13 | 95 | 13 | 56 | 13 | 37 | 13 | 58 |
| | Indicator | Female I Deaths Inpatien | npatient to Total | 9/ Inpatient I Tota | Deaths to | IPD (N | umber) | OPD (N | (umber) | % IPD | to OPD | Number Opera | of Major ations |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 46.1 | | 2.1 | | 77,167 | | 1,350,522 | | 5.7 | | 14,774 | |
| 1 | East Garo Hills | 46.6 | | 2.4 | | 6,258 | | 64,476 | | 9.7 | | 11,201 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 45.6 | | 2.1 | | 36,575 | | 533,134 | | 6.9 | | 3,220 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 75.9 | | 0.6 | | 8,832 | | 131,519 | | 6.7 | | 8 | |
| 6 | South Garo Hills | 30.0 | | 2.0 | | 1,021 | | 10,163 | | 10.0 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 47.2 | | 1.9 | | 11,896 | | 254,938 | | 4.7 | | 308 | |
| 10 | West Jaintia Hills | 41.2 | | 4.3 | | 6,076 | | 199,395 | | 3.0 | | 37 | |
| 11 | West Khasi Hills | 45.9 | | 1.7 | | 6,509 | | 156,897 | _ | 4.1 | | | · |

| | | 13 | 39 | 14 | 10 | 14 | 41 | 14 | 12 | 14 | 13 | 14 | .4 |
|----|------------------------|-----------------|--------------------|----------|------------------------------|---------|---------------------------|----------|---------|-----------|------------|---------|-------------|
| | Indicator | Number Opera | of Minor ations | Major Op | % erations to peration | Hyster | ber of ectomy eries | Surgerie | ectomy | Ayush OPI |) (Number) | AYUSH O | PD to Total |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 1,924 | | 88.5 | | | | 0.0 | | 40,590 | | 3.0 | |
| 1 | East Garo Hills | 134 | | 98.8 | | | | 0.0 | | 328 | | 0.5 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 1,166 | | 73.4 | | | | 0.0 | | 4,312 | | 0.8 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 58 | | 12.1 | | | | 0.0 | | 6,863 | | 5.2 | |
| 6 | South Garo Hills | | | | | | | | | | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 337 | | 47.8 | | | | 0.0 | | 8,616 | | 3.4 | |
| 10 | West Jaintia Hills | 229 | | 13.9 | | | | 0.0 | | 4,467 | | 2.2 | |
| 11 | West Khasi Hills | | | | | | | | | 16,004 | | 10.2 | |

| Indicator | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|-----------|------------------------|---------------------|---------|---------------------------|---------|-----------------------------------|---------|---|---------|---|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % Male HIV Positive to Total Males Tested | | % Female HIV Positive to Total Females Tested | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 14,588 | | 1.1 | | 1,336 | | 6.3 | | 0.4 | | 0.0 | |
| 1 | East Garo Hills | 1,058 | | 1.6 | | 59 | | 20.6 | | 6.3 | | 0.7 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 2,051 | | 0.4 | | 70 | | 5.2 | | 0.0 | | 0.0 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 2,443 | | 1.9 | | 8 | | 13.9 | | | | | |
| 6 | South Garo Hills | | | 0.0 | | | | 8.7 | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 5,429 | | 2.1 | | 1,079 | | 7.3 | | 0.9 | | 0.0 | |
| 10 | West Jaintia Hills | 337 | | 0.2 | | 54 | | 13.3 | | 0.0 | | 0.0 | |
| 11 | West Khasi Hills | 3,270 | _ | 2.1 | | 66 | | 9.5 | | 0.0 | | 0.0 | |

| | | | | _ | | | | | | | | | |
|-----------|------------------------|---|---------|---|---------|--|---------|---|---------|--|---------|--|---------|
| Indicator | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 0.1 | | 2.0 | | 14.8 | | 755 | 395 | 4.2 | 0.0 | 7.9 | 0.0 |
| 1 | East Garo Hills | 1.3 | | 1.9 | | 25.7 | | 40 | | 10.0 | | 12.5 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | | 1.3 | | 4.6 | | 311 | 395 | 3.1 | 0.0 | 9.9 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | 1.1 | | 3.8 | | 14 | | 0.0 | | 23.1 | |
| 6 | South Garo Hills | | | 7.0 | | 19.0 | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.2 | | 1.2 | | 18.4 | | 284 | | 4.0 | | 2.9 | |
| 10 | West Jaintia Hills | 0.0 | | 4.6 | | 0.9 | | 71 | | 4.6 | | 12.3 | |
| 11 | West Khasi Hills | 0.0 | | 6.1 | | 12.9 | | 35 | | 9.7 | | 12.9 | |

| Indicator | | 157 | | 158 | | 159 | | 160 | | 161 | | 162 | |
|-----------|------------------------|---|---------|---|---------|---|---------|---|---------|---|---------|--|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 | 2009-10 | 2008-09 |
| | _Meghalaya | 5.9 | 0.0 | 5.9 | 0.0 | 1.2 | 0.0 | 16.5 | 0.0 | 1.2 | 0.0 | 57.2 | 100.0 |
| 1 | East Garo Hills | 2.5 | | 2.5 | | 2.5 | | 15.0 | | 7.5 | | 47.5 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 3.4 | 0.0 | 0.8 | 0.0 | 0.8 | 0.0 | 6.9 | 0.0 | 1.1 | 0.0 | 74.0 | 100.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 7.7 | | 0.0 | | 0.0 | | 15.4 | | 0.0 | | 53.8 | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 8.5 | | 10.7 | | 0.4 | | 26.8 | | 0.7 | | 46.0 | |
| 10 | West Jaintia Hills | 9.2 | | 10.8 | | 1.5 | | 16.9 | | 0.0 | | 44.6 | |
| 11 | West Khasi Hills | 0.0 | | 3.2 | | 9.7 | | 9.7 | | 0.0 | | 54.8 | |