

Performance of Key HMIS Indicators for Sikkim (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to September

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim	3,672		130.5	0.0	57		98.5		2,724		3,022	
1	East	2,035		155.8	0.0	11		99.5		1,155		1,940	
2	North	288		142.6		9		97.0		273		583	
3	South	516		114.4		14		97.4		506		135	
4	West	833		97.4		23		97.3		790		364	

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim	4,667	5,311	82.3		127.1		5,622		6,307	10,594	6,388	5,222
1	East	2,596	5,311	95.3		127.6		3,490		4,094	10,594	4,126	5,222
2	North	278		202.4		96.5		304		341		356	
3	South	793		26.2		153.7		790		762		728	
4	West	1,000		43.7		120.0		1,038		1,110		1,178	

Performance of Key HMIS Indicators for Sikkim (Across Districts)
 Financial Year: 2008-09
 Provisional Figures for the Period April to September

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Sikkim							6,030	5,431	164.2		3,844	
1	East							3,599	5,431	176.9		1,415	
2	North							324		112.5		324	
3	South							895		173.4		893	
4	West							1,212		145.5		1,212	

Performance of Key HMIS Indicators for Sikkim (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to September

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	-29.2	-2.3	5,913	2,898	161.0		0.9	0.0			121.9	
1	East	-38.6	-2.3	3,643	2,898	179.0		0.0	0.0				
2	North	-16.5		269		93.4		19.0					
3	South	-12.9		804		155.8		0.0					
4	West	-21.2		1,197		143.7		0.0				94.5	

Performance of Key HMIS Indicators for Sikkim (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to September

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diphtheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	72.9		0.4		0.0		0.0		0.0		0.0	
1	East			0.0		0.0		0.0		0.0		0.0	
2	North			6.6		0.0		0.0		0.0		0.0	
3	South			0.0		0.0		0.0		0.0		0.0	
4	West	72.9		0.0		0.0		0.0		0.0		0.0	

Performance of Key HMIS Indicators for Sikkim (Across Districts)
 Financial Year: 2008-09
 Provisional Figures for the Period April to September

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	0.5		99.0		0.0		6		0.0		0.0	
1	East	0.2		99.8		0.0							
2	North	0.4		93.0		0.0		4					
3	South	0.0		100.0		0.0		2		0.0		0.0	
4	West	2.1		97.9		0.0							

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Sikkim	0.0		0.0		0.0		0.0		0.0		100.0	
1	East												
2	North												
3	South	0.0		0.0		0.0		0.0		0.0		100.0	
4	West												