

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

| Indicator | | 1 | | 2 | | 3 | | 4 | | 5 | | 6 | |
|-----------|--------------------|--------------------------------------|---------|--------------------------------------------------|---------|---------------------------------------|---------|--------------------------------|---------|-------------------------------------|---------|--------------------------------------------|---------|
| | | Total Number of reported live births | | % Total Reported Live Births to Total Deliveries | | Total Number of reported Still Births | | % live birth to Reported Birth | | Number of Newborns weighed at birth | | Number of Infants given OPV 0 (Birth Dose) | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | Kerala | 374,466 | 377,016 | 99.6 | 99.0 | 1,741 | 1,876 | 99.5 | 99.5 | 374,057 | 370,820 | 347,894 | 366,937 |
| 1 | Alappuzha | 15,679 | 15,703 | 100.8 | 100.4 | 12 | 28 | 99.9 | 99.8 | 15,678 | 15,591 | 16,340 | 14,869 |
| 2 | Ernakulam | 29,684 | 30,141 | 100.3 | 100.2 | 104 | 92 | 99.7 | 99.7 | 29,676 | 30,135 | 30,624 | 30,106 |
| 3 | Idukki | 10,321 | 10,321 | 100.4 | 100.1 | 50 | 46 | 99.5 | 99.6 | 10,296 | 10,318 | 10,261 | 11,133 |
| 4 | KOZHIKKODE | 41,125 | 42,934 | 99.9 | 98.3 | 396 | 442 | 99.0 | 99.0 | 41,122 | 43,545 | 39,615 | 41,327 |
| 5 | Kannur | 35,705 | 28,332 | 100.2 | 100.2 | 138 | 208 | 99.6 | 99.3 | 35,708 | 28,214 | 35,947 | 34,731 |
| 6 | Kasaragod | 16,164 | 16,651 | 100.7 | 100.2 | 26 | 34 | 99.8 | 99.8 | 16,145 | 16,650 | 14,169 | 14,008 |
| 7 | Kollam | 24,253 | 27,011 | 100.5 | 100.3 | 24 | 41 | 99.9 | 99.8 | 24,250 | 27,011 | 24,409 | 27,321 |
| 8 | Kottayam | 17,374 | 19,731 | 88.4 | 99.9 | 81 | 134 | 99.5 | 99.3 | 17,373 | 19,630 | 20,301 | 20,529 |
| 9 | Malappuram | 68,170 | 68,082 | 100.0 | 100.7 | 364 | 291 | 99.5 | 99.6 | 68,181 | 65,999 | 52,194 | 52,110 |
| 10 | Palakkad | 29,094 | 30,681 | 100.0 | 100.7 | 93 | 83 | 99.7 | 99.7 | 28,974 | 30,656 | 22,997 | 30,017 |
| 11 | Pathanamthitta | 11,901 | 10,899 | 101.1 | 94.0 | 32 | 67 | 99.7 | 99.4 | 11,878 | 10,858 | 12,212 | 11,549 |
| 12 | Thiruvananthapuram | 31,093 | 29,127 | 100.1 | 88.5 | 277 | 284 | 99.1 | 99.0 | 31,011 | 28,690 | 26,628 | 32,884 |
| 13 | Thrissur | 33,333 | 36,745 | 100.7 | 101.7 | 62 | 62 | 99.8 | 99.8 | 33,196 | 32,892 | 33,090 | 36,498 |
| 14 | Wayanad | 10,570 | 10,658 | 99.9 | 99.5 | 82 | 64 | 99.2 | 99.4 | 10,569 | 10,631 | 9,107 | 9,855 |

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

| Indicator | | 7 | | 8 | | 9 | | 10 | | 11 | | 12 | |
|-----------|--------------------|-----------------------------|---------|-------------------------------------------------------|---------|---------------------------------------------|---------|------------------------------|---------|------------------------------|---------|------------------------------|---------|
| | | Number of Infants given BCG | | % Newborns given OPV0 at birth to Reported live birth | | % Newborns given BCG to Reported live birth | | Number of Infants given DPT1 | | Number of Infants given DPT2 | | Number of Infants given DPT3 | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | Kerala | 382,705 | 396,665 | 92.9 | 97.3 | 102.2 | 105.2 | 21,953 | 394,145 | 19,935 | 393,793 | 23,825 | 381,701 |
| 1 | Alappuzha | 16,400 | 15,298 | 104.2 | 94.7 | 104.6 | 97.4 | 715 | 19,062 | 448 | 19,974 | 336 | 18,738 |
| 2 | Ernakulam | 30,730 | 30,357 | 103.2 | 99.9 | 103.5 | 100.7 | 3,098 | 31,908 | 2,594 | 32,242 | 2,559 | 31,650 |
| 3 | Idukki | 10,433 | 11,152 | 99.4 | 107.9 | 101.1 | 108.1 | 455 | 14,536 | 317 | 14,438 | 404 | 13,787 |
| 4 | KOZHIKKODE | 42,007 | 43,775 | 96.3 | 96.3 | 102.1 | 102.0 | 2,715 | 43,640 | 2,076 | 41,461 | 2,502 | 39,687 |
| 5 | Kannur | 37,114 | 35,609 | 100.7 | 122.6 | 103.9 | 125.7 | 333 | 33,015 | 659 | 32,833 | 1,047 | 33,335 |
| 6 | Kasaragod | 16,851 | 17,787 | 87.7 | 84.1 | 104.3 | 106.8 | 1,251 | 17,621 | 1,232 | 18,537 | 1,425 | 18,228 |
| 7 | Kollam | 24,434 | 27,320 | 100.6 | 101.1 | 100.7 | 101.1 | 2,807 | 28,094 | 2,434 | 28,224 | 2,279 | 27,225 |
| 8 | Kottayam | 20,695 | 20,260 | 116.8 | 104.0 | 119.1 | 102.7 | 1,837 | 21,876 | 1,473 | 21,055 | 1,469 | 21,122 |
| 9 | Malappuram | 68,686 | 67,546 | 76.6 | 76.5 | 100.8 | 99.2 | 3,602 | 59,812 | 3,381 | 58,911 | 4,930 | 54,952 |
| 10 | Palakkad | 30,142 | 31,809 | 79.0 | 97.8 | 103.6 | 103.7 | 1,261 | 33,286 | 1,713 | 34,211 | 2,505 | 32,764 |
| 11 | Pathanamthitta | 12,216 | 11,510 | 102.6 | 106.0 | 102.6 | 105.6 | 6 | 10,712 | 20 | 10,740 | 100 | 10,755 |
| 12 | Thiruvananthapuram | 27,602 | 33,241 | 85.6 | 112.9 | 88.8 | 114.1 | 1,577 | 33,620 | 1,434 | 34,585 | 1,509 | 33,998 |
| 13 | Thrissur | 35,107 | 39,969 | 99.3 | 99.3 | 105.3 | 108.8 | 1,323 | 36,090 | 1,074 | 35,300 | 1,271 | 34,535 |
| 14 | Wayanad | 10,288 | 11,032 | 86.2 | 92.5 | 97.3 | 103.5 | 973 | 10,873 | 1,080 | 11,282 | 1,489 | 10,925 |

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

| Indicator | | 13 | | 14 | | 15 | | 16 | | 17 | | 18 | |
|-----------|--------------------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------------|---------|---------------------------------|---------|-----------------------------------------------------------------------------------|---------|--------------------------------------------------|---------|
| | | Number of Infants given Pentavalent 1 | | Number of Infants given Pentavalent 2 | | Number of Infants given Pentavalent 3 | | Number of Infants given Measles | | % Infants 0 to 11 months old who received Measles vaccine to reported live births | | Number of fully immunized children (9-11 months) | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | Kerala | | | | | | | 373,339 | 359,120 | 99.7 | 95.3 | 358,159 | 340,405 |
| 1 | Alappuzha | | | | | | | 19,171 | 18,303 | 122.3 | 116.6 | 18,265 | 18,706 |
| 2 | Ernakulam | | | | | | | 31,970 | 29,711 | 107.7 | 98.6 | 29,910 | 27,100 |
| 3 | Idukki | | | | | | | 10,936 | 10,860 | 106.0 | 105.2 | 10,886 | 10,197 |
| 4 | KOZHIKKODE | | | | | | | 39,035 | 35,701 | 94.9 | 83.2 | 37,824 | 33,143 |
| 5 | Kannur | | | | | | | 34,810 | 32,106 | 97.5 | 113.3 | 33,390 | 29,836 |
| 6 | Kasaragod | | | | | | | 18,211 | 17,604 | 112.7 | 105.7 | 18,106 | 17,459 |
| 7 | Kollam | | | | | | | 27,146 | 27,000 | 111.9 | 100.0 | 26,948 | 26,995 |
| 8 | Kottayam | | | | | | | 18,937 | 19,842 | 109.0 | 100.6 | 17,697 | 18,947 |
| 9 | Malappuram | | | | | | | 55,552 | 48,597 | 81.5 | 71.4 | 53,000 | 43,352 |
| 10 | Palakkad | | | | | | | 33,747 | 32,850 | 116.0 | 107.1 | 32,299 | 32,218 |
| 11 | Pathanamthitta | | | | | | | 11,998 | 10,875 | 100.8 | 99.8 | 11,874 | 10,246 |
| 12 | Thiruvananthapuram | | | | | | | 28,854 | 33,597 | 92.8 | 115.3 | 28,406 | 32,340 |
| 13 | Thrissur | | | | | | | 32,630 | 32,175 | 97.9 | 87.6 | 30,262 | 30,624 |
| 14 | Wayanad | | | | | | | 10,342 | 9,899 | 97.8 | 92.9 | 9,292 | 9,242 |

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

| Indicator | | 19 | | 20 | | 21 | | 22 | | 23 | | 24 | |
|-----------|--------------------|----------------------------------|---------|--------------------|---------|-----------------------------------------------------|---------|-----------------------------------------------------------------|---------|------------------------------------------------|---------|---------------------------------------------------------------|---------|
| | | % Drop Out between BCG & Measles | | Vitamin - A dose 1 | | % Children given Vit A dose1 to Reported live birth | | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | | Adverse Events Following Immunisation (Others) | | % immunisation Sessions Held to Immunisation Sessions Planned | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | Kerala | 2.4 | 9.5 | 243,275 | 227,658 | 65.0 | 60.4 | 61.8 | 83.8 | 1,813 | 709 | 99.5 | 99.3 |
| 1 | Alappuzha | -16.9 | -19.6 | 14,775 | 13,645 | 94.2 | 86.9 | 74.9 | 92.7 | 935 | 78 | 99.7 | 99.8 |
| 2 | Ernakulam | -4.0 | 2.1 | 16,964 | 15,092 | 57.1 | 50.1 | 68.3 | 112.8 | 75 | 74 | 99.9 | 98.8 |
| 3 | Idukki | -4.8 | 2.6 | 9,392 | 8,057 | 91.0 | 78.1 | 95.3 | 94.7 | 15 | 2 | 98.5 | 99.4 |
| 4 | KOZHIKKODE | 7.1 | 18.4 | 25,090 | 22,784 | 61.0 | 53.1 | 27.8 | 41.7 | 104 | 55 | 99.3 | 100.4 |
| 5 | Kannur | 6.2 | 9.8 | 25,376 | 20,290 | 71.1 | 71.6 | 69.7 | 105.6 | 124 | 174 | 100.2 | 99.1 |
| 6 | Kasaragod | -8.1 | 1.0 | 11,222 | 11,840 | 69.4 | 71.1 | 61.9 | 89.7 | 46 | 39 | 100.4 | 99.7 |
| 7 | Kollam | -11.1 | 1.2 | 17,960 | 18,066 | 74.1 | 66.9 | 98.0 | 134.6 | 32 | 3 | 99.9 | 99.9 |
| 8 | Kottayam | 8.5 | 2.1 | 15,415 | 10,190 | 88.7 | 51.6 | 67.4 | 77.2 | 18 | 20 | 98.9 | 99.4 |
| 9 | Malappuram | 19.1 | 28.1 | 39,166 | 33,001 | 57.5 | 48.5 | 13.7 | 35.3 | 153 | 98 | 99.7 | 99.8 |
| 10 | Palakkad | -12.0 | -3.3 | 13,653 | 18,236 | 46.9 | 59.4 | 67.5 | 85.9 | 128 | 57 | 99.5 | 98.1 |
| 11 | Pathanamthitta | 1.8 | 5.5 | 8,696 | 8,277 | 73.1 | 75.9 | 90.2 | 111.7 | 14 | 12 | 100.0 | 99.2 |
| 12 | Thiruvananthapuram | -4.5 | -1.1 | 17,907 | 21,261 | 57.6 | 73.0 | 87.9 | 91.5 | 26 | 18 | 99.3 | 99.3 |
| 13 | Thrissur | 7.1 | 19.5 | 20,853 | 20,008 | 62.6 | 54.5 | 87.4 | 96.1 | 29 | 35 | 98.8 | 99.2 |
| 14 | Wayanad | -0.5 | 10.3 | 6,806 | 6,911 | 64.4 | 64.8 | 38.7 | 66.1 | 114 | 44 | 100.0 | 97.7 |

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

| Indicator | | 25 | | 26 | | 27 | | 28 | | 29 | | 30 | |
|-----------|--------------------|-----------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|---------|
| | | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | | % Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Kerala | 87.7 | 78.7 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Alappuzha | 99.8 | 90.8 | 0.0 | 0.0 | 0.3 | 0.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 2 | Ernakulam | 86.0 | 67.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Idukki | 75.2 | 68.5 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 4 | KOZHIKKODE | 74.1 | 69.4 | 0.0 | 0.1 | 0.4 | 0.2 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 |
| 5 | Kannur | 91.1 | 84.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Kasaragod | 88.1 | 74.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7 | Kollam | 93.7 | 91.1 | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 8 | Kottayam | 74.2 | 67.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 |
| 9 | Malappuram | 90.1 | 74.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10 | Palakkad | 92.4 | 82.8 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11 | Pathanamthitta | 88.0 | 78.8 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12 | Thiruvananthapuram | 90.1 | 87.6 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13 | Thrissur | 92.3 | 79.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14 | Wayanad | 89.8 | 83.6 | 0.2 | 0.0 | 0.2 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

| Indicator | | 31 | | 32 | | 33 | | 34 | | 35 | | 36 | |
|-----------|--------------------|---------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------------------|---------|----------------------------------------|---------|--------------------------------------------------------|---------|----------------------------------------------------------|---------|
| | | % Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | % Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Kerala | 2.3 | 2.2 | 96.0 | 95.7 | 1.6 | 2.0 | 722 | 1,067 | 4.2 | 4.2 | 17.9 | 16.2 |
| 1 | Alappuzha | 2.0 | 5.5 | 97.1 | 91.6 | 0.6 | 2.7 | 45 | 38 | 38.2 | 33.3 | 29.4 | 29.2 |
| 2 | Ernakulam | 1.1 | 1.8 | 97.2 | 95.2 | 1.6 | 3.0 | 38 | 63 | 0.0 | 0.0 | 34.4 | 5.8 |
| 3 | Idukki | 0.7 | 0.3 | 98.1 | 96.0 | 1.0 | 3.6 | 20 | 4 | 6.3 | 25.0 | 31.3 | 0.0 |
| 4 | KOZHIKKODE | 0.7 | 1.0 | 97.7 | 97.9 | 1.1 | 0.9 | 289 | 685 | 0.4 | 2.3 | 0.8 | 13.6 |
| 5 | Kannur | 0.6 | 0.6 | 98.1 | 97.2 | 1.3 | 2.1 | 25 | 17 | 7.1 | 0.0 | 42.9 | 45.5 |
| 6 | Kasaragod | 1.2 | 1.0 | 97.9 | 96.3 | 1.0 | 2.6 | 16 | 12 | 9.1 | 9.1 | 45.5 | 18.2 |
| 7 | Kollam | 3.8 | 3.5 | 95.4 | 81.1 | 0.6 | 15.4 | 58 | 37 | 2.1 | 0.0 | 12.5 | 33.3 |
| 8 | Kottayam | 1.2 | 1.2 | 96.7 | 98.1 | 2.0 | 0.7 | 47 | 64 | 10.7 | 5.3 | 71.4 | 15.8 |
| 9 | Malappuram | 5.0 | 3.1 | 94.1 | 95.5 | 0.8 | 1.3 | 49 | 40 | 0.0 | 3.4 | 19.5 | 27.6 |
| 10 | Palakkad | 3.3 | 1.8 | 92.7 | 98.1 | 3.4 | 0.2 | 67 | 67 | 2.0 | 19.5 | 32.0 | 17.1 |
| 11 | Pathanamthitta | 0.3 | 4.3 | 98.9 | 93.0 | 0.7 | 2.6 | 16 | 11 | 0.0 | 0.0 | 50.0 | 28.6 |
| 12 | Thiruvananthapuram | 3.8 | 3.2 | 95.4 | 95.6 | 0.8 | 1.1 | 12 | 2 | 22.2 | 0.0 | 33.3 | 50.0 |
| 13 | Thrissur | 1.4 | 0.4 | 93.1 | 98.9 | 5.5 | 0.7 | 1 | 5 | 0.0 | 0.0 | 0.0 | 20.0 |
| 14 | Wayanad | 5.6 | 7.8 | 93.6 | 89.5 | 0.5 | 0.3 | 39 | 22 | 0.0 | 0.0 | 16.7 | 25.0 |

Performance of Key HMIS Indicators for Kerala (Across Districts)
Financial Year: 2012-13
Provisional Figures for the Period April to December

| Indicator | | 37 | | 38 | | 39 | | 40 | | 41 | | 42 | |
|-----------|--------------------|-----------------------------------------------------|---------|-----------------------------------------------------------|---------|-----------------------------------------------------------|---------|-------------------------------------------------------|---------|---------------------------------------------------------|---------|--------------------------------------------------------------|---------|
| | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
| | | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 | 2012-13 | 2011-12 |
| | _Kerala | 27.7 | 35.1 | 3.9 | 2.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.0 | 0.0 | 45.8 | 42.5 |
| 1 | Alappuzha | 8.8 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 23.5 | 29.2 |
| 2 | Ernakulam | 6.3 | 9.6 | 0.0 | 1.9 | 0.0 | 0.0 | 3.1 | 0.0 | 0.0 | 0.0 | 56.3 | 82.7 |
| 3 | Idukki | 25.0 | 0.0 | 6.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 31.3 | 75.0 |
| 4 | KOZHIKKODE | 44.3 | 40.3 | 5.7 | 2.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 48.8 | 41.3 |
| 5 | Kannur | 42.9 | 18.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.1 | 36.4 |
| 6 | Kasaragod | 9.1 | 36.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 36.4 | 36.4 |
| 7 | Kollam | 4.2 | 0.0 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 77.1 | 66.7 |
| 8 | Kottayam | 7.1 | 71.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 10.7 | 7.9 |
| 9 | Malappuram | 9.8 | 31.0 | 2.4 | 0.0 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 0.0 | 65.9 | 37.9 |
| 10 | Palakkad | 22.0 | 24.4 | 2.0 | 4.9 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 40.0 | 34.1 |
| 11 | Pathanamthitta | 10.0 | 42.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 | 28.6 |
| 12 | Thiruvananthapuram | 11.1 | 50.0 | 22.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.1 | 0.0 |
| 13 | Thrissur | 0.0 | 20.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 100.0 | 60.0 |
| 14 | Wayanad | 40.0 | 30.0 | 3.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 40.0 | 45.0 |