| | | 1 | l | 2 | 2 | 3 | 3 | 4 | l | 5 | 5 | • | 5 |
|----|------------------------|-----------------------------------|---------|--------------------------------------|-----------|----------|---------|-----------------------------------|-----------------------|------------------------|---------|---------------------------------|------------|
| | Indicator | Total nu pregnan Registered | | Number of women r within first | egistered | Number o | | 1st Tri registratio ANC Reg | mester on to Total | JSY regis Total ANC | | Number o women rece checl | ived 3 ANC |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 78,489 | 10,838 | 16,911 | 1,956 | 4,959 | | 21.5 | 18.0 | 6.3 | 0.0 | 29,520 | |
| 1 | East Garo Hills | 7,139 | | 2,248 | | 271 | | 31.5 | | 3.8 | | 2,712 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 28,447 | 10,838 | 4,496 | 1,956 | 1,861 | | 15.8 | 18.0 | 6.5 | 0.0 | 10,238 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 6,421 | | 2,036 | | 426 | | 31.7 | | 6.6 | | 2,682 | |
| 6 | South Garo Hills | 2,214 | | 500 | | | | 22.6 | | 0.0 | | 449 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 14,004 | | 4,381 | | 1,443 | | 31.3 | | 10.3 | | 6,346 | |
| 10 | West Jaintia Hills | 11,579 | | 1,676 | | 824 | | 14.5 | | 7.1 | | 3,277 | |
| 11 | West Khasi Hills | 8,685 | | 1,574 | _ | 134 | _ | 18.1 | | 1.5 | | 3,816 | _ |

| | | 7 | 7 | 8 | 3 | Ģ |) | 1 | 0 | 1 | 1 | 1 | 2 |
|----|------------------------|---------|-----------------------------------|--|----------------------------------|---|----------------------------------|--------------------------------|------------|--|-------------------------|----------|-----------|
| | Indicator | | ster given to t women bers) | Pregnant received 3 A ups to To Registr | t Woman ANC check otal ANC | Pregnan received Booster to Regist | t women l TT2 or Total ANC | Number of women give tab | en 100 IFA | 9/ Pregnant w 100 IFA to Regist | omen given Total ANC | Number l | having Hb |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 44,337 | 41,659 | 37.6 | 0.0 | 56.5 | 384.4 | 46,640 | 16,715 | 59.4 | 154.2 | 770 | |
| 1 | East Garo Hills | 5,261 | | 38.0 | | 73.7 | | 8,112 | | 113.6 | | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 12,171 | 41,659 | 36.0 | 0.0 | 42.8 | 384.4 | 11,774 | 16,715 | 41.4 | 154.2 | 245 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 3,540 | | 41.8 | | 55.1 | | 2,171 | | 33.8 | | 94 | |
| 6 | South Garo Hills | 1,760 | | 20.3 | | 79.5 | | 2,213 | | 100.0 | | | |
| 7 | South West Garo Hills | | · | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 11,194 | | 45.3 | | 79.9 | | 12,375 | | 88.4 | | 363 | |
| 10 | West Jaintia Hills | 5,496 | | 28.3 | | 47.5 | | 3,854 | | 33.3 | | 67 | |
| 11 | West Khasi Hills | 4,915 | · | 43.9 | | 56.6 | | 6,141 | | 70.7 | | 1 | |

| | | 1 | 3 | 1 | 4 | 1 | 5 | 1 | 6 | 1 | 7 | 1 | 8 |
|----|------------------------|--|--------------|-------------------------------------|---|---------|-------------|-----------------|------------------|-----------------------|---|---------|---------|
| | Indicator | Number ha anae (Hb treated at i | emia o<7) | having seve (Hb treated at in | t women re anaemia ><7) stitution to aving hb | | detected at | Number deliv | of Home eries | deliveries a SBA t | of home attended by rained urse/ANM) | | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 276 | | 35.8 | | 1.5 | 0.0 | 32,607 | 1,754 | 3,811 | 1,754 | 28,796 | |
| 1 | East Garo Hills | 13 | | | | 0.0 | | 2,898 | | 567 | | 2,331 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 70 | | 28.6 | | 3.3 | 0.0 | 6,631 | 1,754 | 568 | 1,754 | 6,063 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 29 | | 30.9 | | 0.4 | | 3,355 | | 403 | | 2,952 | |
| 6 | South Garo Hills | | | | | 0.0 | | 997 | | 111 | | 886 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 132 | | 36.4 | | 0.6 | | 8,247 | | 463 | | 7,784 | |
| 10 | West Jaintia Hills | 32 | | 47.8 | | 0.5 | | 5,623 | | 1,091 | | 4,532 | |
| 11 | West Khasi Hills | _ | | 0.0 | | 0.4 | | 4,856 | | 608 | | 4,248 | |

| | | 1 | 9 | 2 | 0 | 2 | 1 | 2 | 2 | 2 | 3 | 2 | 4 |
|----|------------------------|---|----------------------------------|-------------------------------|---------|--|---|---------------------------|--------------------------|---------|---------|-------------------------|--|
| | Indicator | SBA atten deliveries Reporte Deliv | ded home s to Total d Home | Mothers incentive deliv | | Mothers incentive deliveries Reporte Deliv | paid JSY for home s to Total ed Home | Deliveries at Public I | Conducted nstitutions | | | less than 4 delivery | scharged in 8 hours of to Total Deliveries at |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 11.7 | 100.0 | 2,120 | | 6.5 | 0.0 | 16,883 | 22,086 | 2,470 | | 14.6 | 0.0 |
| 1 | East Garo Hills | 19.6 | | 22 | | 0.8 | | 779 | | 84 | | 10.8 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 8.6 | 100.0 | 490 | | 7.4 | 0.0 | 10,351 | 22,086 | 1,162 | | 11.2 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 12.0 | | 133 | | 4.0 | | 608 | | 113 | | 18.6 | |
| 6 | South Garo Hills | 11.1 | | | | 0.0 | | 216 | | | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 5.6 | | 1,379 | | 16.7 | | 2,741 | | 360 | | 13.1 | |
| 10 | West Jaintia Hills | 19.4 | | 96 | | 1.7 | | 1,557 | | 209 | | 13.4 | |
| 11 | West Khasi Hills | 12.5 | | | | 0.0 | | 631 | _ | 542 | | 85.9 | |

| | | 2 | 5 | 2 | 6 | 2 | 7 | 2 | 8 | 2 | 9 | 3 | 0 |
|----|------------------------|----------------------------|------------|-----------------------------------|-----------------------|------------------|------------------|-----------------------------------|--------------------------|--------------------------|---------------|------------------------------|-------------------------|
| | Indicator | Institutiona (Public In | nsts.+Pvt. | Institutiona to tota regist | l Deliveries l ANC | Total r deliv | eported eries | Institutiona to Total Deliv | l deliveries Reported | Safe deliver Reported | ries to Total | Home del Total R Deliv | liveries to Leported |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 18,195 | 22,086 | 23.2 | 203.8 | 50,802 | 23,840 | 35.8 | 92.6 | 43.3 | 100.0 | 64.2 | 7.4 |
| 1 | East Garo Hills | 779 | | 10.9 | | 3,677 | | 21.2 | | 36.6 | | 78.8 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 11,283 | 22,086 | 39.7 | 203.8 | 17,914 | 23,840 | 63.0 | 92.6 | 66.2 | 100.0 | 37.0 | 7.4 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 608 | | 9.5 | | 3,963 | | 15.3 | | 25.5 | | 84.7 | |
| 6 | South Garo Hills | 216 | | 9.8 | | 1,213 | | 17.8 | | 27.0 | | 82.2 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 2,828 | | 20.2 | | 11,075 | | 25.5 | | 29.7 | | 74.5 | |
| 10 | West Jaintia Hills | 1,727 | | 14.9 | | 7,350 | | 23.5 | | 38.3 | | 76.5 | |
| 11 | West Khasi Hills | 754 | | 8.7 | | 5,610 | _ | 13.4 | | 24.3 | | 86.6 | |

| | | 3 | 1 | 3. | 2 | 3 | 3 | 3 | 4 | 3 | 5 | 3 | 6 |
|----|------------------------|--|-------------|---|-------------|-------------------|------------------------------------|-----------|---|---|--|---|---|
| | Indicator | Number of deliveries co public f | onducted at | Number of deliveries co private f | onducted at | to rep institu | e + Pvt.) corted utional e + Pvt.) | public fa | onducted at cilities to onducted at | C-sections c Private fa Deliveries c private | onducted at acilities to onducted at | Deliveries c Public Inst Total Ins Deliv | onducted at titutions to titutional |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 1,119 | | 981 | | 11.5 | 0.0 | 6.6 | 0.0 | 74.8 | | 92.8 | 100.0 |
| 1 | East Garo Hills | | | | | 0.0 | | 0.0 | | | | 100.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 938 | | 625 | | 13.9 | 0.0 | 9.1 | 0.0 | 67.1 | | 91.7 | 100.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 0.0 | | 0.0 | | | | 100.0 | |
| 6 | South Garo Hills | | | | | 0.0 | | 0.0 | | | | 100.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 98 | | 221 | | 11.3 | | 3.6 | | 254.0 | | 96.9 | |
| 10 | West Jaintia Hills | 79 | | 134 | | 12.3 | | 5.1 | | 78.8 | | 90.2 | |
| 11 | West Khasi Hills | 4 | | 1 | | 0.7 | | 0.6 | | 0.8 | | 83.7 | |

| | | 3 | 7 | 3 | 8 | 3 | 9 | 4 | 0 | 4 | 1 | 4 | 2 |
|----|------------------------|---------|----------|-------------|--|---|-------------------------------------|-----------|---|------------|---------|---------|--|
| | Indicator | | paid JSY | for Deliver | there JSY aid to ASHA ry at Public | Deliveries c Private Ins Total Ins Deliv | onducted at titutions to titutional | within 48 | ceived post check-up s hours of very | between 48 | | | ceiving post check-up hours of to Total |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 17.8 | 0.0 | 6.4 | 0.0 | 7.2 | 0.0 | 8,974 | | 11,863 | | 17.7 | 0.0 |
| 1 | East Garo Hills | 5.4 | | 6.7 | | 0.0 | | 211 | | 303 | | 5.7 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 12.4 | 0.0 | 1.2 | 0.0 | 8.3 | 0.0 | 3,888 | | 3,533 | | 21.7 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 22.4 | | 5.3 | | 0.0 | | 319 | | 914 | | 8.0 | |
| 6 | South Garo Hills | 6.5 | | 22.2 | | 0.0 | | 40 | | 167 | | 3.3 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 36.2 | | 25.5 | | 3.1 | | 3,050 | · | 4,751 | | 27.5 | |
| 10 | West Jaintia Hills | 17.3 | | 5.8 | | 9.8 | | 820 | | 1,402 | | 11.2 | |
| 11 | West Khasi Hills | 42.3 | | 5.1 | | 16.3 | | 646 | | 793 | | 11.5 | |

| _ | | | | | | | | | | | | | |
|----|------------------------|---------|---|------------------------|---------|-------------------------------------|------------------------|---------|--------------------------|---------|------------------------|---------|------------------------|
| | | 4 | 3 | 4 | 4 | 4 | 5 | 4 | 6 | 4 | 7 | 4 | 8 |
| | Indicator | | etting Post Checkup S hours and to Total | Total Nu reported l | | % Total Rep Births t Deliv | orted Live to Total | | ımber of itill Births | | √ o Reported rth | | f Newborns at birth |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 23.4 | 0.0 | 57,146 | | 112.5 | 0.0 | 1,492 | | 97.5 | | 34,528 | |
| 1 | East Garo Hills | 8.2 | | 3,639 | | 99.0 | | 56 | | 98.5 | | 1,401 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 19.7 | 0.0 | 19,585 | | 109.3 | 0.0 | 688 | | 96.6 | | 12,300 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 23.1 | | 4,933 | | 124.5 | | 57 | | 98.9 | | 2,262 | |
| 6 | South Garo Hills | 13.8 | | 1,239 | | 102.1 | | 23 | | 98.2 | | 503 | |
| 7 | South West Garo Hills | | | · | | | | | | | | | · |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 42.9 | | 11,412 | | 103.0 | | 242 | | 97.9 | | 9,626 | |
| 10 | West Jaintia Hills | 19.1 | | 9,080 | | 123.5 | | 272 | | 97.1 | | 4,168 | |
| 11 | West Khasi Hills | 14.1 | | 7,258 | | 129.4 | | 154 | | 97.9 | | 4,268 | |

| | | 4 | 0 | 5 | 0 | 5 | 1 | 5 | 2 | 5 | 3 | 5 | 4 |
|----|------------------------|---------|-----------------|---------|----------------------------|------------------------|---|------------------------|-------------------------|---------|---------------------------------|-------------------------------------|---------------------------|
| | Indicator | 0/ | % weighed at | | f Newborns ht less than | Newborr weight less | 6 ns having than 2.5 kg s weighed at | Number of Breast Fe | New Borns d within 1 | 9/ | 6 breast fed our of birth | Number of visited with Home I | New Borns in 24 hrs of |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 60.4 | | 3,847 | | 11.1 | | 8,888 | | 15.6 | | 1,322 | |
| 1 | East Garo Hills | 38.5 | | 315 | | 22.5 | | 229 | | 6.3 | | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 62.8 | | 2,283 | | 18.6 | | 4,436 | | 22.6 | | 624 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 45.9 | | 119 | | 5.3 | | 1,167 | | 23.7 | | 178 | |
| 6 | South Garo Hills | 40.6 | | 27 | | 5.4 | | 572 | | 46.2 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | _ |
| 9 | West Garo Hills | 84.3 | | 583 | | 6.1 | | 1,999 | | 17.5 | | 520 | |
| 10 | West Jaintia Hills | 45.9 | | 363 | | 8.7 | | 96 | | 1.1 | | | |
| 11 | West Khasi Hills | 58.8 | | 157 | | 3.7 | | 389 | | 5.4 | | | |

| | | 5 | 5 | 5 | 6 | 5 | 7 | 5 | 8 | 5 | 9 | 6 | 0 |
|----|------------------------|---|--|--|-------------------|-------------------------------------|---|----------|--------------------------------|---|--|--------------------|--|
| | Indicator | newborns vi 24hrs of hor to total repo deliv | isited within me delivery orted home | Sex Rabirth (Fea Bitr Male Birt | male Live ths/ | cases of l women wit Complica | h Obstetric ations and o reported | Total Wo | licated les treated n IV | Pregnanci with antihype Magsulph | licated les treated 1 IV rtensive/ injection to ew cases ed with | Comp. Pregnanci | es treated Transfusion Jomen with etric |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 4.1 | 0.0 | 1,012 | 0 | 6.6 | 0.0 | 4.2 | | 4.3 | | 0.9 | |
| 1 | East Garo Hills | 0.0 | | 991 | 0 | 22.6 | | 22.7 | | 1333.3 | | 0.0 | |
| 2 | East Jaintia Hills | | | 0 | 0 | | | | | | | | |
| 3 | East Khasi Hills | 9.4 | 0.0 | 1,024 | 0 | 2.4 | 0.0 | 1.9 | | 0.5 | | 2.6 | |
| 4 | North Garo Hills | | | 0 | 0 | | | | | | | | |
| 5 | Ri Bhoi | 5.3 | | 1,047 | 0 | 41.0 | | 0.0 | | 0.0 | | 0.0 | |
| 6 | South Garo Hills | 0.0 | | 1,051 | 0 | 1.4 | | 0.0 | | | | 0.0 | |
| 7 | South West Garo Hills | | | 0 | 0 | | | | | | | | |
| 8 | South West Khasi Hills | | | 0 | 0 | | | | | | | | |
| 9 | West Garo Hills | 6.3 | | 1,053 | 0 | 13.8 | | 1.3 | | 6.2 | | 1.0 | |
| 10 | West Jaintia Hills | 0.0 | | 994 | 0 | 6.0 | | 0.0 | | 0.0 | | 0.0 | |
| 11 | West Khasi Hills | 0.0 | | 923 | 0 | 1.9 | | 0.0 | | 0.0 | | 0.0 | |

| | | 6 | 1 | 6 | 2 | 6 | 3 | 6 | 4 | 6 | 5 | 6 | 6 |
|----|------------------------|---------|--|---|---------|------------------------|----------------------------|---------|----------------|---------|--|-------------|--|
| | Indicator | | Care / PNC omplications to Total | Total Nu Abor (Spont Induced) | aneous/ | Total Nu MTPs (Pub | umber of blic) reported | | ATPs Abortions | | 12 weeks of y to Total at Public | weeks of Pr | re than 12 egnancy to Ps at Public |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 0.7 | 0.0 | 1,735 | | 216 | | 12.4 | | 90.3 | | 9.7 | |
| 1 | East Garo Hills | 0.9 | | 70 | | 10 | | 14.3 | | 30.0 | | 70.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.4 | 0.0 | 1,103 | | 60 | | 5.4 | | 91.7 | | 8.3 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.1 | | 25 | | 7 | | 28.0 | | 0.0 | | 100.0 | |
| 6 | South Garo Hills | 0.0 | | 7 | | 6 | | 85.7 | | 100.0 | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.4 | | 124 | | 31 | | 25.0 | | 93.5 | | 6.5 | |
| 10 | West Jaintia Hills | 0.0 | | 274 | | 102 | | 37.2 | | 100.0 | | 0.0 | |
| 11 | West Khasi Hills | 3.3 | | 132 | | | | 0.0 | | | | | |

| | | 6 | 7 | 6 | 8 | 6 | 9 | 7 | 0 | 7 | 1 | 7: | 2 |
|----|------------------------|-------------|------------|--------------|------------|------------------|--|---|--|----------------|--|----------------------------------|---------|
| | Indicator | Public Inst | nducted at | Private Inst | nducted at | (Pu Conducted | al MTPs blic) d to Total gistration | Number of Tests con Number o STI femal which to | Wet Mount ducted to of new RTI/ e cases for reatment ated | Vasect Cond | ber of tomies lucted :+ Pvt.) | Numl Tubec Cond (Public | ucted |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 100.0 | | 0.0 | | 0.3 | 0.0 | 0.0 | | 9 | 47 | 1,924 | 1,824 |
| 1 | East Garo Hills | 100.0 | | 0.0 | | 0.1 | | 0.0 | | | | 42 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 100.0 | | 0.0 | | 0.2 | 0.0 | 0.1 | | 7 | 47 | 1,448 | 1,824 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 100.0 | | 0.0 | | 0.1 | | 0.0 | | | | | |
| 6 | South Garo Hills | 100.0 | | 0.0 | | 0.3 | | 0.0 | | 2 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 100.0 | | 0.0 | | 0.2 | | 0.0 | | | | 247 | |
| 10 | West Jaintia Hills | 100.0 | | 0.0 | | 0.9 | | 0.0 | | | | 124 | |
| 11 | West Khasi Hills | | | | | 0.0 | | 0.0 | | | | 63 | |

| | | 7. | 3 | 7 | 4 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 8 |
|----|------------------------|-------------------|---------|------------------------------------|---------|----------------------------|-------------|----------|----------|----------|----------|----------|----------|
| | Indicator | Total Ste Cond | | % Male S (Vasect to Total st | tomies) | 7 Tubectomic sterili | es to Total | ` Vasect | mies and | ` Vasect | mies and | ` Vasect | mies and |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 1,933 | 1,871 | 0.5 | 2.5 | 99.5 | 97.5 | 182 | | 4 | | 783 | 1,862 |
| 1 | East Garo Hills | 42 | | 0.0 | | 100.0 | | | | 4 | | 9 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 1,455 | 1,871 | 0.5 | 2.5 | 99.5 | 97.5 | 151 | | | | 633 | 1,862 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | | | | | | | | |
| 6 | South Garo Hills | 2 | | 100.0 | | 0.0 | | 2 | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 247 | | 0.0 | | 100.0 | | 29 | | | | 112 | · |
| 10 | West Jaintia Hills | 124 | | 0.0 | | 100.0 | | | | | | 29 | |
| 11 | West Khasi Hills | 63 | | 0.0 | | 100.0 | | | | | | | |

| | | 7 | 9 | 8 | 30 | 8 | 1 | 8 | 2 | 8 | 3 | 8 | 4 |
|----|------------------------|---------|-----------------------------------|--------------------|--------------|--------------------|-----------|------------------|---------------------|--|----------------------------------|-------------------------------------|-----------------------------------|
| | Indicator | Vasect | omies and omies) d at Other | (Tubecto Vasect | l at Private | (Tubecto Vasect | at PHC to | Vasect conducted | omies and omies) | % Total S (Tubecto Vasect conducted a to Total S | omies and omies) at SDH/DH | Vasect conducted public Insti | omies and omies) 1 at Other |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 709 | 9 | | | 9.4 | 0.0 | 0.2 | 0.0 | 40.5 | 99.5 | 36.7 | 0.5 |
| 1 | East Garo Hills | 29 | | | | 0.0 | | 9.5 | | 21.4 | | 69.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 528 | 9 | | | 10.4 | 0.0 | 0.0 | 0.0 | 43.5 | 99.5 | 36.3 | 0.5 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | | | | | | | | |
| 6 | South Garo Hills | | | | | 100.0 | | 0.0 | | 0.0 | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 52 | | | | 11.7 | | 0.0 | | 45.3 | | 21.1 | |
| 10 | West Jaintia Hills | 39 | | | | 0.0 | | 0.0 | | 23.4 | | 31.5 | |
| 11 | West Khasi Hills | 61 | | | | 0.0 | | 0.0 | | 0.0 | | 96.8 | |

| | | 8 | 5 | 8 | 6 | 8 | 7 | 8 | 8 | 8 | 9 | 9 | 0 |
|----|------------------------|---------------------------------|-----------------------------|---------|---------|-----------------------|--|--------------------------------------|----------------------|-----------------------------|---|--|---|
| | Indicator | (Tubecto Vasect conducted | l at Private is to Total | | | Mini Lap S to Tota | 6 terlisations l Female sations | Post P Sterlisation Female Ste | artum is to Total | sterlisation Institution | oscopic s at Public s to Total oscopic | Mini Lap s at Public II to Total Sterilis | terlisations nstitutions Mini Lap |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 13.2 | 0.0 | 0.4 | 100.0 | 24.2 | 0.0 | 75.4 | 0.0 | 25.0 | 100.0 | 58.5 | |
| 1 | East Garo Hills | 0.0 | | 0.0 | | 21.4 | | 78.6 | | | | 100.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 9.8 | 0.0 | 0.1 | 100.0 | 25.9 | 0.0 | 74.0 | 0.0 | 100.0 | 100.0 | 61.9 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | | | | | | | | |
| 6 | South Garo Hills | 0.0 | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 21.9 | | 0.0 | | 11.7 | | 88.3 | | | | 100.0 | |
| 10 | West Jaintia Hills | 45.2 | | 4.8 | | 40.3 | | 54.8 | | 0.0 | | 0.0 | |
| 11 | West Khasi Hills | 3.2 | | 0.0 | | 3.2 | | 96.8 | | | | 100.0 | |

| | | 9 | 1 | 9 | 2 | 9 | 3 | 9 | 4 | 9 | 5 | 9 | 6 |
|----|------------------------|--|---|---|--------------------|-----------|---------|-----------|--------------------------|-------------------------|-----------------------------|-----------------------|---------|
| | Indicator | Post P sterlisation Institution Post P Sterili | artum s at Public s to Total artum | Total cases follo Sterlisation Fem | wing n (Male + | IUCD Inse | | IUCD inse | rtions done cilities) | Total IUCI done(publ |) Insertions ic+private) | PP IUCD done (publ | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 96.1 | | 5 | | 1,107 | 1,478 | 23 | | 1,130 | 1,478 | | |
| 1 | East Garo Hills | 100.0 | | | | 46 | | | | 46 | | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 100.0 | | | | 454 | 1,478 | 12 | | 466 | 1,478 | | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | 22 | | | | 22 | | | |
| 6 | South Garo Hills | | | | | 12 | | | | 12 | | | |
| 7 | South West Garo Hills | | | _ | | _ | | | | | | | _ |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 75.2 | | 5 | | 532 | | 11 | | 543 | | | |
| 10 | West Jaintia Hills | 100.0 | | | | 27 | | | | 27 | | | _ |
| 11 | West Khasi Hills | 96.7 | | | | 14 | | | | 14 | · | | |

| _ | | | | | | | | | | | | | |
|----|------------------------|---|------------------|---|----------------------|---|---|------------|-------------|-------------------|---------|--------------------|---------|
| | | 9 | 7 | 9 | 8 | 9 | 9 | 10 | 00 | 10 | 01 | 10 |)2 |
| | Indicator | % PP IUCI (pul to Tota Insertion | blic) il IUCD | % PP IUCI (pul to Total In Deliverie | blic) stitutional | IUCD ins public pl institution family p methods (| ertions in us private ons to all olanning IUCD plus | Oral Pills | distributed | Condon distril | | Centchro distri | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 0.0 | 0.0 | 0.0 | 0.0 | 36.9 | 44.1 | 44,411 | 37,088 | 193,371 | 146,254 | 3,050 | |
| 1 | East Garo Hills | 0.0 | | 0.0 | | 52.3 | | 5,608 | | 5,036 | | 33 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | 0.0 | 0.0 | 0.0 | 24.3 | 44.1 | 11,380 | 37,088 | 72,969 | 146,254 | 823 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | | 0.0 | | 100.0 | | 4,844 | | 19,943 | | 2,194 | |
| 6 | South Garo Hills | 0.0 | | 0.0 | | 85.7 | | 2,851 | | 8,784 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.0 | | 0.0 | | 68.7 | | 14,891 | | 63,457 | | _ | |
| 10 | West Jaintia Hills | 0.0 | | 0.0 | | 17.9 | | 3,624 | | 10,329 | | | |
| 11 | West Khasi Hills | 0.0 | | 0.0 | | 18.2 | | 1,213 | | 12,853 | | | |

| | | 10 | 03 | 10 | 04 | 10 | 05 | 10 |)6 | 10 |)7 | 10 | 18 |
|----|------------------------|-------------------------------|---------|----------|---------|----------------------|------------------------|------------------------|-----------|----------|---------|----------|---------|
| | Indicator | Number o given ((Birth | OPV 0 | Number o | | Newborns at birth to | given OPV0 Reported | Newborns to Reporte | given BCG | Number o | | Number o | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 8,206 | | 64,262 | 70,565 | 14.4 | | 112.5 | | 63,368 | | 57,116 | 119,472 |
| 1 | East Garo Hills | 424 | | 5,521 | | 11.7 | | 151.7 | | 5,812 | | 5,275 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 4,520 | | 19,063 | 70,565 | 23.1 | | 97.3 | | 17,394 | | 14,972 | 119,472 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 373 | | 5,174 | | 7.6 | | 104.9 | | 5,174 | | 4,850 | |
| 6 | South Garo Hills | | | 2,735 | | 0.0 | | 220.7 | | 2,630 | | 2,451 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 1,383 | | 12,533 | | 12.1 | | 109.8 | | 12,297 | | 12,486 | |
| 10 | West Jaintia Hills | 721 | | 9,816 | | 7.9 | | 108.1 | | 10,125 | | 8,580 | · |
| 11 | West Khasi Hills | 785 | | 9,420 | | 10.8 | | 129.8 | | 9,936 | | 8,502 | · |

| | | 10 | 09 | 1 | 10 | 1 | 11 | 1 | 12 | 11 | 13 | 11 | 14 |
|----|------------------------|---------|---------|------------------|---------|---------|------------|----------|---------|----------|------------|--|-------------------------------|
| | Indicator | Number | | Number given Pen | | | of Infants | Number o | | Number o | of Infants | Infants 0 to old who Measles v reported 1 | 11 months received vaccine to |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 52,374 | 57,564 | | | | | | | 45,182 | 50,988 | 79.1 | |
| 1 | East Garo Hills | 4,381 | | | | | | | | 3,651 | | 100.3 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 14,427 | 57,564 | | | | | | | 12,335 | 50,988 | 63.0 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 4,313 | | | | | | | | 4,020 | | 81.5 | |
| 6 | South Garo Hills | 1,990 | | | | | | | | 1,481 | | 119.5 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 11,752 | | | | | | | | 11,201 | | 98.2 | |
| 10 | West Jaintia Hills | 7,589 | | | | | | | | 5,736 | | 63.2 | |
| 11 | West Khasi Hills | 7,922 | | | | | | | | 6,758 | | 93.1 | |

| | | 11 | 15 | 11 | 16 | 11 | 17 | 11 | 18 | 11 | 19 | 12 | 20 |
|----|------------------------|-------------------------------|------------|-----------------------|-----------|-----------|------------|---------------------------------|----------------------------|--|---------------------------|--------------------------------|------------|
| | Indicator | Number immunize (9-11 n | d children | 9 Drop Ou BCG & | t between | Vitamin - | · A dose 1 | Children g dose1 to R bii | iven Vit A eported live | Children giv A Dose 9 to given Vit | ven Vitamin o Children | Adverse Following I (Oth | munisation |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 55,193 | | 29.7 | 27.7 | 48,226 | 20,711 | 84.4 | | 0.4 | 0.0 | 1 | |
| 1 | East Garo Hills | 4,261 | | 33.9 | | 3,431 | | 94.3 | | 0.1 | | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 11,630 | | 35.3 | 27.7 | 10,381 | 20,711 | 53.0 | | 0.5 | 0.0 | | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 8,681 | | 22.3 | | 4,450 | | 90.2 | | 1.8 | | | |
| 6 | South Garo Hills | 1,071 | | 45.9 | | 1,707 | | 137.8 | | 0.0 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 10,862 | | 10.6 | | 9,658 | | 84.6 | | 0.1 | | | |
| 10 | West Jaintia Hills | 10,475 | | 41.6 | | 11,204 | | 123.4 | | 0.0 | | | |
| 11 | West Khasi Hills | 8,213 | | 28.3 | | 7,395 | | 101.9 | | 0.3 | | 1 | · |

| | | 12 | 21 | 12 | 22 | 12 | 23 | 12 | 24 | 12 | 25 | 12 | 26 |
|----|------------------------|--------------------------------------|---------------------------|--|--|--|--|-------------|----------|---------|---|---|---|
| | Indicator | immunisati Held to Im Sessions | on Sessions munisation | Immunisati where AS preser Immunisati Plar | on Sessions HAs were nt to on Sessions | Diptheria i 0-5 Years Total R Childhood I | n Children of Age to eported Diseases 0-5 | Childhood 1 | Children | | onatorum in -5 Years of al Reported Diseases 0-5 | Tetanus (Children 0 Age to Tota Childhood I | Others in -5 Years of al Reported Diseases 0-5 |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 86.1 | | 59.1 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 1 | East Garo Hills | 76.8 | | 51.7 | | 0.1 | | 0.0 | | 0.0 | | 0.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 93.0 | | 81.8 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 83.0 | | 65.4 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 6 | South Garo Hills | 88.5 | | 78.6 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 88.3 | | 41.9 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 10 | West Jaintia Hills | 90.5 | | 72.4 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |
| 11 | West Khasi Hills | 57.6 | | 32.3 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | |

| | | 12 | 27 | 12 | 28 | 12 | 29 | 13 | 30 | 13 | 31 | 13 | 32 |
|----|------------------------|---|---|-----------|--------------------------------------|---------------------------|---|------------|--|------------|---------|-------------------------------|------------|
| | Indicator | Polio in Cl Years of A Reported Diseases (| hildren 0-5 ge to Total Childhood | 0-5 Years | of Age to eported Diseases 0-5 | Children 0 Age to Tota | oea and ation in -5 Years of al Reported Diseases 0-5 | Years of A | Children 0-5 ge to Total Childhood | Inpatients | Female | 9/ Children Ir Total Ir | patient to |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 0.0 | | 1.9 | | 73.0 | | 25.0 | | 59.4 | | 26.3 | |
| 1 | East Garo Hills | 0.0 | | 1.7 | | 32.9 | | 65.3 | | 54.6 | | 36.1 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | | 2.1 | | 91.9 | | 6.0 | | 91.2 | | 31.7 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | | 6.7 | | 86.5 | | 6.8 | | 50.8 | | 39.3 | |
| 6 | South Garo Hills | 0.0 | | 0.0 | | 58.9 | | 41.1 | | 50.0 | | 36.2 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.0 | | 0.5 | | 45.7 | | 53.8 | | 9.7 | | 5.4 | |
| 10 | West Jaintia Hills | 0.0 | | 3.9 | | 90.2 | | 5.9 | | 67.4 | | 44.1 | |
| 11 | West Khasi Hills | 0.0 | | 0.2 | | 97.0 | | 2.9 | | 63.2 | | 47.2 | |

| | | 13 | 33 | 13 | 34 | 13 | 35 | 13 | 36 | 13 | 37 | 13 | 38 |
|----|------------------------|---------------------------------------|----------------------|---------------------------|-----------|---------|---------|---------|---------|---------|---------|-----------------|--------------------|
| | Indicator | % Female I Deaths (Inpatien | npatient to Total | 9/ Inpatient I Tota | Deaths to | IPD (N | umber) | OPD (N | Jumber) | % IPD | to OPD | Number Opera | of Major ations |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 45.8 | | 1.9 | | 22,924 | | 413,350 | 285 | 5.5 | 0.0 | 856 | |
| 1 | East Garo Hills | 58.1 | | 2.6 | | 1,685 | | 13,417 | | 12.6 | | 1 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 50.0 | | 1.5 | | 13,146 | | 194,683 | 285 | 6.8 | 0.0 | 753 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 24.4 | | 4.6 | | 982 | | 24,799 | | 4.0 | | | |
| 6 | South Garo Hills | 52.9 | | 6.5 | | 260 | | 2,474 | | 10.5 | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 46.1 | | 1.3 | | 5,853 | | 141,682 | | 4.1 | | 102 | |
| 10 | West Jaintia Hills | 42.9 | | 12.4 | | 170 | | 12,747 | | 1.3 | | | |
| 11 | West Khasi Hills | 34.1 | | 5.0 | | 828 | | 23,548 | | 3.5 | | | |

| _ | | | | | | | | | | | | | |
|----|------------------------|---------|--------------------|----------|-------------------------------|---------|---------------------------|--------------------|--|-----------|------------|---------|------------------------|
| | | 13 | 39 | 14 | 40 | 1- | 41 | 14 | 12 | 14 | 13 | 14 | 14 |
| | Indicator | | of Minor ations | Major Op | ⁄₀ erations to peration | Hyster | ber of ectomy eries | Hyster Surgerie | 6 ectomy s to Total perations | Ayush OPI |) (Number) | | % PD to Total PD |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 606 | | 58.5 | | | | 0.0 | | 5,131 | | 1.2 | 0.0 |
| 1 | East Garo Hills | 21 | | 4.5 | | | | 0.0 | | 235 | | 1.8 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 496 | | 60.3 | | | | 0.0 | | 141 | | 0.1 | 0.0 |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | | | | | | | 679 | | 2.7 | |
| 6 | South Garo Hills | | | | | | | | | | | 0.0 | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 89 | | 53.4 | | | | 0.0 | | 1,299 | | 0.9 | |
| 10 | West Jaintia Hills | | | | | | | | | 998 | | 7.8 | |
| 11 | West Khasi Hills | | | | | | | | | 1,779 | | 7.6 | |

| Indicator | | 145 | | 146 | | 147 | | 148 | | 149 | | 150 | |
|-----------|------------------------|---------------------|---------|---------------------------|---------|-----------------------------------|---------|---|---------|---------|---------|---|---------|
| | | Dental OPD (Number) | | % Dental OPD to Total OPD | | Adolescent counselled (Number) | | % Hb < 7 mg to Total Hb Tests Conducted | | % | | % Female HIV Positive to Total Females Tested | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 2,813 | | 0.7 | 0.0 | 32 | | 8.0 | | 0.0 | | 0.1 | |
| 1 | East Garo Hills | 7 | | 0.1 | | | | 0.0 | | | | | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 531 | | 0.3 | 0.0 | 11 | | 7.0 | | 0.0 | | 0.0 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 569 | | 2.3 | | | | 22.1 | | | | | |
| 6 | South Garo Hills | | | 0.0 | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 921 | | 0.7 | | 13 | | 10.0 | | 0.0 | | 0.2 | |
| 10 | West Jaintia Hills | 51 | | 0.4 | | 1 | | | | | | | |
| 11 | West Khasi Hills | 734 | | 3.1 | | 7 | | 0.0 | | 0.0 | | 0.0 | |

| Indicator | | 151 | | 152 | | 153 | | 154 | | 155 | | 156 | |
|-----------|------------------------|---|---------|---|---------|--|---------|---|---------|--|---------|--|---------|
| | | % Total HIV Positive to Total Tested (Male + Female) | | % Plasmodium Vivax test positive to Total Blood Smears Examined | | % Plasmodium Falciparum test positive to Total Blood Smears Examined | | Total Number of Infant Deaths reported | | % Deaths due to Sepsis to Total Reported Infant Deaths | | % Deaths due to Asphyxia to Total Reported Infant Deaths | |
| | | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 | 2008-09 | 2007-08 |
| | _Meghalaya | 0.1 | | 0.7 | | 11.0 | | 740 | | 0.8 | | 4.6 | |
| 1 | East Garo Hills | | | 0.1 | | 4.0 | | 34 | | 0.0 | | 0.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.0 | | 0.3 | | 3.2 | | 624 | | 0.6 | | 5.5 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | | | 2.5 | | 3.8 | | 16 | | 6.3 | | 0.0 | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 0.2 | | 0.2 | | 16.2 | | 30 | | 4.5 | | 0.0 | |
| 10 | West Jaintia Hills | | | 3.2 | | 0.2 | | 30 | | 0.0 | | 0.0 | |
| 11 | West Khasi Hills | 0.0 | | 2.0 | | 1.4 | | 6 | | 0.0 | | 0.0 | |

| Indicator | | % Deaths due to LBW to Total Reported Infant Deaths | | % Deaths due to Pneumonia to Total Reported Infant Deaths | | % Deaths due to Diarrhoea to Total Reported Infant Deaths | | % Deaths due to Fever to Total Reported Infant Deaths | | % Deaths due to Measles to Total Reported Infant Deaths | | % Deaths due to Other Causes to Total Reported Infant Deaths | |
|-----------|------------------------|---|------------|---|--|---|--|---|--|---|--|--|--|
| | | | | | | | | | | | | | |
| | | | _Meghalaya | 0.8 | | 1.6 | | 2.2 | | 1.4 | | 0.2 | |
| 1 | East Garo Hills | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 2 | East Jaintia Hills | | | | | | | | | | | | |
| 3 | East Khasi Hills | 0.8 | | 0.6 | | 0.6 | | 0.6 | | 0.2 | | 91.3 | |
| 4 | North Garo Hills | | | | | | | | | | | | |
| 5 | Ri Bhoi | 0.0 | | 0.0 | | 62.5 | | 18.8 | | 0.0 | | 12.5 | |
| 6 | South Garo Hills | | | | | | | | | | | | |
| 7 | South West Garo Hills | | | | | | | | | | | | |
| 8 | South West Khasi Hills | | | | | | | | | | | | |
| 9 | West Garo Hills | 4.5 | | 22.7 | | 4.5 | | 13.6 | | 0.0 | | 50.0 | |
| 10 | West Jaintia Hills | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 0.0 | | 100.0 | |
| 11 | West Khasi Hills | 0.0 | | 33.3 | | 0.0 | | 0.0 | | 0.0 | | 66.7 | |