

Performance of Key HMIS Indicators for Bihar (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Bihar	707,466		126.5	0.0	12,481		98.3		538,865		989,519	
1	Araria	17,309		82.5				100.0		14,502		18,968	
2	Arwal	8,285		175.3		1,118		88.1		6,951		11,254	
3	Aurangabad	11,943		49.2		109		99.1		4,282		19,108	
4	Banka	21,251		97.9		455		97.9		21,251		21,025	
5	Begusarai	12,121		49.0		49		99.6		2,681		23,105	
6	Bhagalpur	35,229		84.4		539		98.5		25,458		40,858	
7	Bhojpur	3,189		10.3		290		91.7		3,189		25,997	
8	Buxar	8,067		298.3		83		99.0		4,760		14,968	
9	Darbhanga	23,359		355.0				100.0		10,853		34,884	
10	East Champaran	37,970		83.5		8		100.0		25,721		36,113	
11	Gaya	26,777		87.1		479		98.2		11,065		19,660	
12	Gopalganj	27,685		475.0		252		99.1		27,510		12,243	
13	Jamui	13,783		104.8		341		97.6		12,765		10,877	
14	Jehanabad			0.0								17,565	
15	Kaimur Bhabua	1,979		13.9		1,979		50.0		1,979		17,521	
16	Katihar	19,580		311.5		265		98.7		11,875		18,774	
17	Khagaria	24,081		387.0		322		98.7		13,832		13,832	
18	Kishanganj	15,104		1282.2		664		95.8		14,372		7,490	
19	Lakhisarai	11,194		76.4		185		98.4		1,953		17,394	
20	Madhepura	10,512		1040.8				100.0				18,668	
21	Madhubani	43,631		181.5		281		99.4		45,305		46,503	
22	Munger	7,275		43.7		323		95.7		1,803		17,581	
23	Muzaffarpur			0.0		135		0.0		10,308			
24	Nalanda	33,199		516.9		320		99.0		33,199		23,062	
25	Nawada					418		0.0		11,521		56,663	
26	Patna	31,355		81.5	0.0	33		99.9		29,941		68,984	
27	Purnia	37,613		430.8		676		98.2		30,262		40,614	
28	Rohtas	35,772		101.7		82		99.8		29,169		33,146	
29	Saharsa	8,257		105.7		511		94.2		6,863		20,164	
30	Samastipur	15,755		185.5		987		94.1		19,926		34,125	
31	Saran	39,334		375.2		418		98.9				35,809	
32	Sheikhpura	10,714		91.2		51		99.5		10,706		16,240	
33	Sheohar	2,481		710.9		83		96.8		2,447		2,176	
34	Sitamarhi	18,490		89.1		291		98.5		17,929		35,595	
35	Siwan											44,501	
36	Supaul	10,354		99.0		342		96.8		2,363		32,606	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Bihar	1,883,491	955,717	139.9		266.2		1,543,268		1,414,002	618,672	1,293,441	852,558
1	Araria	20,848		109.6		120.4		21,904		22,139		20,868	
2	Arwal	12,645		135.8		152.6		8,559		9,444		9,448	
3	Aurangabad	39,616		160.0		331.7		51,068		31,016		31,957	
4	Banka	35,187		98.9		165.6		28,617		26,687		26,110	
5	Begusarai	37,102		190.6		306.1		29,011		26,308		24,227	
6	Bhagalpur	58,269		116.0		165.4		45,984		43,099		40,851	
7	Bhojpur	45,829		815.2		1437.1		36,947		33,228		30,339	
8	Buxar	31,964		185.5		396.2		25,681		22,952		20,675	
9	Darbhanga	70,866		149.3		303.4		56,313		50,806		47,325	
10	East Champaran	81,009		95.1		213.4		83,966		90,526		40,340	
11	Gaya	95,092		73.4		355.1		88,836		82,598		76,351	
12	Gopalganj	33,761		44.2		121.9		30,972		27,635		24,244	
13	Jamui	37,351		78.9		271.0		28,122		21,880		25,816	
14	Jehanabad	22,944						16,156		14,617		14,035	
15	Kaimur Bhabua	32,587		885.3		1646.6		23,521		21,178		19,417	
16	Katihar	47,872		95.9		244.5		39,812		35,233		31,955	
17	Khagaria	41,530		57.4		172.5		29,131		32,040		29,431	
18	Kishanganj	30,636		49.6		202.8		24,643		18,377		14,051	
19	Lakhisarai	18,098		155.4		161.7		10,977		10,043		8,746	
20	Madhepura	32,975		177.6		313.7		28,496					
21	Madhubani	81,660		106.6		187.2		69,389		64,165		64,762	
22	Munger	24,615		241.7		338.4		19,647		17,782		17,189	
23	Muzaffarpur	100,464						82,484		79,625		74,460	
24	Nalanda	40,568		69.5		122.2		33,702		29,786		27,747	
25	Nawada	105,493						58,279		77,740		95,154	
26	Patna	94,484	955,717	220.0		301.3		88,716		87,314	618,672	76,338	852,558
27	Purnia	68,346		108.0		181.7		55,373		47,668		42,676	
28	Rohtas	47,299		92.7		132.2		34,151		29,205		25,044	
29	Saharsa	39,162		244.2		474.3		35,520		30,998		32,130	
30	Samastipur	58,957		216.6		374.2		37,531		38,587		35,902	
31	Saran	78,437		91.0		199.4		63,125		57,199		51,333	
32	Sheikhpura	15,679		151.6		146.3		14,304		12,697		11,573	
33	Sheohar	10,111		87.7		407.5		8,070		6,663		5,840	
34	Sitamarhi	62,124		192.5		336.0		53,841		46,336		44,477	
35	Siwan	65,028						60,953		63,587		61,977	
36	Supaul	44,828		314.9		433.0		38,827		36,673		32,837	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar							1,640,483	828,643	231.9		2,583,357	
1	Araria							23,399		135.2		20,157	
2	Arwal							12,902		155.7		22,896	
3	Aurangabad							41,347		346.2		26,873	
4	Banka							29,670		139.6		22,822	
5	Begusarai							31,958		263.7		42,770	
6	Bhagalpur							53,547		152.0		49,461	
7	Bhojpur							44,297		1389.1		25,700	
8	Buxar							29,091		360.6		49,250	
9	Darbhanga							41,177		176.3		43,396	
10	East Champaran							35,407		93.2			
11	Gaya							89,782		335.3		58,218	
12	Gopalganj							37,849		136.7		37,849	
13	Jamui							25,886		187.8		50,852	
14	Jehanabad							22,553					
15	Kaimur Bhabua							22,776		1150.9		143,813	
16	Katihar							50,524		258.0		36,051	
17	Khagaria							34,327		142.5		126,187	
18	Kishanganj							20,351		134.7		14,161	
19	Lakhisarai							13,933		124.5		17,568	
20	Madhepura							32,663		310.7		122,630	
21	Madhubani							82,392		188.8		81,711	
22	Munger							21,598		296.9		22,000	
23	Muzaffarpur							90,356				90,356	
24	Nalanda							38,373		115.6		38,184	
25	Nawada							100,969					
26	Patna							71,077	828,643	226.7		561,334	
27	Purnia							54,052		143.7		360,015	
28	Rohtas							40,180		112.3		44,384	
29	Saharsa							44,756		542.0		13,459	
30	Samastipur							40,290		255.7		29,764	
31	Saran							64,379		163.7		50,241	
32	Sheikhpura							13,856		129.3		122,509	
33	Sheohar							6,290		253.5		22,607	
34	Sitamarhi							56,364		304.8		62,450	
35	Siwan							66,269				60,048	
36	Supaul							50,165		484.5		34,270	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	Bihar	12.9	13.3	1,068,864	710,566	151.1		23.3	0.0	1,735		96.9	
1	Araria	-12.2		22,606		130.6		0.0				99.8	
2	Arwal	-2.0		7,343		88.6		0.0				100.0	
3	Aurangabad	-4.4		21,183		177.4		0.0				96.8	
4	Banka	15.7		17,775		83.6		0.0				100.0	
5	Begusarai	13.9		17,324		142.9		58.9				95.7	
6	Bhagalpur	8.1		55,888		158.6		36.7				97.0	
7	Bhojpur	3.3		47,874		1501.2		273.7				84.3	
8	Buxar	9.0		20,822		258.1		0.0		1,735		99.1	
9	Darbhanga	41.9		33,930		145.3		5.3					
10	East Champaran	56.3				0.0							
11	Gaya	5.6		82,406		307.7		48.7				95.9	
12	Gopalganj	-12.1		30,446		110.0		0.0				87.5	
13	Jamui	30.7		15,453		112.1		0.0					
14	Jehanabad	1.7		13,341				0.0					
15	Kaimur Bhabua	30.1		24,958		1261.1		0.0				98.5	
16	Katihar	-5.5		35,376		180.7		0.0				100.0	
17	Khagaria	17.3		20,139		83.6		0.2				100.0	
18	Kishanganj	33.6		12,492		82.7		0.4				96.3	
19	Lakhisarai	23.0		7,330		65.5		0.2				100.0	
20	Madhepura	0.9				0.0							
21	Madhubani	-0.9		74,219		170.1		0.0				99.2	
22	Munger	12.3		9,044		124.3		1.4				97.1	
23	Muzaffarpur	10.1		74,983				0.0					
24	Nalanda	5.4		24,804		74.7		0.0				92.9	
25	Nawada	4.3											
26	Patna	24.8	13.3	26,293	710,566	83.9		0.7	0.0			101.7	
27	Purnia	20.9		43,461		115.5		53.7				85.4	
28	Rohtas	15.1		40,068		112.0		0.0					
29	Saharsa	-14.3		12,328		149.3		0.0					
30	Samastipur	31.7		33,128		210.3		3.4				85.3	
31	Saran	17.9		61,136		155.4		24.2					
32	Sheikhpura	11.6		17,724		165.4		3.4				96.7	
33	Sheohar	37.8		4,833		194.8		0.0					
34	Sitamarhi	9.3		33,090		179.0		0.0				100.0	
35	Siwan	-1.9		40,837				0.0				91.1	
36	Supaul	-11.9		21,804		210.6		0.1				77.2	

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)

Financial Year: 2008-09

Provisional Figures for the Period April to December

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar	68.3		0.6		1.2		0.9		0.6		0.0	
1	Araria	45.9											
2	Arwal	97.7											
3	Aurangabad	0.0											
4	Banka	100.0		0.0		0.0		0.0		0.0		0.0	
5	Begusarai	76.7		0.0		0.0		0.0		0.0		0.0	
6	Bhagalpur	34.9											
7	Bhojpur	93.0											
8	Buxar	77.6											
9	Darbhanga												
10	East Champaran												
11	Gaya	94.7		0.0		0.0		0.8		9.4		0.0	
12	Gopalganj	0.0											
13	Jamui			0.0		0.0		0.0		0.0		0.0	
14	Jehanabad												
15	Kaimur Bhabua	86.8											
16	Katihar	100.0											
17	Khagaria	11.5		5.1		0.0		0.0		0.3		0.0	
18	Kishanganj	57.8		0.0		0.0		0.0		0.0		0.0	
19	Lakhisarai	0.0		0.0		0.0		0.0		0.0		0.0	
20	Madhepura												
21	Madhubani	22.1											
22	Munger	0.0		0.0		0.0		0.0		0.0		0.0	
23	Muzaffarpur			0.0		0.0		0.0		0.0		0.0	
24	Nalanda	86.2											
25	Nawada												
26	Patna	100.4		15.0		46.1		29.0		0.0		0.0	
27	Purnia	49.2		0.0		0.0		0.0		0.0		0.0	
28	Rohtas												
29	Saharsa			4.7		0.0		0.0		0.2		0.2	
30	Samastipur	19.4											
31	Saran												
32	Sheikhpura	0.0		0.0		0.0		0.0		0.0		0.0	
33	Sheohar			0.0		0.0		0.0		0.0		0.0	
34	Sitamarhi	100.0		0.0		0.0		0.9		0.0		0.0	
35	Siwan	0.0											
36	Supaul	38.6											

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar	6.0		87.3		3.3		245		0.0		0.0	
1	Araria												
2	Arwal							9		0.0		0.0	
3	Aurangabad												
4	Banka	0.0		100.0		0.0							
5	Begusarai	0.0		100.0		0.0							
6	Bhagalpur							89		0.0		0.0	
7	Bhojpur												
8	Buxar												
9	Darbhanga												
10	East Champaran												
11	Gaya	30.7		39.6		19.6							
12	Gopalganj												
13	Jamui	17.9		62.5		19.6							
14	Jehanabad												
15	Kaimur Bhabua												
16	Katihar												
17	Khagaria	0.0		7.9		86.6							
18	Kishanganj	0.1		99.9		0.0							
19	Lakhisarai	22.2		77.8		0.0		25		0.0		0.0	
20	Madhepura												
21	Madhubani												
22	Munger	0.0		100.0		0.0							
23	Muzaffarpur	0.0		100.0		0.0							
24	Nalanda												
25	Nawada												
26	Patna	0.0		0.0		9.8							
27	Purnia	0.0		99.2		0.8		9		0.0		0.0	
28	Rohtas							79		0.0		0.0	
29	Saharsa	0.4		94.5		0.0							
30	Samastipur												
31	Saran												
32	Sheikhpura	0.0		100.0		0.0							
33	Sheohar	43.3		55.5		1.2							
34	Sitamarhi	0.0		99.1		0.0							
35	Siwan												
36	Supaul												

(Continued)

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
	_Bihar	1.6		0.0		10.2		0.0		0.8		87.3	
1	Araria												
2	Arwal	0.0		0.0		0.0		0.0		0.0		100.0	
3	Aurangabad												
4	Banka												
5	Begusarai												
6	Bhagalpur	0.0		0.0		0.0		0.0		0.0		100.0	
7	Bhojpur												
8	Buxar												
9	Darbhanga												
10	East Champaran												
11	Gaya												
12	Gopalganj												
13	Jamui												
14	Jehanabad												
15	Kaimur Bhabua												
16	Katihar												
17	Khagaria												
18	Kishanganj												
19	Lakhisarai	0.0		0.0		100.0		0.0		0.0		0.0	
20	Madhepura												
21	Madhubani												
22	Munger												
23	Muzaffarpur												
24	Nalanda												
25	Nawada												
26	Patna												
27	Purnia	0.0		0.0		0.0		0.0		0.0		100.0	
28	Rohtas	5.1		0.0		0.0		0.0		2.5		92.4	
29	Saharsa												
30	Samastipur												
31	Saran												
32	Sheikhpura												
33	Sheohar												
34	Sitamarhi												
35	Siwan												
36	Supaul												

(Continued)

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		1		2		3		4		5		6	
		Total Number of reported live births		% Total Reported Live Births to Total Deliveries		Total Number of reported Still Births		% live birth to Reported Birth		Number of Newborns weighed at birth		Number of Infants given OPV 0 (Birth Dose)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	48,109		273.4		392		99.2		48,109		49,649	
38	West Champaran	35,709		338.4				100.0		24,015		31,797	

Performance of Key HMIS Indicators for Bihar (Across Districts)
Financial Year: 2008-09
Provisional Figures for the Period April to December

Indicator		7		8		9		10		11		12	
		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		% Newborns given BCG to Reported live birth		Number of Infants given DPT1		Number of Infants given DPT2		Number of Infants given DPT3	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	57,647		103.2		119.8		42,600		39,065		33,847	
38	West Champaran	62,408		89.0		174.8		38,040		29,106		23,969	

Indicator		13		14		15		16		17		18	
		Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2		Number of Infants given Pentavalent 3		Number of Infants given Measles		% Infants 0 to 11 months old who received Measles vaccine to reported live births		Number of fully immunized children (9-11 months)	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali							50,359		104.7		48,111	
38	West Champaran							55,319		154.9		31,260	

Indicator		19		20		21		22		23		24	
		% Drop Out between BCG & Measles		Vitamin - A dose 1		% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Adverse Events Following Immunisation (Others)		% immunisation Sessions Held to Immunisation Sessions Planned	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	12.6		48,652		101.1		8.7				96.5	
38	West Champaran	11.4		15,774		44.2		8.2				86.1	

Indicator		25		26		27		28		29		30	
		% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Others in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	0.0		0.0		0.0		0.0		0.0		0.0	
38	West Champaran	86.1											

Indicator		31		32		33		34		35		36	
		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	0.0		100.0		0.0		34		0.0		0.0	
38	West Champaran												

Indicator		37		38		39		40		41		42	
		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		% Deaths due to Measles to Total Reported Infant Deaths		% Deaths due to Other Causes to Total Reported Infant Deaths	
		2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08	2008-09	2007-08
37	Vaishali	0.0		0.0		0.0		0.0		0.0		100.0	
38	West Champaran												