		1	1	2	2	3	3	4	4		5	(j
Indicator		Total Number of reported live births		% Total Reported Live Births to Total Deliveries			Total Number of reported Still Births		% live birth to Reported Birth		f Newborns at birth	Number of Infants given OPV 0 (Birth Dose)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	18,088	14,655	104.8	101.1	136	1,428	99.3	91.1	16,737	14,981	1,651	228
1	Aizawl East												
2	Aizawl West	7,727	5,262	98.2	106.1	56	13	99.3	99.8	7,460	4,761	1,619	215
3	Champhai	2,157	1,618	103.5	93.6	20	228	99.1	87.6	2,080	1,783	18	_
4	Kolasib	1,318	1,158	108.9	115.9	14	139	98.9	89.3	1,295	1,200		
5	Lawngtlai	1,708	1,410	141.5	102.5	6	161	99.6	89.8	1,374	1,568		13
6	Lunglei	2,096	2,883	110.6	98.1	18	550	99.1	84.0	1,786	3,089	12	
7	Mamit	1,129	709	107.2	94.4	10	98	99.1	87.9	887	784	·	·
8	Saiha	1,030	944	101.2	92.7	10	138	99.0	87.2	935	1,049		
9	Serchhip	923	671	100.4	93.3	2	101	99.8	86.9	920	747	2	

		7	7	8	3	ġ	9	1	0	1	1	1:	2
Indicator		Number of Infants given BCG		% Newborns given OPV0 at birth to Reported live birth		Newborns	% Newborns given BCG to Reported live birth		Number of Infants given DPT1		of Infants DPT2	Number of Infants given DPT3	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	17,896	8,044	9.1	1.6	98.9	54.9	17,768	8,973	17,565	8,662	17,836	8,397
1	Aizawl East												
2	Aizawl West	7,360	2,898	21.0	4.1	95.3	55.1	7,016	3,092	6,848	3,052	6,676	2,891
3	Champhai	2,197	1,164	0.8	0.0	101.9	71.9	2,246	1,329	2,296	1,333	2,344	1,267
4	Kolasib	1,446	617	0.0	0.0	109.7	53.3	1,453	637	1,450	601	1,417	597
5	Lawngtlai	1,600	970	0.0	0.9	93.7	68.8	1,678	1,107	1,657	979	1,669	1,018
6	Lunglei	2,265	1,200	0.6	0.0	108.1	41.6	2,368	1,362	2,291	1,293	2,791	1,261
7	Mamit	1,131	518	0.0	0.0	100.2	73.1	1,147	659	1,137	657	1,106	612
8	Saiha	919	454	0.0	0.0	89.2	48.1	936	544	917	512	875	471
9	Serchhip	978	223	0.2	0.0	106.0	33.2	924	243	969	235	958	280

		1	3	1	.4	1	.5	1	6	17		18	
1	Indicator	Number of Infants given Pentavalent 1		Number of Infants given Pentavalent 2			Number of Infants given Pentavalent 3		Number of Infants given Measles		11 months received raccine to live births	Number of fully immunized children (9-11 months)	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram							16,329	8,678	90.3	59.2	17,293	10,435
1	Aizawl East												
2	Aizawl West							6,734	3,123	87.1	59.4	6,921	3,987
3	Champhai							2,077	1,047	96.3	64.7	2,027	1,307
4	Kolasib							1,206	704	91.5	60.8	1,280	797
5	Lawngtlai							1,378	893	80.7	63.3	1,588	1,023
6	Lunglei							2,166	1,472	103.3	51.1	2,601	1,663
7	Mamit							1,023	658	90.6	92.8	1,056	737
8	Saiha							845	489	82.0	51.8	865	526
9	Serchhip	_						900	292	97.5	43.5	955	395

		1	9	2	0	2	1	2	2	2	3	24	
1	Indicator	% Drop Out between BCG & Measles		Vitamin - A dose 1		Children g dose1 to R	% Children given Vit A dose1 to Reported live birth		% Children given Vitamin A Dose 9 to Children given Vit A dose1		Events munisation ters)	% immunisation Sessions Held to Immunisation Sessions Planned	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	8.8	-7.9	16,336	2,602	90.3	17.8	35.8	6.8	559		88.2	9.7
1	Aizawl East												
2	Aizawl West	8.5	-7.8	5,997	1,019	77.6	19.4	26.0	17.5	2		75.2	
3	Champhai	5.5	10.1	3,149	433	146.0	26.8	35.7	0.0	179		96.9	
4	Kolasib	16.6	-14.1	1,210	327	91.8	28.2	75.5	0.0	128		99.7	98.8
5	Lawngtlai	13.9	7.9	774		45.3	0.0	33.7		170		104.5	
6	Lunglei	4.4	-22.7	2,152	506	102.7	17.6	28.1	0.0	19		99.3	
7	Mamit	9.5	-27.0	924	164	81.8	23.1	80.8	0.0	39		89.5	
8	Saiha	8.1	-7.7	864	153	83.9	16.2	17.2	0.0	_		84.9	4.6
9	Serchhip	8.0	-30.9	1,266		137.2	0.0	38.9		22		82.7	

		2	5	26		2	27		28		29		30	
1	ndicator	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned		% Diptheria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Pertusis ir 0-5 Years Total R Childhood I	% Pertusis in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Tetanus Neonatorum in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Others in -5 Years of al Reported Diseases 0-5 ars	% Polio in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Mizoram	78.8	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1	Aizawl East													
2	Aizawl West	57.8		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3	Champhai	86.9		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
4	Kolasib	87.7	91.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
5	Lawngtlai	120.1		0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
6	Lunglei	88.4		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	
7	Mamit	83.7		0.3	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	
8	Saiha	76.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
9	Serchhip	87.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

		3	1	32		3	33		34		5	36		
Indicator		% Measles in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		% Diarrhoea and dehydration in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Malaria in (Years of A Reported	% Malaria in Children 0-5 Years of Age to Total Reported Childhood Diseases 0-5 Years		Total Number of Infant Deaths reported		% Deaths due to Sepsis to Total Reported Infant Deaths		% Deaths due to Asphyxia to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	
	_Mizoram	4.1	1.2	63.8	57.0	32.0	41.8	492	47	3.6	0.0	1.4	0.0	
1	Aizawl East													
2	Aizawl West	8.7	0.9	76.5	50.9	14.8	48.2	93	8	2.2	0.0	3.2	0.0	
3	Champhai	3.7	0.5	72.7	71.5	23.6	27.9	56	23	10.0	0.0	4.0	0.0	
4	Kolasib	2.1	5.6	74.9	66.0	23.0	28.4	42		2.5		0.0		
5	Lawngtlai	3.8	0.0	48.3	54.7	47.7	45.3	25	7	0.0	0.0	0.0	0.0	
6	Lunglei	1.8	0.8	49.9	37.7	48.2	61.4	56		7.3		0.0		
7	Mamit	1.9	1.0	43.7	62.9	53.8	36.1	114	9	15.4	0.0	0.0	0.0	
8	Saiha	0.2	0.0	70.4	59.4	29.4	40.6	77		0.0		0.0		
9	Serchhip	4.5	1.8	80.9	96.3	14.6	1.9	29		0.0		0.0		

		3	7	3	8	3	9	4	0	4	1	42	
Indicator		% Deaths due to LBW to Total Reported Infant Deaths		% Deaths due to Pneumonia to Total Reported Infant Deaths		Deaths Diarrhoe Reporte	% Deaths due to Diarrhoea to Total Reported Infant Deaths		% Deaths due to Fever to Total Reported Infant Deaths		6 to Measles Reported Deaths	% Deaths due to Other Causes to Total Reported Infant Deaths	
		2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09	2009-10	2008-09
	_Mizoram	2.5	0.0	28.1	4.3	1.4	0.0	11.0	25.5	0.0	0.0	52.1	70.2
1	Aizawl East												
2	Aizawl West	5.4	0.0	38.7	25.0	3.2	0.0	18.3	75.0	0.0	0.0	29.0	0.0
3	Champhai	0.0	0.0	24.0	0.0	2.0	0.0	10.0	0.0	0.0	0.0	50.0	100.0
4	Kolasib	0.0		37.5		2.5		12.5		0.0		45.0	
5	Lawngtlai	0.0	0.0	24.0	0.0	0.0	0.0	24.0	0.0	0.0	0.0	52.0	100.0
6	Lunglei	7.3		34.1		0.0		4.9		0.0		46.3	
7	Mamit	7.7	0.0	23.1	0.0	0.0	0.0	7.7	66.7	0.0	0.0	46.2	33.3
8	Saiha	0.0		19.7		0.0		5.3		0.0		75.0	
9	Serchhip	0.0		4.0		0.0		0.0		0.0		96.0	