

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
|------------|-------------|---|--|---|---|---------------------------------------|--|--|---|--|--|--|--|---|
| | | Total number of pregnant women Registered for ANC | Number of Pregnant women registered within first trimester | % 1st Trimester registration to Total ANC Registrations | Number of pregnant women received 4 or more ANC check ups | TT2 given to Pregnant women (numbers) | TT Booster given to Pregnant women (numbers) | % Pregnant Woman received 4 ANC check ups to Total ANC Registrations | % Pregnant women received TT2+ TT Booster to Total ANC Registration | Number of Pregnant women given 180 IFA tablets | % Pregnant women given 180 IFA to Total ANC Registration | Number of Pregnant Women having Hb level<11 (tested cases) | Number of Pregnant Women having severe anaemia (Hb<7) treated at institution | % Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 10,375 | 7,243 | 69.8 | 6,387 | 7,024 | 2,460 | 61.5 | 91.4 | 13,599 | 131.0 | 6,361 | 45 | 86.5 |
| 1 | Darhal | 2,031 | 1,132 | 55.7 | 1,018 | 1,081 | 752 | 50.1 | 90.3 | 2,026 | 99.8 | 235 | 0 | |
| 2 | District HQ | 25 | 25 | 100.0 | 2,207 | 21 | 13 | 8828.0 | 136.0 | 3,814 | 5256.0 | 3,814 | 42 | 93.3 |
| 3 | Kalakote | 2,097 | 1,480 | 70.6 | 881 | 1,743 | 261 | 42.0 | 95.6 | 2,013 | 96.0 | 617 | 0 | 0.0 |
| 4 | Kandi | 1,925 | 1,708 | 88.7 | 244 | 1,103 | 300 | 12.7 | 72.9 | 1,807 | 93.9 | 94 | 2 | 100.0 |
| 5 | Manjakote | 1,983 | 1,352 | 68.2 | 1,033 | 1,417 | 657 | 52.1 | 104.6 | 1,711 | 86.3 | 715 | 0 | |
| 6 | Noeshera | 1,270 | 642 | 50.6 | 426 | 784 | 304 | 33.5 | 85.7 | 1,265 | 99.6 | 221 | 1 | 100.0 |
| 7 | Sunderbani | 1,044 | 904 | 86.6 | 578 | 875 | 173 | 55.4 | 100.4 | 963 | 92.2 | 665 | 0 | 0.0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
|------------|-------------|---|---------------------------|--|--|--|---|---|---|--|--|--|---|--|
| | | % New cases of Pregnant Women detected at institution for hypertension to Total ANC Registrations | Number of Home deliveries | Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM) | Number of home deliveries attended by Non SBA trained (trained TB/Dai) | % SBA attended home deliveries to Total Reported Home Deliveries | Deliveries Conducted at Public Institutions | Number of Women Discharge d under 48 hours of delivery in public facilities | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutions | Deliveries Conducted at Private Institutions | Number of Women Discharge d under 48 hours of delivery in private institutions | % Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutions | Institutional deliveries (Public Insts.+Pvt . Insts.) | % Institutional Deliveries to total ANC registration |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 15.6 | 846 | 14 | 832 | 1.6 | 7,335 | 3,554 | 48.4 | 425 | 32 | 7.5 | 7,760 | 74.7 |
| 1 | Darhal | 22.1 | 82 | 3 | 79 | 3.7 | 444 | 444 | 100.0 | | | | 444 | 21.9 |
| 2 | District HQ | 3252.0 | | | | | 3,854 | 1,109 | 28.8 | | | | 3,854 | 5416.0 |
| 3 | Kalakote | 0.1 | 216 | 11 | 205 | 5.1 | 737 | 733 | 99.5 | | | | 737 | 35.1 |
| 4 | Kandi | 0.3 | 425 | 0 | 425 | 0.0 | 558 | 512 | 91.8 | | | | 558 | 29.0 |
| 5 | Manjakote | 8.1 | 57 | 0 | 57 | 0.0 | 226 | 148 | 65.5 | | | | 226 | 11.4 |
| 6 | Noeshera | 5.7 | 48 | 0 | 48 | 0.0 | 457 | 248 | 54.3 | | | | 457 | 36.0 |
| 7 | Sunderbani | 11.4 | 18 | 0 | 18 | 0.0 | 1,059 | 360 | 34.0 | 425 | 32 | 7.5 | 1,484 | 142.1 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
|------------|--------------------|---------------------------|---|--|--|---|--|---|--|--|---|--|--|--|
| | | Total reported deliveries | % Institutional deliveries to Total Reported Deliveries | % Safe deliveries to Total Reported Deliveries | % Home deliveries to Total Reported Deliveries | Number of C-section deliveries conducted at public facilities | Number of C-section deliveries conducted at private facilities | % C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries | % C-sections conducted at public facilities to Deliveries conducted at public facilities | % C-sections conducted at Private facilities to Deliveries conducted at private facilities | % Deliveries conducted at Public Institutions to Total Institutional Deliveries | % Deliveries conducted at Private Institutions to Total Institutional Deliveries | Women received 1st post partum check-up within 48 hours of home delivery | Women received 1st post partum check up between 48 hours and 14 days |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 8,606 | 90.2 | 90.3 | 9.8 | 1,063 | 306 | 17.6 | 14.5 | 72.0 | 94.5 | 5.5 | 2,649 | 2,638 |
| 1 | Darhal | 526 | 84.4 | 85.0 | 15.6 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 31 | 513 |
| 2 | District HQ | 3,854 | 100.0 | 100.0 | 0.0 | 842 | | 21.8 | 21.8 | | 100.0 | 0.0 | 1,928 | 726 |
| 3 | Kalakote | 953 | 77.3 | 78.5 | 22.7 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 266 | 165 |
| 4 | Kandi | 983 | 56.8 | 56.8 | 43.2 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 173 | 225 |
| 5 | Manjakote | 283 | 79.9 | 79.9 | 20.1 | 0 | | 0.0 | 0.0 | | 100.0 | 0.0 | 53 | 158 |
| 6 | Noeshera | 505 | 90.5 | 90.5 | 9.5 | 40 | | 8.8 | 8.8 | | 100.0 | 0.0 | 36 | 161 |
| 7 | Sunderbani | 1,502 | 98.8 | 98.8 | 1.2 | 181 | 306 | 32.8 | 17.1 | 72.0 | 71.4 | 28.6 | 162 | 690 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
|------------|-------------|---|---|--------------------------------------|-----------------------------------|---------------------------------------|--------------------------------|-------------------------------------|---|---|--|--|--|--|
| | | % Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries | % Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries | Total Number of reported live births | % Live Births to Total Deliveries | Total Number of reported Still Births | % live birth to Reported Birth | Number of Newborns weighed at birth | % Newborns weighed at birth to live birth | Number of Newborns having weight less than 2.5 kg | % Newborns having weight less than 2.5 kg to Newborns weighed at birth | Number of New Borns Breast Fed within 1 hour | % Newborns breast fed within 1 hour of birth to Total live birth | Sex Ratio at birth (Female Live Births/ Male Live Births *1000) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 313.1 | 30.7 | 8,510 | 98.9 | 78 | 99.1 | 8,451 | 99.3 | 675 | 7.9 | 7,529 | 88.4 | 949 |
| 1 | Darhal | 37.8 | 97.5 | 526 | 100.0 | 0 | 100.0 | 524 | 99.6 | 25 | 4.8 | 520 | 98.9 | 906 |
| 2 | District HQ | | 18.8 | 3,778 | 98.0 | 52 | 98.6 | 3,790 | 100.3 | 552 | 14.6 | 2,946 | 78.0 | 961 |
| 3 | Kalakote | 123.1 | 17.3 | 952 | 99.9 | 4 | 99.6 | 947 | 99.5 | 0 | 0.0 | 947 | 99.5 | 955 |
| 4 | Kandi | 40.7 | 22.9 | 954 | 97.0 | 0 | 100.0 | 938 | 98.3 | 29 | 3.1 | 938 | 98.3 | 963 |
| 5 | Manjakote | 93.0 | 55.8 | 283 | 100.0 | 1 | 99.6 | 283 | 100.0 | 0 | 0.0 | 283 | 100.0 | 1,128 |
| 6 | Noeshera | 75.0 | 31.9 | 508 | 100.6 | 0 | 100.0 | 463 | 91.1 | 0 | 0.0 | 482 | 94.9 | 1,048 |
| 7 | Sunderbani | 900.0 | 45.9 | 1,509 | 100.5 | 21 | 98.6 | 1,506 | 99.8 | 69 | 4.6 | 1,413 | 93.6 | 865 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 |
|------------|-------------|--|---|--|---|---|--|--|---|--------------------------------------|---|--|--|---|
| | | % cases of Pregnant women with Obstetric Complications and attended to reported deliveries | % Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended | Number of PW given 360 Calcium tablets | % Pregnant women given 360 Calcium to Total ANC Registrations | Number of PW given one Albendazole tablet after 1st trimester | % Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registrations | Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test) | % Pregnant women tested for blood sugar using OGTT to Total ANC Registrations | Number of PW tested positive for GDM | % Pregnant women tested positive for GDM to Total ANC Registrations | Number of pregnant women tested for Syphilis | Number of pregnant women tested found sero positive for Syphilis | % Pregnant women tested for Syphilis to Total ANC Registrations |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 3.1 | 60.7 | 7,180 | 69.2 | 5,208 | 50.2 | 29 | 0.3 | 29 | 0.3 | 866 | 0 | 8.3 |
| 1 | Darhal | 0.0 | | 428 | 21.1 | 402 | 19.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 2 | District HQ | 3.5 | 120.6 | 3,814 | 5256.0 | 2,256 | 9024.0 | 29 | 116.0 | 29 | 116.0 | 866 | 0 | 3464.0 |
| 3 | Kalakote | 0.0 | | 304 | 14.5 | 246 | 11.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 4 | Kandi | 0.0 | | 1,794 | 93.2 | 398 | 20.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 5 | Manjakote | 0.0 | | 363 | 18.3 | 1,094 | 55.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 6 | Noeshera | 26.5 | 0.0 | 121 | 9.5 | 466 | 36.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |
| 7 | Sunderbani | 0.0 | | 356 | 34.1 | 346 | 33.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 |
|------------|-------------|--|--|---------------------------|--|--|---|---------------------------|---|---|---|--|---|-----------------------------------|
| | | % Pregnant women treatd for Syphilis to Total sero positive for Syphilis | % of babies treated for congenita l Syphilis to babies total diagnosed with Congenit al Syphilis | Total no. maternal deaths | Total Facility Based Maternal Death Reviews (FBMDR) done | Total Number of Abortions (Spontan eous) Reported | Total Number of MTPs (Public) conducte d | % MTPs to total Abortions | % MTPs up to 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs more than 12 weeks of Pregnanc y to Total MTPs at Public Institutio ns | % MTPs Conducte d at Public Institutio ns to Total MTPs | % MTPs Conducte d at Private Institutio ns to Total MTPs | % Total MTPs (Public) Conducte d to Total ANC Registrati on | Number of Vasectom ies Conducte d |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 0.0 | | 4 | 0 | 113 | 676 | 87.2 | 99.9 | 0.1 | 87.6 | 12.4 | 6.5 | 6 |
| 1 | Darhal | | | | | 0 | 14 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.7 | 0 |
| 2 | District HQ | 0.0 | | 2 | 0 | 18 | 296 | 94.3 | 100.0 | 0.0 | 100.0 | 0.0 | 1184.0 | 0 |
| 3 | Kalakote | | | | | 0 | 1 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.0 | 1 |
| 4 | Kandi | | | 0 | 0 | 0 | 99 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 5.1 | 0 |
| 5 | Manjakote | | | 2 | | 0 | 1 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 0.1 | 0 |
| 6 | Noeshera | | | 0 | 0 | 0 | 122 | 100.0 | 100.0 | 0.0 | 100.0 | 0.0 | 9.6 | 2 |
| 7 | Sunderbani | | | 0 | 0 | 95 | 143 | 71.6 | 99.3 | 0.7 | 59.8 | 40.2 | 13.7 | 3 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 |
|------------|-------------|---------------------------------|-------------------------------|---|---|--|--|--|---|---|--|--|---|--|
| | | Number of Tubectomies Conducted | Total Sterilisation Conducted | % Male Sterilisation (Vasectomies) to Total sterilisation | % Female Serlisation (Tubectomies) to Total sterilisation | Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC | Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH | Total Sterilisation (Tubectomies and Vasectomies) conducted at DH | Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions | Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation | % Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation | % Laparoscopic sterilisations to Total Female Sterilisations |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 239 | 245 | 2.4 | 97.6 | | | | | 10 | 235 | 4.1 | 95.9 | 99.2 |
| 1 | Darhal | 40 | 40 | 0.0 | 100.0 | | | | | | 40 | 0.0 | 100.0 | 100.0 |
| 2 | District HQ | 64 | 64 | 0.0 | 100.0 | | | | | | 64 | 0.0 | 100.0 | 100.0 |
| 3 | Kalakote | 15 | 16 | 6.3 | 93.8 | | | | | | 16 | 0.0 | 100.0 | 100.0 |
| 4 | Kandi | 32 | 32 | 0.0 | 100.0 | | | | | | 32 | 0.0 | 100.0 | 96.9 |
| 5 | Manjakote | 14 | 14 | 0.0 | 100.0 | | | | | | 14 | 0.0 | 100.0 | 100.0 |
| 6 | Noeshera | 11 | 13 | 15.4 | 84.6 | | | | | | 13 | 0.0 | 100.0 | 100.0 |
| 7 | Sunderbani | 63 | 66 | 4.5 | 95.5 | | | | | 10 | 56 | 15.2 | 84.8 | 98.4 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 |
|------------|-------------|--|---|---|---|---|--|--|---|---|---|--|--|--|
| | | % Mini Lap Sterilisati ons to Total Female Sterilisati ons | % Post Partum Sterilisati ons to Total Female Sterilisati ons | % Post Abortion Sterilisati ons to Total Female Sterilisati ons | % Laparosc opic sterlisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons | % Mini Lap sterlisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons | % Post Partum sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | % Post Abortion sterlisati ons at Public Institutio ns to Total Post Partum Sterilisati on | Total cases of deaths following Sterilisati on (Male + Female) | Total cases of deaths following Male Sterilisati on | Total cases of deaths following Female Sterilisati on | Total cases of failure following Male Sterilisati on | Total cases of failure following Female Sterilisati on | Total cases of complicat ion following Male Sterilisati on |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 0.0 | 0.4 | 0.4 | 95.8 | | 100.0 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | Darhal | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | District HQ | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | Kalakote | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Kandi | 0.0 | 0.0 | 3.1 | 100.0 | | | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Manjakote | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Noeshera | 0.0 | 0.0 | 0.0 | 100.0 | | | | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Sunderbani | 0.0 | 1.6 | 0.0 | 83.9 | | 100.0 | | 0 | 0 | 0 | 0 | 0 | 0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 |
|------------|-------------|--|--|--|---|--|---|-------------------------------------|-------------------------------|------------------------------|---------------------------------|-----------------------------|---------------------------|---|
| | | Total cases of complication following Female Sterilisation | IUCD Insertions done (public facilities) | IUCD insertions done (pvt. facilities) | % PP IUCD Insertions (public) to Total IUCD Insertions (public) | % PP IUCD Insertions (public) to Total Institutional Deliveries (public) | % IUCD insertions to all family planning methods (IUCD plus permanent) | Total Interval IUCD Insertions done | Total PP IUCD Insertions done | Total PAIUCD insertions done | Combined Oral Pills distributed | Emergency pills distributed | Condom pieces distributed | Centchroman (weekly pills) distributed |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 0 | 2,062 | 8 | 15.8 | 4.4 | 89.4 | 1,736 | 326 | 8 | 27,606 | 546 | 162,421 | 218 |
| 1 | Darhal | 0 | 235 | | 1.3 | 0.7 | 85.5 | 232 | 3 | 0 | 5,656 | 0 | 35,350 | 0 |
| 2 | District HQ | 0 | 553 | | 35.8 | 5.1 | 89.6 | 347 | 198 | 8 | 1,152 | 105 | 17,520 | 50 |
| 3 | Kalakote | 0 | 220 | | 16.4 | 4.9 | 93.2 | 184 | 36 | 0 | 3,839 | 12 | 30,031 | 83 |
| 4 | Kandi | 0 | 484 | | 2.3 | 2.0 | 93.8 | 473 | 11 | 0 | 5,398 | 0 | 9,884 | 0 |
| 5 | Manjakote | 0 | 129 | | 0.0 | 0.0 | 90.2 | 129 | 0 | 0 | 4,389 | 208 | 23,866 | 85 |
| 6 | Noeshera | 0 | 151 | | 0.0 | 0.0 | 92.1 | 151 | 0 | 0 | 2,270 | 15 | 23,740 | 0 |
| 7 | Sunderbani | 0 | 290 | 8 | 26.9 | 7.4 | 81.9 | 220 | 78 | 0 | 4,902 | 206 | 22,030 | 0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to December

These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 |
|------------|-------------|---|---|---|---|-----------------------------|--|-----------------------------|--|---|---|--|------------------------------|------------------------------|
| | | Number of beneficiaries given 1st dose of Injectable (Antara Program) | Number of beneficiaries given 2nd dose of Injectable (Antara Program) | Number of beneficiaries given 3rd dose of Injectable (Antara Program) | Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program) | Pregnancy testing kits used | Number of Infants given OPV 0 (Birth Dose) | Number of Infants given BCG | Number of Infants given Hep- B0 (birth dose) | % Newborns given OPV0 at birth to Reported live birth | % Newborns given BCG to Reported live birth | % Newborns given Hep-B0 (Birth Dose) at birth to Reported live birth | Number of Infants given DPT1 | Number of Infants given DPT2 |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 11 | 0 | 0 | 0 | 1,558 | 7,417 | 10,643 | 7,349 | 87.2 | 125.1 | 86.4 | 0 | 0 |
| 1 | Darhal | 0 | 0 | 0 | 0 | 549 | 365 | 1,316 | 380 | 69.4 | 250.2 | 72.2 | 0 | 0 |
| 2 | District HQ | 7 | 0 | 0 | 0 | 16 | 3,842 | 4,031 | 3,842 | 101.7 | 106.7 | 101.7 | 0 | 0 |
| 3 | Kalakote | 0 | 0 | 0 | 0 | 63 | 665 | 1,220 | 641 | 69.9 | 128.2 | 67.3 | 0 | 0 |
| 4 | Kandi | 0 | 0 | 0 | 0 | 184 | 559 | 1,741 | 500 | 58.6 | 182.5 | 52.4 | 0 | 0 |
| 5 | Manjakote | 3 | 0 | 0 | 0 | 181 | 226 | 450 | 226 | 79.9 | 159.0 | 79.9 | 0 | 0 |
| 6 | Noeshera | 0 | 0 | 0 | 0 | 112 | 445 | 699 | 445 | 87.6 | 137.6 | 87.6 | 0 | 0 |
| 7 | Sunderbani | 1 | 0 | 0 | 0 | 453 | 1,315 | 1,186 | 1,315 | 87.1 | 78.6 | 87.1 | 0 | 0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 |
|------------|--------------------|------------------------------|--|--|--|---------------------------------|----------------------------|---|---|--------------------------------------|---|---|--|---|
| | | Number of Infants given DPT3 | Number of Infants given Pentavale nt 1 | Number of Infants given Pentavale nt 2 | Number of Infants given Pentavale nt 3 | Number of Infants given Measles | Number of Infants given MR | % Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births | Number of fully immunize d children (9-11 months) | % Drop Out between BCG & Measles/ MR | % Children given Vit A dose1 to Reported live birth | % Children given Vitamin A Dose 9 to Children given Vit A dose1 | Adverse Events Following Imunisation (Abcess) | Adverse Events Following Imunisation (Deaths) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 0 | 10,077 | 9,579 | 9,592 | 9,714 | 0 | 114.1 | 9,741 | 8.7 | 84.9 | 77.5 | 0 | 0 |
| 1 | Darhal | 0 | 1,808 | 1,725 | 1,774 | 1,818 | 0 | 345.6 | 1,818 | -38.1 | 317.3 | 67.5 | 0 | 0 |
| 2 | District HQ | 0 | 471 | 364 | 429 | 362 | 0 | 9.6 | 361 | 91.0 | 9.6 | 69.9 | 0 | 0 |
| 3 | Kalakote | 0 | 1,758 | 1,676 | 1,698 | 1,838 | 0 | 193.1 | 1,866 | -50.7 | 121.7 | 61.0 | 0 | 0 |
| 4 | Kandi | 0 | 1,974 | 1,838 | 1,827 | 1,643 | 0 | 172.2 | 1,643 | 5.6 | 0.9 | 111.1 | 0 | 0 |
| 5 | Manjakote | 0 | 1,902 | 1,839 | 1,873 | 1,892 | 0 | 668.6 | 1,892 | -320.4 | 663.3 | 71.5 | 0 | 0 |
| 6 | Noeshera | 0 | 1,216 | 1,148 | 1,016 | 1,099 | 0 | 216.3 | 1,099 | -57.2 | 214.6 | 99.5 | 0 | 0 |
| 7 | Sunderbani | 0 | 948 | 989 | 975 | 1,062 | 0 | 70.4 | 1,062 | 10.5 | 70.3 | 101.7 | 0 | 0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 144 | 145 | 146 | 147 | 148 | 149 | 150 | 151 | 152 | 153 | 154 | 155 | 156 |
|------------|-------------|--|---|---|--|-------------------------------------|-------------------------------------|---|--|---|--|--|--------------------------------------|--------------------------------------|
| | | Adverse Events Following Immunisation (Others) | % immunisation Sessions Held to Immunisation Sessions Planned | % Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned | Pneumonia in Children 0-5 Years of Age | Asthma in Children 0-5 Years of Age | Sepsis in Children 0-5 Years of Age | Diphtheria in Children 0-5 Years of Age | Pertussis in Children 0-5 Years of Age | Tetanus Neonatorum in Children 0-5 Years of Age | Tuberculosis (TB) in Children 0-5 Years of Age | Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age | Measles in Children 0-5 Years of Age | Malaria in Children 0-5 Years of Age |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 0 | 96.4 | 93.0 | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 29 |
| 1 | Darhal | 0 | 100.0 | 99.7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 | District HQ | 0 | | | 20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| 3 | Kalakote | 0 | 100.0 | 92.6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 | Kandi | 0 | 99.7 | 100.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 | Manjakote | 0 | 96.8 | 78.2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 6 | Noeshera | 0 | 90.2 | 98.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | Sunderbani | 0 | 97.6 | 97.5 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 |
|------------|-------------|--|---|---|--|--|--|--|--|---|---|---|---------------------------------|--------------|
| | | Diarrhoea in Children 0-5 Years of Age | Diarrhoea treated in Inpatient s in Children 0-5 Years of Age | No. of infants given Measles Rubella vaccine 1st dose | No. of infants received Rotavirus Vaccine 1st dose | No. of infants received Rotavirus Vaccine 2nd dose | No. of infants received Rotavirus Vaccine 3rd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | No of children 16-24 months age given Measles Rubella Vaccine 2nd dose | % Adult Female Inpatient s to Total Adult Inpatient | % Children Inpatient to Total Inpatient | % Female Inpatient Deaths to Total Inpatient Deaths | % Inpatient Deaths to Total IPD | IPD (Number) |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 2,317 | 121 | 0 | 0 | 0 | 0 | 8,297 | 0 | 53.1 | 31.4 | 45.9 | 0.1 | 63,823 |
| 1 | Darhal | 0 | 0 | 0 | 0 | 0 | 0 | 1,518 | 0 | 56.7 | 7.1 | | 0.0 | 5,123 |
| 2 | District HQ | 197 | 0 | 0 | 0 | 0 | 0 | 466 | 0 | 46.5 | 41.6 | 45.9 | 0.1 | 26,025 |
| 3 | Kalakote | 65 | 0 | 0 | 0 | 0 | 0 | 1,200 | 0 | 45.2 | 26.0 | | 0.0 | 8,121 |
| 4 | Kandi | 40 | 9 | 0 | 0 | 0 | 0 | 1,693 | 0 | 50.6 | 38.2 | | 0.0 | 4,675 |
| 5 | Manjakote | 430 | 46 | 0 | 0 | 0 | 0 | 1,519 | 0 | 52.2 | 32.6 | | 0.0 | 2,138 |
| 6 | Noeshera | 1,363 | 8 | 0 | 0 | 0 | 0 | 937 | 0 | 65.4 | 14.1 | | 0.0 | 6,740 |
| 7 | Sunderbani | 222 | 58 | 0 | 0 | 0 | 0 | 964 | 0 | 62.0 | 30.1 | | 0.0 | 11,001 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 | 181 | 182 |
|------------|-------------|------------------|--------------------|------------------------|--------------|----------------------------|----------------------------|---------------------------------------|----------------------------------|--|--------------------------|---------------------|---------------------------|---|
| | | OPD (Allopathic) | Ayush OPD (Number) | OPD (Ayush+Allopathic) | % IPD to OPD | Number of Major Operations | Number of Minor Operations | % Major Operations to Total Operation | Number of Hysterectomy Surgeries | % Hysterectomy Surgeries to Total Major Operations | % AYUSH OPD to Total OPD | Dental OPD (Number) | % Dental OPD to Total OPD | % Hb < 7 mg to Total Hb Tests Conducted |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 918,046 | 81,861 | 999,907 | 6.4 | 3,993 | 67,497 | 5.6 | 746 | 18.6 | 8.1 | 16,078 | 1.6 | 10.9 |
| 1 | Darhal | 132,502 | 0 | 132,502 | 3.9 | 0 | 15,129 | 0.0 | 0 | | 0.0 | 2,658 | 2.0 | 0.7 |
| 2 | District HQ | 206,851 | 10,627 | 217,478 | 12.0 | 3,137 | 19,822 | 13.7 | 734 | 23.4 | 4.9 | 4,198 | 1.9 | 37.0 |
| 3 | Kalakote | 103,257 | 10,943 | 114,200 | 7.1 | 0 | 4,737 | 0.0 | 0 | | 9.6 | 95 | 0.1 | 2.2 |
| 4 | Kandi | 81,398 | 23,266 | 104,664 | 4.5 | 0 | 11,137 | 0.0 | 0 | | 22.2 | 215 | 0.2 | 10.5 |
| 5 | Manjakote | 61,538 | 13,848 | 75,386 | 2.8 | 0 | 7,827 | 0.0 | 0 | | 18.4 | 2,012 | 2.7 | 0.0 |
| 6 | Noeshera | 167,069 | 12,393 | 179,462 | 3.8 | 109 | 5,758 | 1.9 | 0 | 0.0 | 6.9 | 2,623 | 1.5 | 0.5 |
| 7 | Sunderbani | 165,431 | 10,784 | 176,215 | 6.2 | 747 | 3,087 | 19.5 | 12 | 1.6 | 6.1 | 4,277 | 2.4 | 4.7 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 |
|------------|-------------|---|--|---|---|--|--|--|--|--|--|---|---|---|
| | | % Male HIV Positive to Total Males Tested | % Female screened for HIV to Total ANC Registrati on | % Female HIV Positive to Total Females Tested | % Total HIV Positive to Total Tested (Male + Female) | % Plasmodi um Vivax test positive to Total Blood Smears Examined | % Plasmodi um Falciparu m test positive to Total Blood Smears Examined | Total Number of Infant Deaths reported | % Deaths due to Sepsis to Total Reported Infant Deaths | % Deaths due to Asphyxia to Total Reported Infant Deaths | % Deaths due to Pneumoni a to Total Reported Infant Deaths | % Deaths due to Diarrhoea to Total Reported Infant Deaths | % Deaths due to Fever to Total Reported Infant Deaths | % Deaths due to Measles to Total Reported Infant Deaths |
| | | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | 0.0 | 11.3 | 0.0 | 0.0 | 0.5 | 0.0 | 38 | 2.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1 | Darhal | | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| 2 | District HQ | 0.0 | 3556.0 | 0.0 | 0.0 | 0.0 | 0.0 | 24 | 4.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3 | Kalakote | | 0.0 | | | 0.0 | 0.0 | | | | | | | |
| 4 | Kandi | 0.0 | 0.0 | | 0.0 | 0.0 | 0.0 | 0 | | | | | | |
| 5 | Manjakote | 0.0 | 0.1 | 0.0 | 0.0 | 0.2 | 0.0 | 2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 6 | Noeshera | 0.0 | 7.7 | 0.0 | 0.0 | 0.2 | 0.0 | 0 | | | | | | |
| 7 | Sunderbani | 0.0 | 16.6 | 0.0 | 0.0 | 5.0 | 0.0 | 12 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Performance of Key HMIS Indicators for Jammu & Kashmir-> Rajouri (Across Sub Districts)
 Financial Year: 2017-18
 Provisional Figures for the Period April to December
These indicators are under compilation (83,84,85,86,197,198)

| Indicators | | 196 | 197 | 198 |
|------------|-------------|--|--|---|
| | | Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH | Institutional Deliveries at District Hospitals | Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH |
| | | 2017-18 | 2017-18 | 2017-18 |
| | _Rajouri | | | |
| 1 | Darhal | | | |
| 2 | District HQ | | | |
| 3 | Kalakote | | | |
| 4 | Kandi | | | |
| 5 | Manjakote | | | |
| 6 | Noeshera | | | |
| 7 | Sunderbani | | | |