

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)

Financial Year: 2017-18

Provisional Figures for the Period April to March

These indicators are under compilation (83,84,85,86,197,198)

Indicators		1	2	3	4	5	6	7	8	9	10	11	12	13
		Total number of pregnant women Registered for ANC	Number of Pregnant women registered within first trimester	% 1st Trimester registration to Total ANC Registrations	Number of pregnant women received 4 or more ANC check ups	TT2 given to Pregnant women (numbers)	TT Booster given to Pregnant women (numbers)	% Pregnant Woman received 4 ANC check ups to Total ANC Registrations	% Pregnant women received TT2+ TT Booster to Total ANC Registration	Number of Pregnant women given 180 IFA tablets	% Pregnant women given 180 IFA to Total ANC Registration	Number of Pregnant Women having Hb level<11 (tested cases)	Number of Pregnant Women having severe anaemia (Hb<7) treated at institution	% Pregnant women having severe anaemia (Hb<7) treated at institution to women having hb level<7
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	44,905	28,297	63.0	24,864	21,923	17,439	55.3	87.6	11,617	25.8	5,965	77	24.4
1	Brahampur	4,938	3,056	61.9	2,976	2,552	2,225	60.3	96.7	880	17.8	283	0	0.0
2	Buxar Sadar	6,238	3,559	57.1	4,089	3,377	2,423	65.5	93.0	2,374	38.1	0	0	
3	Buxar Urban	2,663	2,285	85.8	2,645	518	0	99.3	19.5	2,503	94.0	4,532	59	46.1
4	Chakki	1,851	748	40.4	516	426	398	27.9	44.5	90	4.9	0	0	
5	Chaugain	1,262	1,149	91.0	703	524	664	55.7	94.1	308	24.4	197	3	100.0
6	Chausa	2,351	1,673	71.2	1,947	1,277	917	82.8	93.3	1,198	51.0	51	2	33.3
7	Dumraon	5,677	3,372	59.4	2,136	2,761	2,428	37.6	91.4	1,161	20.5	547	6	9.4
8	Itarhi	4,314	2,157	50.0	1,829	2,509	1,577	42.4	94.7	138	3.2	141	0	0.0
9	Kesath	842	580	68.9	630	412	405	74.8	97.0	650	77.2	0	0	
10	Nawanagar	4,030	2,416	60.0	2,400	2,166	1,757	59.6	97.3	469	11.6	0	0	
11	Rajpur	5,806	3,771	65.0	2,453	2,695	2,700	42.2	92.9	1,699	29.3	194	0	0.0
12	Simri	4,933	3,531	71.6	2,540	2,706	1,945	51.5	94.3	147	3.0	20	7	350.0

Indicators		14	15	16	17	18	19	20	21	22	23	24	25	26
		% New cases of Pregnant Women detected at instituti on for hyperten sion to Total ANC Registrati ons	Number of Home deliveries	Number of home deliveries attended by SBA trained (Doctor/ Nurse/ ANM)	Number of home deliveries attended by Non SBA trained (trained TB/Dai)	% SBA attended home deliveries to Total Reported Home Deliveries	Deliveries Conducte d at Public Institutio ns	Number of Women Discharge d under 48 hours of delivery in public facilities	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at public institutio ns	Deliveries Conducte d at Private Institutio ns	Number of Women Discharge d under 48 hours of delivery in private institutio ns	% Women discharge d in less than 48 hours of delivery to Total Reported Deliveries at private institutio ns	Institutio nal deliveries (Public Insts.+Pvt . Insts.)	% Institutio nal Deliveries to total ANC registrati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0.5	2,710	697	2,013	25.7	22,103	20,023	90.5				22,103	49.2
1	Brahampur	1.0	285	12	273	4.2	3,324	3,278	98.6				3,324	67.3
2	Buxar Sadar	0.0	392	214	178	54.6	0	0					0	0.0
3	Buxar Urban	1.2					3,666	3,592	98.0				3,666	137.7
4	Chakki	0.0	246	0	246	0.0	216	216	100.0				216	11.7
5	Chaugain	0.5	111	52	59	46.8	877	877	100.0				877	69.5
6	Chausa	1.4	281	71	210	25.3	1,651	1,670	101.2				1,651	70.2
7	Dumraon	0.0	415	308	107	74.2	3,683	3,680	99.9				3,683	64.9
8	Itarhi	0.4	367	0	367	0.0	2,221	2,187	98.5				2,221	51.5
9	Kesath	0.0	0	0	0		389	389	100.0				389	46.2
10	Nawanagar	0.0	113	9	104	8.0	1,406	1,406	100.0				1,406	34.9
11	Rajpur	0.1	216	31	185	14.4	2,336	2,336	100.0				2,336	40.2
12	Simri	1.3	284	0	284	0.0	2,334	392	16.8				2,334	47.3

Indicators		27	28	29	30	31	32	33	34	35	36	37	38	39
		Total reported deliveries	% Institutional deliveries to Total Reported Deliveries	% Safe deliveries to Total Reported Deliveries	% Home deliveries to Total Reported Deliveries	Number of C-section deliveries conducted at public facilities	Number of C-section deliveries conducted at private facilities	% C-section deliveries (Public + Pvt.) to reported institutional (Public + Pvt.) deliveries	% C-sections conducted at public facilities to Deliveries conducted at public facilities	% C-sections conducted at Private facilities to Deliveries conducted at private facilities	% Deliveries conducted at Public Institutions to Total Institutional Deliveries	% Deliveries conducted at Private Institutions to Total Institutional Deliveries	Women received 1st post partum check-up within 48 hours of home delivery	Women received 1st post partum check up between 48 hours and 14 days
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	24,813	89.1	91.9	10.9	89		0.4	0.4		100.0	0.0	10,186	16,449
1	Brahampur	3,609	92.1	92.4	7.9	0		0.0	0.0		100.0	0.0	1,071	993
2	Buxar Sadar	392	0.0	54.6	100.0	0							0	2,975
3	Buxar Urban	3,666	100.0	100.0	0.0	86		2.3	2.3		100.0	0.0	3,353	3,363
4	Chakki	462	46.8	46.8	53.2	0		0.0	0.0		100.0	0.0	70	332
5	Chaugain	988	88.8	94.0	11.2	0		0.0	0.0		100.0	0.0	184	763
6	Chausa	1,932	85.5	89.1	14.5	0		0.0	0.0		100.0	0.0	1,125	1,568
7	Dumraon	4,098	89.9	97.4	10.1	3		0.1	0.1		100.0	0.0	375	478
8	Itarhi	2,588	85.8	85.8	14.2	0		0.0	0.0		100.0	0.0	398	363
9	Kesath	389	100.0	100.0	0.0	0		0.0	0.0		100.0	0.0	388	388
10	Nawanagar	1,519	92.6	93.2	7.4	0		0.0	0.0		100.0	0.0	438	1,078
11	Rajpur	2,552	91.5	92.8	8.5	0		0.0	0.0		100.0	0.0	2,038	2,124
12	Simri	2,618	89.2	89.2	10.8	0		0.0	0.0		100.0	0.0	746	2,024

Indicators		40	41	42	43	44	45	46	47	48	49	50	51	52
		% Women getting 1st post partum check-up within 48 hours of home delivery to Total Reported Home Deliveries	% Women getting 1st Post Partum Checkup between 48 hours and 14 days to Total Reported Deliveries	Total Number of reported live births	% Live Births to Total Deliveries	Total Number of reported Still Births	% live birth to Reported Birth	Number of Newborns weighed at birth	% Newborns weighed at birth to live birth	Number of Newborns having weight less than 2.5 kg	% Newborns having weight less than 2.5 kg to Newborns weighed at birth	Number of New Borns Breast Fed within 1 hour	% Newborns breast fed within 1 hour of birth to Total live birth	Sex Ratio at birth (Female Live Births/ Male Live Births *1000)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	375.9	66.3	24,309	98.0	277	98.9	23,175	95.3	3,126	13.4	23,750	97.7	937
1	Brahampur	375.8	27.5	3,573	99.0	66	98.2	3,525	98.7	360	10.2	3,510	98.2	970
2	Buxar Sadar	0.0	758.9	392	100.0	0	100.0	392	100.0	0	0.0	392	100.0	849
3	Buxar Urban		91.7	3,663	99.9	50	98.7	3,636	99.3	598	16.4	3,615	98.7	963
4	Chakki	28.5	71.9	458	99.1	4	99.1	458	100.0	35	7.6	458	100.0	932
5	Chaugain	165.8	77.2	986	99.8	13	98.7	968	98.2	134	13.8	980	99.4	857
6	Chausa	400.4	81.2	1,884	97.5	17	99.1	1,830	97.1	300	16.4	1,882	99.9	956
7	Dumraon	90.4	11.7	4,068	99.3	47	98.9	3,652	89.8	655	17.9	4,055	99.7	925
8	Itarhi	108.4	14.0	2,305	89.1	9	99.6	2,021	87.7	199	9.8	2,157	93.6	952
9	Kesath		99.7	359	92.3	5	98.6	352	98.1	42	11.9	345	96.1	973
10	Nawanagar	387.6	71.0	1,511	99.5	18	98.8	1,511	100.0	138	9.1	1,511	100.0	865
11	Rajpur	943.5	83.2	2,504	98.1	23	99.1	2,362	94.3	229	9.7	2,363	94.4	959
12	Simri	262.7	77.3	2,606	99.5	25	99.0	2,468	94.7	436	17.7	2,482	95.2	909

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		53	54	55	56	57	58	59	60	61	62	63	64	65
		% cases of Pregnant women with Obstetric Complications and attended to reported deliveries	% Complicated Pregnancies treated with Blood Transfusion to Total Women with Obstetric Complications attended	Number of PW given 360 Calcium tablets	% Pregnant women given 360 Calcium to Total ANC Registrations	Number of PW given one Albendazole tablet after 1st trimester	% Pregnant women given one Albendazole tablet after 1st trimester to Total ANC Registrations	Number of PW tested for blood sugar using OGTT (Oral Glucose Tolerance Test)	% Pregnant women tested for blood sugar using OGTT to Total ANC Registrations	Number of PW tested positive for GDM	% Pregnant women tested positive for GDM to Total ANC Registrations	Number of pregnant women tested for Syphilis	Number of pregnant women tested found sero positive for Syphilis	% Pregnant women tested for Syphilis to Total ANC Registrations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	1.4	7.3	2,930	6.5	5,722	12.7	1,274	2.8	0	0.0	833	9	1.9
1	Brahampur	2.7	0.0	31	0.6	1,143	23.1	0	0.0	0	0.0	0	0	0.0
2	Buxar Sadar	0.0		0	0.0	0	0.0	0	0.0	0	0.0	0	0	0.0
3	Buxar Urban	1.1	63.4	1,635	61.4	1,635	61.4	0	0.0	0	0.0	201	7	7.5
4	Chakki	0.0		0	0.0	11	0.6	0	0.0	0	0.0	0	0	0.0
5	Chaugain	2.7	0.0	0	0.0	369	29.2	225	17.8	0	0.0	395	2	31.3
6	Chausa	2.0	0.0	16	0.7	69	2.9	0	0.0	0	0.0	0	0	0.0
7	Dumraon	1.5	0.0	713	12.6	464	8.2	1,049	18.5	0	0.0	237	0	4.2
8	Itarhi	0.2	0.0	200	4.6	1,707	39.6	0	0.0	0	0.0	0	0	0.0
9	Kesath	0.0		0	0.0	22	2.6	0	0.0	0	0.0	0	0	0.0
10	Nawanagar	0.2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0.0
11	Rajpur	0.0		335	5.8	164	2.8	0	0.0	0	0.0	0	0	0.0
12	Simri	3.3	0.0	0	0.0	138	2.8	0	0.0	0	0.0	0	0	0.0

Indicators		66	67	68	69	70	71	72	73	74	75	76	77	78
		% Pregnant women treatd for Syphilis to Total sero positive for Syphilis	% of babies treated for congenital Syphilis to babies total diagnosed with Congenital Syphilis	Total no. maternal deaths	Total Facility Based Maternal Death Reviews (FBMDR) done	Total Number of Abortions (Spontaneous) Reported	Total Number of MTPs (Public) conducted	% MTPs to total Abortions	% MTPs up to 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs more than 12 weeks of Pregnancy to Total MTPs at Public Institutions	% MTPs Conducted at Public Institutions to Total MTPs	% MTPs Conducted at Private Institutions to Total MTPs	% Total MTPs (Public) Conducted to Total ANC Registrati on	Number of Vasectomies Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0.1		38	0	30	19	73.9	68.4	31.6	22.4	77.6	0.0	51
1	Brahampur			2		15	0	0.0					0.0	6
2	Buxar Sadar			0		0	0						0.0	0
3	Buxar Urban	0.0		2	0	6	19	93.4	68.4	31.6	22.4	77.6	0.7	4
4	Chakki			0		0	0						0.0	0
5	Chaugain	0.3		1		8	0	0.0					0.0	0
6	Chausa			1		1	0	0.0					0.0	1
7	Dumraon	0.0		2	0	0	0						0.0	2
8	Itarhi			4		0	0						0.0	0
9	Kesath			0		0	0						0.0	28
10	Nawanagar			2		0	0						0.0	8
11	Rajpur			4		0	0						0.0	1
12	Simri			20		0	0						0.0	1

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		79	80	81	82	83	84	85	86	87	88	89	90	91
		Number of Tubectomies Conducted	Total Sterilisation Conducted	% Male Sterilisation (Vasectomies) to Total sterilisation	% Female Serlisation (Tubectomies) to Total sterilisation	Total Sterilisation (Tubectomies and Vasectomies) conducted at PHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at CHC	Total Sterilisation (Tubectomies and Vasectomies) conducted at SDH	Total Sterilisation (Tubectomies and Vasectomies) conducted at DH	Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions	Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Private institutions to Total Sterilisation	% Total Sterilisation (Tubectomies and Vasectomies) conducted at Public institutions to Total Sterilisation	% Laparoscopic sterilisations to Total Female Sterilisations
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	4,481	4,532	1.1	98.9					251	4,281	5.5	94.5	0.0
1	Brahampur	726	732	0.8	99.2						732	0.0	100.0	0.0
2	Buxar Sadar	0	0								0			
3	Buxar Urban	594	598	0.7	99.3					251	347	42.0	58.0	0.0
4	Chakki	78	78	0.0	100.0						78	0.0	100.0	0.0
5	Chaugain	175	175	0.0	100.0						175	0.0	100.0	0.0
6	Chausa	372	373	0.3	99.7						373	0.0	100.0	0.0
7	Dumraon	533	535	0.4	99.6						535	0.0	100.0	0.0
8	Itarhi	679	679	0.0	100.0						679	0.0	100.0	0.0
9	Kesath	32	60	46.7	53.3						60	0.0	100.0	0.0
10	Nawanagar	482	490	1.6	98.4						490	0.0	100.0	0.0
11	Rajpur	320	321	0.3	99.7						321	0.0	100.0	0.0
12	Simri	490	491	0.2	99.8						491	0.0	100.0	0.0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		92	93	94	95	96	97	98	99	100	101	102	103	104
		% Mini Lap Sterilisati ons to Total Female Sterilisati ons	% Post Partum Sterilisati ons to Total Female Sterilisati ons	% Post Abortion Sterilisati ons to Total Female Sterilisati ons	% Laparosc opic sterilisati ons at Public Institutio ns to Total Laparosc opic Sterilisati ons	% Mini Lap sterilisati ons at Public Institutio ns to Total Mini Lap Sterilisati ons	% Post Partum sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on	% Post Abortion sterilisati ons at Public Institutio ns to Total Post Partum Sterilisati on	Total cases of deaths following Sterilisati on (Male + Female)	Total cases of deaths following Male Sterilisati on	Total cases of deaths following Female Sterilisati on	Total cases of failure following Male Sterilisati on	Total cases of failure following Female Sterilisati on	Total cases of complicat ion following Male Sterilisati on
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	93.4	6.3	0.2		94.0	100.0	100.0	0	0	0	0	0	0
1	Brahampur	89.3	10.7	0.0		100.0	100.0		0	0	0	0	0	0
2	Buxar Sadar								0	0	0	0	0	0
3	Buxar Urban	82.3	15.7	2.0		48.9	100.0	100.0	0	0	0	0	0	0
4	Chakki	100.0	0.0	0.0		100.0			0	0	0	0	0	0
5	Chaugain	76.0	24.0	0.0		100.0	100.0		0	0	0	0	0	0
6	Chausa	100.0	0.0	0.0		100.0			0	0	0	0	0	0
7	Dumraon	97.4	2.6	0.0		100.0	100.0		0	0	0	0	0	0
8	Itarhi	97.6	2.4	0.0		100.0	100.0		0	0	0	0	0	0
9	Kesath	100.0	0.0	0.0		100.0			0	0	0	0	0	0
10	Nawanagar	94.4	5.6	0.0		100.0	100.0		0	0	0	0	0	0
11	Rajpur	99.1	0.9	0.0		100.0	100.0		0	0	0	0	0	0
12	Simri	97.8	2.2	0.0		100.0	100.0		0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		105	106	107	108	109	110	111	112	113	114	115	116	117
		Total cases of complication following Female Sterilisation	IUCD Insertions done (public facilities)	IUCD insertions done (pvt. facilities)	% PP IUCD Insertions (public) to Total IUCD Insertions (public)	% PP IUCD Insertions (public) to Total Institutional Deliveries (public)	% IUCD insertions to all family planning methods (IUCD plus permanent)	Total Interval IUCD Insertions done	Total PP IUCD Insertions done	Total PAIUCD insertions done	Combined Oral Pills distributed	Emergency pills distributed	Condom pieces distributed	Centchroman (weekly pills) distributed
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	191	4,133	70	45.2	8.4	48.1	2,328	1,872	3	4,722	1,476	30,740	94
1	Brahampur	3	1,218		38.3	14.0	62.5	752	466	0	861	234	5,433	7
2	Buxar Sadar	0	335		0.0		100.0	335	0	0	0	0	5	0
3	Buxar Urban	183	365	70	69.9	7.0	42.1	180	255	0	724	17	2,857	5
4	Chakki	0	0			0.0	0.0	0	0	0	171	379	1,291	0
5	Chaugain	0	194		77.8	17.2	52.6	43	151	0	605	145	2,437	0
6	Chausa	0	226		47.3	6.5	37.7	117	107	2	217	47	2,976	0
7	Dumraon	0	356		72.8	7.0	40.0	97	259	0	587	115	3,802	0
8	Itarhi	5	253		51.4	5.9	27.1	123	130	0	44	87	924	0
9	Kesath	0	40		72.5	7.5	40.0	11	29	0	168	56	2,124	0
10	Nawanagar	0	226		45.1	7.3	31.6	123	102	1	170	68	3,960	0
11	Rajpur	0	151		71.5	4.6	32.0	43	108	0	1,167	328	4,842	82
12	Simri	0	769		34.5	11.4	61.0	504	265	0	8	0	89	0

Indicators		118	119	120	121	122	123	124	125	126	127	128	129	130
		Number of beneficiaries given 1st dose of Injectable (Antara Program)	Number of beneficiaries given 2nd dose of Injectable (Antara Program)	Number of beneficiaries given 3rd dose of Injectable (Antara Program)	Number of beneficiaries given 4th or more than 4 doses of Injectable (Antara Program)	Pregnancy testing kits used	Number of Infants given OPV 0 (Birth Dose)	Number of Infants given BCG	Number of Infants given Hep- B0 (birth dose)	% Newborns given OPV0 at birth to Reported live birth	% Newborns given BCG to Reported live birth	% Newborns given Hep-B0 (Birth Dose) at birth to Reported live birth	Number of Infants given DPT1	Number of Infants given DPT2
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	146	3	0	0	4,094	24,717	38,164	19,845	101.7	157.0	81.6	1	0
1	Brahampur	55	0	0	0	819	3,381	4,574	3,206	94.6	128.0	89.7	0	0
2	Buxar Sadar	0	0	0	0	0	1,785	3,754		455.4	957.7	0.0	0	0
3	Buxar Urban	42	3	0	0	202	3,074	3,134	2,297	83.9	85.6	62.7	0	0
4	Chakki	0	0	0	0	188	304	754	197	66.4	164.6	43.0	0	0
5	Chaugain	0	0	0	0	539	902	1,163	873	91.5	118.0	88.5	0	0
6	Chausa	0	0	0	0	180	1,863	2,439	1,648	98.9	129.5	87.5	0	0
7	Dumraon	36	0	0	0	576	3,897	5,680	3,546	95.8	139.6	87.2	0	0
8	Itarhi	11	0	0	0	70	2,125	3,377	2,040	92.2	146.5	88.5	1	0
9	Kesath	0	0	0	0	140	452	606	386	125.9	168.8	107.5	0	0
10	Nawanagar	2	0	0	0	9	1,869	3,482	1,417	123.7	230.4	93.8	0	0
11	Rajpur	0	0	0	0	1,371	2,161	4,969	1,895	86.3	198.4	75.7	0	0
12	Simri	0	0	0	0	0	2,904	4,232	2,340	111.4	162.4	89.8	0	0

Indicators		131	132	133	134	135	136	137	138	139	140	141	142	143
		Number of Infants given DPT3	Number of Infants given Pentavale nt 1	Number of Infants given Pentavale nt 2	Number of Infants given Pentavale nt 3	Number of Infants given Measles	Number of Infants given MR	% Infants 0 to 11 months old who received Measles+ MR vaccine to reported live births	Number of fully immunized children (9-11 months)	% Drop Out between BCG & Measles/ MR	% Children given Vit A dose1 to Reported live birth	% Children given Vitamin A Dose 9 to Children given Vit A dose1	Adverse Events Following Immunisation (Abcess)	Adverse Events Following Immunisation (Deaths)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0	39,858	39,582	38,436	37,051	0	152.4	36,957	2.9	16.8	1.9	4	0
1	Brahampur	0	4,816	4,698	4,501	4,183	0	117.1	4,183	8.5	12.4	4.3	0	0
2	Buxar Sadar	0	5,596	5,856	5,810	5,559		1418.1	5,559	-48.1	613.5	0.0	0	0
3	Buxar Urban	0	734	586	503	456	0	12.4	501	85.4	0.0		0	0
4	Chakki	0	957	980	858	800	0	174.7	800	-6.1	0.0		0	0
5	Chaugain	0	1,196	1,243	1,239	1,117	0	113.3	1,117	4.0	13.4	0.0	4	0
6	Chausa	0	2,304	2,207	2,141	2,072	0	110.0	2,072	15.0	11.3	15.1	0	0
7	Dumraon	0	5,106	5,103	5,053	4,669	0	114.8	4,723	17.8	0.3	0.0	0	0
8	Itarhi	0	4,036	4,085	3,869	3,961	0	171.8	3,940	-17.3	6.2	11.8	0	0
9	Kesath	0	776	794	839	901	0	251.0	901	-48.7	0.0		0	0
10	Nawanagar	0	4,044	3,948	3,965	3,821	0	252.9	3,821	-9.7	1.3	0.0	0	0
11	Rajpur	0	5,322	5,102	4,913	4,974	0	198.6	4,952	-0.1	24.7	0.0	0	0
12	Simri	0	4,971	4,980	4,745	4,538	0	174.1	4,388	-7.2	3.7	10.4	0	0

Indicators		144	145	146	147	148	149	150	151	152	153	154	155	156
		Adverse Events Following Immunisation (Others)	% immunisation Sessions Held to Immunisation Sessions Planned	% Immunisation Sessions where ASHAs were present to Immunisation Sessions Planned	Pneumonia in Children 0-5 Years of Age	Asthma in Children 0-5 Years of Age	Sepsis in Children 0-5 Years of Age	Diphtheria in Children 0-5 Years of Age	Pertussis in Children 0-5 Years of Age	Tetanus Neonatorum in Children 0-5 Years of Age	Tuberculosis (TB) in Children 0-5 Years of Age	Acute Flaccid Paralysis (AFP) in Children 0-5 Years of Age	Measles in Children 0-5 Years of Age	Malaria in Children 0-5 Years of Age
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	0	98.2	90.0	19	0	6	0	0	2	0	0	4	19
1	Brahampur	0	99.5	97.1	0	0	0	0	0	0	0	0	1	0
2	Buxar Sadar	0	95.0	64.9	0	0	0	0	0	0	0	0	3	0
3	Buxar Urban	0			14	0	6	0	0	2	0	0	0	14
4	Chakki	0	100.0	99.0	0	0	0	0	0	0	0	0	0	0
5	Chaugain	0	100.1	97.8	0	0	0	0	0	0	0	0	0	0
6	Chausa	0	100.0	93.4	5	0	0	0	0	0	0	0	0	5
7	Dumraon	0	100.0	76.3	0	0	0	0	0	0	0	0	0	0
8	Itarhi	0	98.7	94.0	0	0	0	0	0	0	0	0	0	0
9	Kesath	0	99.8	96.0	0	0	0	0	0	0	0	0	0	0
10	Nawanagar	0	95.0	99.0	0	0	0	0	0	0	0	0	0	0
11	Rajpur	0	97.5	96.3	0	0	0	0	0	0	0	0	0	0
12	Simri	0	100.0	99.2	0	0	0	0	0	0	0	0	0	0

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		157	158	159	160	161	162	163	164	165	166	167	168	169
		Diarrhoea in Children 0-5 Years of Age	Diarrhoea treated in Inpatient s in Children 0-5 Years of Age	No. of infants given Measles Rubella vaccine 1st dose	No. of infants received Rotavirus Vaccine 1st dose	No. of infants received Rotavirus Vaccine 2nd dose	No. of infants received Rotavirus Vaccine 3rd dose	No of children 16-24 months age given Measles 2nd dose	No of children 16-24 months age given Measles Rubella Vaccine 2nd dose	% Adult Female Inpatient s to Total Adult Inpatient	% Children Inpatient to Total Inpatient	% Female Inpatient Deaths to Total Inpatient Deaths	% Inpatient Deaths to Total IPD	IPD (Number)
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	102	18	0	0	0	0	35,595	0	91.3	17.7	48.4	0.2	32,899
1	Brahampur	2	0	0	0	0	0	3,975	0	96.9	1.3		0.0	4,150
2	Buxar Sadar	0	0					5,426						0
3	Buxar Urban	4	1	0	0	0	0	0	0	75.6	12.7	49.2	3.3	1,863
4	Chakki	0	1	0	0	0	0	742	0	100.0	0.0		0.0	298
5	Chaugain	21	16	0	0	0	0	1,095	0	88.6	8.5		0.0	3,108
6	Chausa	10	0	0	0	0	0	2,046	0	97.1	0.0		0.0	4,579
7	Dumraon	0	0	0	0	0	0	4,894	0	95.6	2.5	0.0	0.0	4,417
8	Itarhi	65	0	0	0	0	0	3,637	0	95.3	2.3		0.0	1,246
9	Kesath	0	0	0	0	0	0	916	0	55.8	32.8		0.0	1,187
10	Nawanagar	0	0	0	0	0	0	3,668	0	87.8	16.3		0.0	2,811
11	Rajpur	0	0	0	0	0	0	4,734	0	81.5	43.3		0.0	4,520
12	Simri	0	0	0	0	0	0	4,462	0	99.1	49.1		0.0	4,720

Indicators		170	171	172	173	174	175	176	177	178	179	180	181	182
		OPD (Allopathic)	Ayush OPD (Number)	OPD (Ayush+Allopathic)	% IPD to OPD	Number of Major Operations	Number of Minor Operations	% Major Operations to Total Operation	Number of Hysterectomy Surgeries	% Hysterectomy Surgeries to Total Major Operations	% AYUSH OPD to Total OPD	Dental OPD (Number)	% Dental OPD to Total OPD	% Hb < 7 mg to Total Hb Tests Conducted
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	697,744	182,906	880,650	3.7	2,851	9,182	23.7	2	0.0	20.7	3,835	0.4	1.8
1	Brahampur	99,339	18,431	117,770	3.5	0	0		0		15.6	1	0.0	25.0
2	Buxar Sadar	0	7,256	7,256	0.0	0	0		0		100.0	0	0.0	
3	Buxar Urban	124,692	5,517	130,209	1.4	364	1,635	18.2	2	0.5	4.2	3,463	2.7	2.0
4	Chakki	23,810	0	23,810	1.3	0	0		0		0.0	0	0.0	0.4
5	Chaugain	38,039	8,575	46,614	6.7	173	859	16.8	0	0.0	18.4	0	0.0	2.3
6	Chausa	37,717	14,240	51,957	8.8	372	911	29.0	0	0.0	27.4	124	0.2	1.4
7	Dumraon	102,100	21,383	123,483	3.6	540	1,250	30.2	0	0.0	17.3	98	0.1	0.2
8	Itarhi	58,551	33,593	92,144	1.4	0	91	0.0	0		36.5	119	0.1	4.6
9	Kesath	18,525	0	18,525	6.4	36	370	8.9	0	0.0	0.0	0	0.0	
10	Nawanagar	95,515	27,335	122,850	2.3	484	2,501	16.2	0	0.0	22.3	30	0.0	1.3
11	Rajpur	60,610	3,481	64,091	7.1	317	457	41.0	0	0.0	5.4	0	0.0	
12	Simri	38,846	43,095	81,941	5.8	565	1,108	33.8	0	0.0	52.6	0	0.0	0.0

Indicators		183	184	185	186	187	188	189	190	191	192	193	194	195
		% Male HIV Positive to Total Males Tested	% Female screened for HIV to Total ANC Registrati on	% Female HIV Positive to Total Females Tested	% Total HIV Positive to Total Tested (Male + Female)	% Plasmodi um Vivax test positive to Total Blood Smears Examined	% Plasmodi um Falciparu m test positive to Total Blood Smears Examined	Total Number of Infant Deaths reported	% Deaths due to Sepsis to Total Reported Infant Deaths	% Deaths due to Asphyxia to Total Reported Infant Deaths	% Deaths due to Pneumoni a to Total Reported Infant Deaths	% Deaths due to Diarrhoea to Total Reported Infant Deaths	% Deaths due to Fever to Total Reported Infant Deaths	% Deaths due to Measles to Total Reported Infant Deaths
		2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18	2017-18
	_Buxar	1.6	13.4	0.5	0.9	0.0	0.0	209	6.2	3.3	2.4	1.9	1.4	0.5
1	Brahampur		0.0					5	0.0	20.0	0.0	0.0	0.0	0.0
2	Buxar Sadar		0.0					0						
3	Buxar Urban	1.9	110.2	1.1	1.4			54	18.5	7.4	0.0	0.0	1.9	0.0
4	Chakki		0.0					0						
5	Chaugain	1.9	18.5	0.4	0.9			24	0.0	0.0	4.2	0.0	4.2	0.0
6	Chausa	2.4	5.9	0.0	0.9			0						
7	Dumraon	0.9	8.3	0.0	0.3	0.0	0.0	2	0.0	0.0	0.0	0.0	0.0	0.0
8	Itarhi	0.0	27.4	0.0	0.0			10	0.0	20.0	10.0	30.0	0.0	0.0
9	Kesath		0.0					0						
10	Nawanagar	0.0	26.2	0.0	0.0	0.0	0.0	34	8.8	0.0	0.0	0.0	0.0	0.0
11	Rajpur		0.0					0						
12	Simri		0.0					80	0.0	0.0	3.8	1.3	1.3	1.3

Performance of Key HMIS Indicators for Bihar-> Buxar (Across Sub Districts)
Financial Year: 2017-18
Provisional Figures for the Period April to March
These indicators are under compilation (83,84,85,86,197,198)

Indicators		196	197	198
		Institutional Deliveries at Urban Health Facilities i.e SC+PHC+CHC+SDH	Institutional Deliveries at District Hospitals	Measles immunization at urban Health facilities i.e SC+PHC+CHC+SDH+DH
		2017-18	2017-18	2017-18
	_Buxar	3,683		
1	Brahampur			
2	Buxar Sadar	0		
3	Buxar Urban			
4	Chakki			
5	Chaugain			
6	Chausa			
7	Dumraon	3,683		
8	Itarhi			
9	Kesath			
10	Nawanagar			
11	Rajpur			
12	Simri			